

EVS TEATAJA

Ilmub üks kord kuus alates 1993. aastast

07/2007

Harmoneeritud standardid



WTO teatised



Uued Eesti standardid



Eesti keeles müügil



SISUKORD

| | |
|---|----|
| HARMONEERITUKS TUNNISTATUD STANDARDID | 2 |
| WTO SEKRETARIAADILT SAABUNUD SPS TEATISED | 4 |
| WTO SEKRETARIAADILT SAABUNUD TBT TEATISED | 18 |
| UUED STANDARDID JA KAVANDID ARVAMUSKÜSLUSEKS | 25 |
| ICS PÕHIRÜHMAD | 26 |
| 01 ÜLDKÜSIMUSED. TERMINOLOGIA. STANDARDIMINE. DOKUMENTATSIOON | 27 |
| 03 TEENUSED. ETTEVÖTTE ORGANISEERIMINE, JUHTIMINE JA KVALITEET. | |
| HALDUS. TRANSPORT. SOTSILOOGIA | 27 |
| 11 TERVISEHOOLDUS | 28 |
| 13 KESKKONNA- JA TERVISEKAITSE. OHUTUS | 30 |
| 17 METROLOGIA JA MÖÖTMINE. FÜÜSIKALISED NÄHTUSED | 32 |
| 19 KATSETAMINE | 34 |
| 21 ÜLDKASUTATAVAD MASINAD JA NENDE OSAD | 34 |
| 23 ÜLDKASUTATAVAD HÜDRO- JA PNEUMOSÜSTEEMID JA NENDE OSAD | 35 |
| 25 TOOTMISTEHNOLOOGIA | 36 |
| 29 ELEKTROTEHNIKA | 38 |
| 31 ELEKTROONIKA | 42 |
| 33 SIDETEHNIKA | 43 |
| 35 INFOTECHNOLOGIA. KONTORISEADMED | 47 |
| 37 VISUAALTEHNIKA | 49 |
| 43 MAANTEESÖIDUKITE EHITUS | 49 |
| 45 RAUDTEETEHNIKA | 49 |
| 47 LAEVAEHHITUS JA MERE-EHITISED | 50 |
| 53 TÖSTE- JA TEISALDUSSEADMED | 50 |
| 59 TEKSTIILI- JA NAHATEHNOLOOGIA | 50 |
| 61 RÖIVATÖÖSTUS | 51 |
| 65 PÖLLUMAJANDUS | 51 |
| 67 TOIDUAINETE TEHNOLOOGIA | 52 |
| 75 NAFTA JA NAFTATEHNOLOOGIA | 52 |
| 77 METALLURGIA | 53 |
| 79 PUIDUTEHNOLOOGIA | 54 |
| 81 KLAASI- JA KERAAMIKATÖÖSTUS | 54 |
| 83 KUMMI- JA PLASTITÖÖSTUS | 54 |
| 85 PAPERITEHNOLOOGIA | 55 |
| 87 VÄRVIDE JA VÄRVAINETE TÖÖSTUS | 55 |
| 91 EHITUSMATERJALID JA EHITUS | 56 |
| 93 RAJATISED | 60 |
| 97 OLME. MEELELAHUTUS. SPORT | 61 |
| STANDARDITE TÖLKED KOMMENTEERIMISEL | 65 |
| STANDARDITE MÜÜGI TOP JUUNI | 67 |
| JUUNIKUUS JÖUSTUNUD JA MÜÜGILE SAABUNUD EESTIKEELSED STANDARDID | 67 |

HARMONEERITUKS TUNNISTATUD STANDARDID

Tehnilise normi ja standardi seaduse kohaselt avaldab Eesti Standardikeskus oma veebilehel ja väljaandes teavet harmoneeritud standarditest. Harmoneeritud (ühtlustatud) standardid on EL Uue lähenemisviisi direktiividega liituvad standardid. Harmoneeritud standarditeks loetakse need standardid, millele on viidatud EL ametlikus väljaandes *Official Journal*. Harmoneeritud standardite kasutamine on kõige lihtsam viis töendada direktiivide oluliste nõuete täitmist. Lisainfo:

<http://www.newapproach.org/>

<http://ec.europa.eu/enterprise/newapproach/standardization/harmstds>

EVS Teatajas ja EVS kodulehel saab tutvuda Uue lähenemisviisi direktiivide all harmoneeritud standarditega. Ühtlasi avaldame ka, millised neist standarditest on üle võetud Eesti standarditeks. Seekord on avaldatud **surveseadmeid ja mänguasju** käsitlevad standardid (avaldatud mai ja juuni 2007 Euroopa Ühenduste Teataja C-seerias).

Kõik avaldatud standardid on üle võetud Eesti standarditeks.

NÕUKOGU DIREKTIIV 97/23/EÜ Surveseadmed
(2007/C 118/01)
26.05.2007

| Viide ühtlustatud standardile ja standardi pealkiri (ja viitedokument) | Viide asendatavale standardile | Kuupäev, mil asendatava standardi järgimisest tulenev vastavuseeldus kaotab kehtivuse Märkus 1 |
|---|---------------------------------------|---|
| EN 13445-1:2002/A2:2006 Leekkuumutuseta surveanumad. Osa 1: Üldine / <i>Unfired pressure vessels - Part 1: General</i> | Märkus 3 | 30.6.2007 |
| EN 13445-2:2002/A2:2006 Leekkuumutuseta surveanumad. Osa 2: Materjalid / <i>Unfired pressure vessels - Part 2: Materials</i> | Märkus 3 | 30.6.2007 |
| EN 13445-3:2002/A11:2006 Leekkuumutuseta surveanumad. Osa 3: Kavandamine / <i>Unfired pressure vessels - Part 3: Design</i> | Märkus 3 | 30.6.2007 |
| EN 13445-4:2002/A2:2006 Leekkuumutuseta surveanumad. Osa 4: Valmistamine / <i>Unfired pressure vessels - Part 4: Fabrication</i> | Märkus 3 | 30.6.2007 |
| EN 13445-5:2002/A4:2006 Leekkuumutuseta surveanumad. Osa 5: Kontroll ja katsetamine / <i>Unfired pressure vessels - Part 5: Inspection and testing</i> | Märkus 3 | 30.6.2007 |
| EN 13445-6:2002/A2:2006 Leekkuumutuseta surveanumad. Osa 6: Nõuded keragrafiitmalmist toodetud surveanumate ja surve detailide kavandamisele ja valmistamisele / <i>Unfired pressure vessels - Part 6: Requirements for the design and fabrication of pressure vessels and pressure parts constructed from spheroidal graphite cast iron</i> | Märkus 3 | 30.6.2007 |
| EN 13445-8:2006 Leekkuumutuseta surveanumad. Osa 8: Täiendavad | - | |

| | | |
|---|----------|-----------|
| nõuded alumiiniumist või alumiiniumsulamist surveanumatele / <i>Unfired pressure vessels - Part 8: Additional requirements for pressure vessels of aluminium and aluminium alloys</i> | | |
| EN 13480-3:2002/A2:2006 Metallist tööstustorustik. Osa 3: Kavandamine ja arvutamine / <i>Metallic industrial piping - Part 3: Design and calculation</i> | Märkus 3 | 31.5.2007 |
| EN 14359:2006 Gaasiga töötavad akumulaatorid pneumohüdrorakendustele / <i>Gas-loaded accumulators for fluid power applications</i> | - | |

Märkus 1

Tavaliselt on kuupäevaks, mil asendatava standardi järgimisest tulenev vastavuseeldus kehtivuse kaotab, Euroopa standardiorganisatsiooni kehtestatud tühistamiskuupäev, kuid könealuste standardite kasutajate tähelepanu juhitakse asjaolule, et teatavatel erandjuhtudel võib olla ka teisiti.

Märkus 3

Muudatuste puhul on viitestandard EN CCCCC:AAAAA, vajaduse korral selle varasemad muudatused ja osutatud uus muudatus. Asendatav standard (veerg 3) koosneb seega standardist EN CCCCC:AAAAA ja vajaduse korral selle varasematest muudatustest, kuid ei hõlma osutatud uut muudatust. Osutatud kuupäeval kaotab kehtivuse asendatava standardi järgimisest tulenev vastavuseeldus direktiivi oluliste nõuetega.

NÕUKOGU DIREKTIIV 88/378/EMÜ Mänguasjad (2007/C 127/02) 8.06.2007

| Viide ühtlustatud standardile ja standardi pealkiri (ja viitedokument) | Viide asendatavale standardile | Kuupäev, mil asendatava standardi järgimisest tulenev vastavuseeldus kaotab kehtivuse Märkus 1 | Esmaavaldamis-kuupäev |
|---|--------------------------------|---|-----------------------|
| EVS-EN 71-1:2005 (2) (3) (4) (5) Mänguasjade ohutus. Osa 1: Mehaanilised ja füüsikalised omadused / <i>Safety of toys - Part 1: Mechanical and physical properties</i> | 71-1:1998 | Selle avaldamise kuupäev | Esmakordne avaldamine |
| EVS-EN 71-1:2005/A3:2006 | Märkus 3 | Selle avaldamise kuupäev | Esmakordne avaldamine |
| EN 71-1:2005/AC:2006 | | | |

(2) *Märkus:* vastavalt komisjoni 30. juuli 2001. aasta otsusele kehtib standardi EN 71-1: 1998 punkti 4.20 alapunktis d sätestatud vastavuseeldus C-filtriga korrigeeritud helirõhu tipptaseme kohta, mida tekitab löökkapslitega mänguasi, alles 1. augustist 2001.

(3) *Märkus:* standard EN 71-1:1998/A8:2003 käsitleb ainult viskamiseks, löömiseks, veeretamiseks või põrgatamiseks kavandatud või ettenähtud "väikeste pallide" (standardis määratletud kui "kerakujulised, munajad või ellipsikujulised esemed"), põhjustatud ohtusid. Mänguasjad, mille koostisse kuuluvad sellised väikesed pallid, mida standard ei hõlma, peavad läbima EÜ tüübihindamise ja saama vastava tõendi, enne kui neid tohib turustada.

(4) *Märkus:* "Tassi-, kausi- või pooliku muna kujulised, joomiseks ettenähtud mänguasjad, millel on peaegu ümmargune, ovaalne või elliptiline avaus (näiteks teatasside mänguserviis), võivad kujutada ohtu laste tervisele.

Niisugused mängusjad ei ole standardiga hõlmatud, seetõttu peab neil olema EÜ tüübihindamistõend ning nende vastavust heaksidetud mudelile tuleb töendada tootele kinnitatud CE-märgisega”.

(5) Märkus: “Viskekehadega mängusjade puhul, mille kokkupörkepiinaks on iminapad, ei hõlma punkti 4.17.1 alapunktis b sätestatud nõue, mille kohaselt pingetest tehakse kooskõlas punktiga 8.4.2.3, nende mängusjade põhjustatud lämbumisohtu”.

Märkus 1

Tavaliselt on kuupäevaks, mil asendatava standardi järgimisest tulenev vastavuseeldus kehtivuse kaotab, Euroopa standardiorganisatsiooni kehtestatud tühistamiskuupäev, kuid kõnealuste standardite kasutajate tähelepanu juhitakse asjaolule, et teatavatel erandjuhtudel võib olla ka teisiti.

Märkus 3

Muudatuste puhul on viitestandard EN CCCCC:AAAAA, vajaduse korral selle varasemad muudatused ja osutatud uus muudatus. Asendatav standard (veerg 3) koosneb seega standardist EN CCCCC:AAAAA ja vajaduse korral selle varasematest muudatustest, kuid ei hõlma osutatud uut muudatust. Osutatud kuupäeval kaotab kehtivuse asendatava standardi järgimisest tulenev vastavuseeldus direktiivi oluliste nõuetega.

WTO SEKRETARIAADILT SAABUNUD TEATISED

Maailma Kaubandusorganisatsiooni WTO sekretariaadilt saabunud õigusaktide eelnõud, milles sisalduvad tehnilised normid võivad saada kaubanduse tehniliksteks tõketeks. Eelnõude kohta on võimalik esitada kommentaare 2 nädalat enne tabelis toodud kuupäeva Majandus- ja Kommunikatsiooniministeeriumi Karl Stern, karl.stern@mkm.ee. Eelnõude terviktekstid ja info EVS Teabekeskusest Signe Ruut tel 605 5062, faks 605 5063, enquiry@evs.ee.

WTO SEKRETARIAADILT SAABUNUD SPS TEATISED

| NUMBER & ESITAMIS-KUUPÄEV | RIIK | MÖJUTATAV PIRKOND/ RIIK | TOODE | EESMÄRK | KOMMENTAARIDE ESITAMISE VIIMANE KUUPÄEV |
|---|------------|---------------------------|---|--|---|
| G/SPS/N/PER/158 30. mai 2007 | PERUU | kõik riigid ja piirkonnad | loomad ja loomsed tooted | loomataervis | 60 päeva |
| G/SPS/N/PHL/ 116, 117 1. juuni 2007 | FILIPIINID | kõik riigid | banaaniliistakud (2008.99) | toiduohutus | 9. juuli 2007 |
| G/SPS/N/USA/1562 1. juuni 2007 | USA | kõik kaubanduspartnerid | veised, kitsed, hobused, lambad ja nende rasv, liha, piim, kõrvalsaadused | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |

| | | | | | |
|-----------------------------------|-----|-------------------------|---|---|---|
| G/SPS/N/USA/1563 1. juuni 2007 | USA | kõik kaubanduspartnerid | safloor, hernald, juurviljad | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1564 1. juuni 2007 | USA | kõik kaubanduspartnerid | viljapuuaedade ja viinamarja-istanduste saak | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1565 1. juuni 2007 | USA | kõik kaubanduspartnerid | juurviljad ja luuviljalised, puud, pähklipuud, puuvill ja tubakas | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1566 1. juuni 2007 | USA | kõik kaubanduspartnerid | veised, puuvill, oad, sojaoad, peet ja hein | toiduohutus, loomatervis, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1567 1. juuni 2007 | USA | kõik kaubanduspartnerid | kartul, porgand, tomat, sibul, maapähkel, salat, arbuus | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1568 1. juuni 2007 | USA | kõik kaubanduspartnerid | Dichlorprop-p | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1569 1. juuni 2007 | USA | kõik kaubanduspartnerid | juurvili, puuvili, pähklid | toiduohutus, taimekaitse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |

| | | | | | |
|-----------------------------------|-------------------|---|---|--|----------------|
| G/SPS/N/USA/1570 1. juuni 2007 | USA | kõik kaubanduspartnerid | veised, kitsed, hobused, lambad ja nende rasv, liha, kõrvalsaadused | toiduohutus, loomatervis, taimekaitsse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/EEC/307 4. juuni 2007 | EUROOPA ÜHENDUSED | EÜ liikmed ja EÜ-sse eksportivad kolmandad riigid | loomne toit (0201, 0202, 0203, 0204, 0205, 0206, 0207, 0208, 0209, 0210) | toiduohutus/ loomatervis | 90 päeva |
| G/SPS/N/NLD/65 4. juuni 2007 | HOLLAND | kõik riigid | pöllumajadus- ja aiandussaadused | toiduohutus | 60 päeva |
| G/SPS/N/BRA/318 5. juuni 2007 | BRASIIILIA | kõik riigid | sojauba (HS-6) 1201.00 | toiduohutus, taimekaitsse, inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 14. juuli 2007 |
| G/SPS/N/BRA/319 5. juuni 2007 | BRASIIILIA | India | riisiseeme (<i>Oryza sativa</i>) (HS code 1006.10) | taimekaitsse, territooriumi kaitsmine kahjurite eest | - |
| G/SPS/N/EEC/308 5. juuni 2007 | EUROOPA ÜHENDUSED | - | värské või külmutatud veiseliha (kaasa arvatud <i>Bubalus bubalis</i> ja <i>Bison bison</i>) (HS 0201), lambaliha, kitseliha (HS 0204), sealihu (HS 02050) | loomatervis | 60 päeva |
| G/SPS/N/USA/1571 5. juuni 2007 | USA | kõik kaubanduspartnerid | luuviljalised, pähklid, tsitruselised, timut, harilik lutsern, õunviljalised | toiduohutus/ loomatervis/ taimekaitsse/ inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1572 5. juuni 2007 | USA | kõik kaubanduspartnerid | erinevad tooted | toiduohutus/ loomatervis/ taimekaitsse/ inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |

| | | | | | |
|-----------------------------------|-------------------|---|---|--|----------|
| G/SPS/N/USA/1574 5. juuni 2007 | USA | kõik kaubanduspartnerid | teravili | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1575 5. juuni 2007 | USA | kõik kaubanduspartnerid | kodulinnud, munad, puuvill, veised, kitsed, lambad, hobused, sealihha | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/CHL/260 6. juuni 2007 | TŠILILI | Brasiilia | riis ja kohvi | taimekaitse | - |
| G/SPS/N/EEC/309 6. juuni 2007 | EUROOPA ÜHENDUSED | EÜ liikmesriigid ja EÜ-sse eksportivad kolmandad riigid | munad ja munatooted (HS 0408) | toiduohutus/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 60 päeva |
| G/SPS/N/USA/1573 6. juuni 2007 | USA | kõik kaubanduspartnerid | erinevad tooted | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1576 6. juuni 2007 | USA | kõik kaubanduspartnerid | pistaatsia | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1577 6. juuni 2007 | USA | kõik kaubanduspartnerid | vürtsid, ananass | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1578 6. juuni 2007 | USA | kõik kaubanduspartnerid | mais | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |

| | | | | | |
|--|---|-------------------------|---|--|----------------|
| G/SPS/N/USA/1579 6. juuni 2007 | USA | kõik kaubanduspartnerid | kartul | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1580 6. juuni 2007 | USA | kõik kaubanduspartnerid | sigur, endiivia, vőilill, marjad | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/KOR/242 7. juuni 2007 | KOREA VABARIIK | kõik riigid | toiduga kokkupuutuvad materjalid | toiduohutus | 60 päeva |
| G/SPS/N/KOR/ 243 - 246 7. juuni 2007 | KOREA VABARIIK | kõik riigid | toiduained | toiduohutus | 60 päeva |
| G/SPS/N/TPKM/106 11. juuni 2007 | TAIWANI, PENGHU, KINMENI JA MATSU ERALDI TOLLI- TERRITOORIUM | kõik kaubanduspartnerid | valmistoidud | toiduohutus | 25. juuli 2007 |
| G/SPS/N/USA/1581 11. juuni 2007 | USA | kõik kaubanduspartnerid | dekoratiiv-taimed | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/USA/1582 11. juuni 2007 | USA | kõik kaubanduspartnerid | pistaatsia | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |
| G/SPS/N/ARG/111 12. juuni 2007 | ARGENTIINA | Austraalia | loomasöödataimede seemned ja õliseemned külvamiseks | taimekaitse | 60 päeva |
| G/SPS/N/BRA/320 12. juuni 2007 | BRASIIILIA | kõik riigid | kartul ja suhkruoog | toiduohutus | - |
| G/SPS/N/BRA/321 12. juuni 2007 | BRASIIILIA | kõik riigid | puuvillaseemned | toiduohutus | - |
| G/SPS/N/BRA/322 12. juuni 2007 | BRASIIILIA | kõik riigid | riis, kaer, ristik, oad ja sojaoad | toiduohutus | - |

| | | | | | |
|------------------------------------|----------|--------------------------|---|---|-----------------|
| G/SPS/N/USA/1583 12. juuni 2007 | USA | kaubandus-partnerid | veised, kaer, sead, hobused, lambad | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1584 12. juuni 2007 | USA | kaubandus-partnerid | nisu | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1585 12. juuni 2007 | USA | kaubandus-partnerid | pääevalill, puuvill, sojaoad, teravili, hein | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/COL/140 13. juuni 2007 | KOLUMBIA | kaubandus-partnerid | taimetooted, loomad ja loomsed tooted ning kõrvalsaadused | loomatervis/taimekaitse | 60 päeva |
| G/SPS/N/IND/52 13. juuni 2007 | INDIA | kõik kaubandus-partnerid | lemmik-loomadele mõeldud toidud | loomatervis/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 10. august 2007 |
| G/SPS/N/USA/1586 13. juuni 2007 | USA | kõik kaubandus-partnerid | linna ja läätsed | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1587 13. juuni 2007 | USA | kõik kaubandus-partnerid | peet | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |

| | | | | | |
|------------------------------------|-----|--------------------------|---|--|----------------|
| G/SPS/N/USA/1588 13. juuni 2007 | USA | kõik kaubandus-partnerid | banaan, maapähkel | toiduohutus/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1589 13. juuni 2007 | USA | kõik kaubandus-partnerid | teravili | toiduohutus/ loomatervis/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1590 13. juuni 2007 | USA | kõik kaubandus-partnerid | mesi | loomatervis/ territooriumi kaitsmine kahjurite eest | - |
| G/SPS/N/USA/1591 13. juuni 2007 | USA | kõik kaubandus-partnerid | kaer, õliseemned | toiduohutus/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1592 13. juuni 2007 | USA | kõik kaubandus-partnerid | veised, munad, kitsed, sead, hobused, kodulinnud, lambad, sojaoad | toiduohutus/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1593 13. juuni 2007 | USA | kõik kaubandus-partnerid | erinevad tooted | toiduohutus/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 16. juuli 2007 |
| G/SPS/N/USA/1594 13. juuni 2007 | USA | kõik kaubandus-partnerid | aedsalat | toiduohutus/ taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |

| | | | | | |
|------------------------------------|-------------------|--------------------------|--|---|----------------|
| G/SPS/N/USA/1595 13. juuni 2007 | USA | kõik kaubandus-partnerid | rohi, teravili, nisu, veised, kitsed, sead, hobused, lambad | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1596 14. juuni 2007 | USA | kõik kaubandus-partnerid | mais | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1597 14. juuni 2007 | USA | kõik kaubandus-partnerid | 4-aminopyridine | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |
| G/SPS/N/USA/1598 14. juuni 2007 | USA | kõik kaubandus-partnerid | veised | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/KOR/247 18. juuni 2007 | KOREA VABARIIK | kõik kaubandus-partnerid | imikutoit | toiduohutus | 60 päeva |
| G/SPS/N/USA/1599 18. juuni 2007 | USA | kõik kaubandus-partnerid | mais, sorgo, peet, teravili, hein, riis, nisu, hernald, sojaoad, kartulid, päevalilled | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 16. juuli 2007 |
| G/SPS/N/USA/1600 18. juuni 2007 | USA | kõik kaubandus-partnerid | salat, õunamass, õunad, kurk, tomat, arbuus, pipar, spinat, pirnid, seller | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | - |

| | | | | | |
|------------------------------------|-----|--------------------------|---|--|----------------|
| G/SPS/N/USA/1601 18. juuni 2007 | USA | kõik kaubandus-partnerid | teravili, kartul, oad, brüsseli kapsas, seller, jõhvikad, salat, pipar, piparmünt, rohemünt, tomat, brokoli, kapsas, kurk, baklažaan, melon | toiduohutus/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1602 18. juuni 2007 | USA | kõik kaubandus-partnerid | kala | toiduohutus/loomatervis/territooriumi kaitsmine kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1603 18. juuni 2007 | USA | kõik kaubandus-partnerid | seened | toiduohutus/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1604 18. juuni 2007 | USA | kõik kaubandus-partnerid | puuvill | toiduohutus/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1605 18. juuni 2007 | USA | kõik kaubandus-partnerid | õunad, viinamarjad, ploomid, kuivatatud ploomid, aprikoosid, oad, sorgo | toiduohutus/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1606 18. juuni 2007 | USA | kõik kaubandus-partnerid | viinamarjad | toiduohutus/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 23. juuli 2007 |
| G/SPS/N/USA/1607 18. juuni 2007 | USA | kõik kaubandus-partnerid | erinevad tooted | toiduohutus/loomatervis/taimekaitse/ inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |

| | | | | | |
|------------------------------------|-----|--------------------------|---|---|----------------|
| G/SPS/N/USA/1608 18. juuni 2007 | USA | kõik kaubandus-partnerid | artišokk, veised, lambad, kitsed, sead, hobused, kodulinnud, nisu, teravili, hein, lutsern | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1609 18. juuni 2007 | USA | kõik kaubandus-partnerid | mais, kaalikas, salat, sojauba, sigur, murulauk, koriander, till, majoraan, petersell, redis, maguskartul, kurk | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1610 18. juuni 2007 | USA | kõik kaubandus-partnerid | hobused, kitsed, veised, sead, lambad | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1611 18. juuni 2007 | USA | kõik kaubandus-partnerid | kirsid, õunad, piim, spinat | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1612 18. juuni 2007 | USA | kõik kaubandus-partnerid | harilik lutsern, artišokk, saialill, mais, baklažaan, seened, pipar, virsik, õun, pirn, granaatõun | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1613 18. juuni 2007 | USA | kõik kaubandus-partnerid | õunad | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |

| | | | | | |
|------------------------------------|-----|-------------------------|---|---|-----------------|
| G/SPS/N/USA/1614 18. juuni 2007 | USA | kõik kaubanduspartnerid | ristik, hirss, kaer, rukis, riis, mais | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1615 18. juuni 2007 | USA | kõik kaubanduspartnerid | sead, peet, rafineeritud suhkur | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 6. august 2007 |
| G/SPS/N/USA/1616 20. juuni 2007 | USA | kõik kaubanduspartnerid | mesi, meekärg, puuvill, munad, kitsed, kodulinnud, lambad, humal, piim, sead, veised | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1617 20. juuni 2007 | USA | kõik kaubanduspartnerid | rohi, kodulinnud, munad, lutsern | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1618 20. juuni 2007 | USA | kõik kaubanduspartnerid | õunad, kirsid, jõhvikkad, viinamarjad, nektariinid, virsikud, pirnid, mango, oad, kapsas, salat, vaarikad, guajaav, papaia, asparaagus, kurk, tomat | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1619 20. juuni 2007 | USA | kõik kaubanduspartnerid | munad, kodulinnud | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taime-haiguste või kahjurite eest | 13. august 2007 |

| | | | | | |
|------------------------------------|----------------|--------------------------------------|---|--|-----------------|
| G/SPS/N/USA/1620 20. juuni 2007 | USA | kõik kaubanduspartnerid | suhkruboog, mais, sorgo, nisu | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1621 20. juuni 2007 | USA | kõik kaubanduspartnerid | kõrvits, ristik, jõhvikad, veised, hobused, kitsed, lambad, sead, puuvill, õunad, nisu, munad, kodulinnud, kurk | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1622 26. juuni 2007 | USA | kõik kaubanduspartnerid | erinevad tooted | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 13. august 2007 |
| G/SPS/N/USA/1623 26. juuni 2007 | USA | Kanada | taimed | taimekaitse/territooriumi kaitsmine kahjurite eest | - |
| G/SPS/N/USA/1624 26. juuni 2007 | USA | Lõuna Aafrika, Uruguay ja Argentiina | mustikad | taimekaitse | 20. juuli 2007 |
| G/SPS/N/BRA/323 28. juuni 2007 | BRASIIILIA | kõik riigid | puuvilla-seemned, kaer, oad, sojaoad ja banaan | toiduohutus | - |
| G/SPS/N/BRA/324 28. juuni 2007 | BRASIIILIA | kõik riigid | mais ja riis | toiduohutus | - |
| G/SPS/N/BRA/325 28. juuni 2007 | BRASIIILIA | kõik riigid | sojauba | toiduohutus | - |
| G/SPS/N/BRA/326 28. juuni 2007 | BRASIIILIA | kõik riigid | kapsas, sibul, arbuus ja tomat | toiduohutus | 13. juuli 2007 |
| G/SPS/N/BRA/327 28. juuni 2007 | BRASIIILIA | kõik riigid | kapsas | toiduohutus | 13. juuli 2007 |
| G/SPS/N/BRA/328 28. juuni 2007 | BRASIIILIA | kõik riigid | puuvillaseemned | toiduohutus | - |
| G/SPS/N/KOR/249 28. juuni 2007 | KOREA VABARIIK | kõik kaubanduspartnerid | toidu lisaained | toiduohutus | 30 päeva |
| G/SPS/N/OMN/16 28. juuni 2007 | OMAAN | Malaysia | linnud ja linnulihast tooted | loomatervis/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | - |

| | | | | | |
|---|--------|-------------------------|--|---|-----------------|
| G/SPS/N/USA/1625 28. juuni 2007 | USA | kõik kaubanduspartnerid | dekoratiivtaimed | loomatervis/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest/territooriumi kaitsmine kahjurite eest | - |
| G/SPS/N/JPN/184 29. juuni 2007 | JAAPAN | kõik riigid | toidu lisääined (Butyraldehyde) | toiduohutus | 60 päeva |
| G/SPS/N/JPN/ 186 - 188 29. juuni 2007 | JAAPAN | kõik riigid | veised (lihased, rasv, maks, kopsud ja teised söödavad rupskid), sead (lihased, rasv, maks, kopsud ja teised söödavad rupskid) ja teised imetajad (lihased, rasv, maks, kopsud ja teised söödavad rupskid), kodulinnud | toiduohutus | 60 päeva |
| G/SPS/N/USA/1626 29. juuni 2007 | USA | kõik kaubanduspartnerid | juurvili | toiduohutus/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 20. august 2007 |
| G/SPS/N/USA/1627 29. juuni 2007 | USA | kõik kaubanduspartnerid | maapähke, hirss, vaarikas, sojaoad, ravimtaimed | toiduohutus/loomatervis/taimekaitse/inimeste kaitsmine looma-/taimehaiguste või kahjurite eest | 20. august 2007 |

| | | | | | |
|-----------------------------------|--------|-------------|--|-------------|----------|
| G/SPS/N/JPN/185 29. juuni 2007 | JAAPAN | kõik riigid | liha ja rupskid (HS: 02.01, 02.02, 02.03, 02.04, 02.05, 02.06, 02.08 ja 02.09), piimatooted (HS: 04.01) söödavad juurviljad ja juured ning mugulad (HS: 07.01, 07.02, 07.03, 07.04, 07.05, 07.06, 07.08, 07.09, 07.13, 07.14) söödavad puuviljad ja pähklid, tsitruseliste/ meloni koor (HS: 08.01, 08.02, 08.03, 08.04, 08.05, 08.07, 08.08, 08.09, 08.10, 08.14) kohvi, tee, mate ja vürtsid (HS: 09.01, 09.02, 09.03, 09.04, 09.05, 09.06, 09.07, 09.08, 09.09, 09.10) teravili (HS: 10.01, 10.02, 10.03, 10.04, 10.05, 10.06, 10.08) õliseemned ja õliviljad (HS: 12.01, 12.02, 12.04, 12.06, 12.07, 12.10, 12.11, 12.12, 12.14) | toiduohutus | 60 päeva |
|-----------------------------------|--------|-------------|--|-------------|----------|

WTO SEKRETARIAADILT SAABUNUD TBT TEATISED

| NUMBER & ESITAMIS- KUUPÄEV | RIIK | TOODE/KAUP/ TEENUS | EESMÄRK | KOMMEN- TAARIDE ESITAMISE VIIMANE KUUPÄEV |
|-------------------------------------|----------------------|---|------------------------------|---|
| G/TBT/N/ECU/24 21. mai 2007 | ECUADOR | teraspaneelid | tehnilised nõuded | 60 päeva |
| G/TBT/N/ECU/27 21. mai 2007 | ECUADOR | terasnurgad, terasvormid ja teraspistikud | tehnilised nõuded, ohutus | 60 päeva |
| G/TBT/N/ECU/28 21. mai 2007 | ECUADOR | plastiktorud | tehnilised nõuded, ohutus | 60 päeva |
| G/TBT/N/ARG/216 24. mai 2007 | ARGENTIINA | vürtsid | toiduseaduse uuendamine | 14. juuli 2007 |
| G/TBT/N/ARG/217 24. mai 2007 | ARGENTIINA | alkohoolsed ja alkoholivabad joogid | rahva tervise kaitse | - |
| G/TBT/N/FRA/65 24. mai 2007 | PRANTSUSMAA | väetised | nõuded | 15. august 2007 |
| G/TBT/N/PAN/37 24. mai 2007 | PANAMA | linnuliha (ICS: 67.120.20) | inimeste tervis ja ohutus | 20. juuli 2007 |
| G/TBT/N/CHL/61 29. mai 2007 | TŠIILI | sooja- ja külmaveepaigaldistes ja küttesüsteemides kasutatavad torud | kvaliteet | 30. juuli 2007 |
| G/TBT/N/CAN/199 1. juuni 2007 | KANADA | laste turvasüsteemid (ICS: 97.190, 43.040) | ohutus | - |
| G/TBT/N/CHN/264 1. juuni 2007 | HIINA | lukud (ICS: 97.180) | nõuded, ohutus | 60 päeva |
| G/TBT/N/CHN/265 1. juuni 2007 | HIINA | plahvatusohlikus keskkonnas töötavad elektriseadmed (ICS: 29.260.20) | ohutus | 60 päeva |
| G/TBT/N/CHN/266 1. juuni 2007 | HIINA | mobiiltelefonid (ICS: 13.280; HS: 8525) | rahva tervise kaitse | 60 päeva |
| G/TBT/N/EEC/156 1. juuni 2007 | EUROOPA ÜHENDUSED | koorega toidumunad (ICS: 3227) | tarbijakaitse, kvaliteet | 30 päeva |
| G/TBT/N/SVN/55 1. juuni 2007 | SLOVEENIA | vahad, bituumsed materjalid jm naftatooted (ICS: 75.140); tee-ehitus (ICS: 93.080) | nõuded | 17. august 2007 |
| G/TBT/N/SVN/56 1. juuni 2007 | SLOVEENIA | plastpoolikute märgistamine HS: 3917; ICS: 83.140 | tarbijakaitse | 24. august 2007 |
| G/TBT/N/SWE/84 1. juuni 2007 | ROOTSI | pesupulber | vee kvaliteet | 10. august 2007 |

| | | | | |
|----------------------------------|----------------------|--|---|--------------------|
| G/TBT/N/USA/276 1. juuni 2007 | USA | mootorsõidukid (HS: 87; ICS: 13.020, 13.040, 43.100) | keskkonnakaitse, inimeste elu ja tervise kaitse | - |
| G/TBT/N/USA/277 1. juuni 2007 | USA | õpikud (HS: 49; ICS 01.140) | inimeste elu ja tervise kaitse | 9. juuli 2007 |
| G/TBT/N/USA/278 1. juuni 2007 | USA | liimained, aerosolidid, kattekihid (HS: 3506; ICS: 71.100, 13.020, 29.035, 83.180) | inimeste elu ja tervise kaitse | 30. juuli 2007 |
| G/TBT/N/HUN/21 4. juuni 2007 | UNGARI | ehitustooted, tulekaitse (suitsuandurid, tulekustutid jne) | tehnilised nõuded | 31. august 2007 |
| G/TBT/N/SVK/9 4. juuni 2007 | SLOVAKKIA | ehitustooted | nõuded | 17. august 2007 |
| G/TBT/N/EEC/157 5. juuni 2007 | EUROOPA ÜHENDUSED | piiritusjoogid (HS: 22.08) | tarbijate tervise kaitse | 60 päeva |
| G/TBT/N/KOR/140 5. juuni 2007 | KOREA VABARIIK | toidujäätmete käitlemine (HS: 8421, 8422) | tarbijakaitse | 60 päeva |
| G/TBT/N/PAK/1 5. juuni 2007 | PAKISTAN | palmiöli (küpsetamiseks) (PS: 1561-1983; ICS: 665.353.3) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/2 5. juuni 2007 | PAKISTAN | žiletid (PS: 219-1993; ICS: 97.170) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/3 5. juuni 2007 | PAKISTAN | luminofoor- ja lahenduslambid (PS: 292-1987; ICS: 29.140.30) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/4 5. juuni 2007 | PAKISTAN | kaherattalised sõidukid (PS: 4047-2004; ICS: 43.080.99) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/5 5. juuni 2007 | PAKISTAN | pudelis joogivesi (PS: 4639-2004 (R); ICS: 13.060.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/6 5. juuni 2007 | PAKISTAN | lampide liiteseadised (PS: 497-1-1997; ICS: 29.140.30) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/7 5. juuni 2007 | PAKISTAN | Portland tsement (PS: 612-1989; ICS: 91.100.10) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/8 5. juuni 2007 | PAKISTAN | seesamiseemnetest õli (PS: 98-1994; ICS: 67.200) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/9 5. juuni 2007 | PAKISTAN | rafineeritud kookosõli (PS: 99-1994; ICS: 67.200) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/10 5. juuni 2007 | PAKISTAN | rafineeritud päevalilleõli (PS: 1564-2003 (R); ICS: 67.200.20) | inimeste tervis ja ohutus | 90 päeva |

| | | | | |
|---------------------------------------|------------|--|---------------------------|----------------|
| G/TBT/N/PAK/11, 14 5. juuni 2007 | PAKISTAN | teraskangid ja varbmaterjal (PS: 1612-1988; ICS: 77.140.60) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/12 6. juuni 2007 | PAKISTAN | margariin (PS: 1653-2002; ICS: 67.100.30) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/13 6. juuni 2007 | PAKISTAN | karboniseeritud joogid (PS: 1654-2002 (R); ICS: 67.160.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/15 6. juuni 2007 | PAKISTAN | pudelis mineraalvesi (PS: 2102-2003; ICS: 67.100.30.) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/16 6. juuni 2007 | PAKISTAN | banaspati (PS: 221-2003; ICS: 67.200) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/17 6. juuni 2007 | PAKISTAN | terasest varbmaterjal (PS: 231; ICS: 70.140.60) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/18 6. juuni 2007 | PAKISTAN | Portland tsement (PS: 232-1983; ICS: 91.100.10) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/19 6. juuni 2007 | PAKISTAN | linnutoit (PS: 233-1991; ICS: 636.5) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/20 6. juuni 2007 | PAKISTAN | rafineeritud sinepiöli (PS:25-2003; ICS: 67.200.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/21 6. juuni 2007 | PAKISTAN | kolemrattalised sõidukid (PS: 4708-2005 (R); ICS: 43.080.99) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/22 6. juuni 2007 | PAKISTAN | rafineeritud puuvillaseemneöli (PS: 21-2003; ICS: 67.200.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/23 6. juuni 2007 | PAKISTAN | küpsetusöli (PS: 2858-2003 (R); ICS: 614.664.3.4) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/24 6. juuni 2007 | PAKISTAN | rafineeritud maisiöli (PS: 1562-2003; ICS: 67.200.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/PAK/25 6. juuni 2007 | PAKISTAN | rafineeritud sojaöli (PS: 1563-2003; ICS: 67.200.20) | inimeste tervis ja ohutus | 90 päeva |
| G/TBT/N/ARM/53 7. juuni 2007 | ARMEENIA | toiduga kokkupuutuvad materjalid | tehnilised nõuded | 8. august 2007 |
| G/TBT/N/BRA/246, 247 7. juuni 2007 | BRASIIILIA | elektrienergia mõõtevahendid (HS: 902830) | pettuste ennetamine | - |
| G/TBT/N/BRA/248 7. juuni 2007 | BRASIIILIA | soja (HS: 1201) | inimeste tervise kaitse | - |

| | | | | |
|-----------------------------------|-----------------------|---|--|----------------------|
| G/TBT/N/NZL/34 7. juuni 2007 | UUS MEREMAA | mootorsõidukid (HS: 8703.21, 8703.22, 8703.23, 8703.24, 8703.31, 8703.32, 8703.32, 8703.33, 8703.90) | keskkonnakaitse | 90 päeva |
| G/TBT/N/EEC/158 8. juuni 2007 | EUROOPA ÜHENDUSED | põllumajandustooted | nõuded | 60 päeva |
| G/TBT/N/FIN/17 8. juuni 2007 | SOOME | laserseadmed | nõuded, õnnestuste vältimine töokohtadel | 5. detsember 2007 |
| G/TBT/N/MEX/124 8. juuni 2007 | MEHHIKO | mootorpumbad | vastavushindamine | 23. juuli 2007 |
| G/TBT/N/MEX/125 8. juuni 2007 | MEHHIKO | elektrimootorid | vastavushindamine | 24. juuli 2007 |
| G/TBT/N/NOR/17 8. juuni 2007 | NORRA | ohtlikud ained | tarbijakaitse | 10. august 2007 |
| G/TBT/N/TTO/30 8. juuni 2007 | TRINIDAD JA TOBAGO | jalanõude märgistamine (ICS: 61.060) | tarbijakaitse | 25. juuli 2007 |
| G/TBT/N/TUR/1 8. juuni 2007 | TÜRGI | ehitustooted (ICS: 13.220.10, 21.040.30, 21.060.10, 21.060.20, 21.060.50, 23.020.10, 23.040.01, 23.040.10, 23.040.20, 23.040.40, 23.040.45, 23.040.50, 23.060.01, 23.060.20, 23.060.30, 75.140, 77.080.20, 77.120.10, 77.140.10, 77.140.20, 77.140.50, 77.140.60, 77.140.70, 77.150.10, 81.060.20, 81.080, 83.140.99, 83.180, 87.040, 91.060.10, 91.060.20, 91.060.30, 91.060.50, 91.100.01, 91.100.10, 91.100.15, 91.100.25, 91.100.30, 91.100.50, 91.100.99, 91.120.30, 91.140.10, 91.140.60, 91.140.70, 91.140.80, 91.180, 93.080.20, 93.140, 97.150) | inimeste turvalisus ja ohutus | 60 päeva |
| G/TBT/N/CAN/200 11. juuni 2007 | KANADA | ravimid (ICS: 11.120) | inimeste tervise kaitse | 8. august 2007 |
| G/TBT/N/ISR/179 12. juuni 2007 | IISRAEL | ehitustarvikud (ICS: 91.190; HS: 8301) | tarbijaohutus | 60 päeva |
| G/TBT/N/ECU/31 13. juuni 2007 | ECUADOR | keraamilised plaadid | nõuded | 60 päeva |
| G/TBT/N/KOR/141 13. juuni 2007 | KOREA VABARIIK | kodused kiirkeetjad, kiivrid, lapsevankrid | ohutus | 60 päeva |

| | | | | |
|---|----------------------|---|--|-----------------------|
| G/TBT/N/KOR/142 13. juuni 2007 | KOREA VABARIIK | kodused tekstiiltooted, nahatooted, tualettpaber, pääkesepriillid, prilliraamid | ohutus ja kvaliteet | 60 päeva |
| G/TBT/N/KOR/143 13. juuni 2007 | KOREA VABARIIK | erinevad tooted | ohutus | 60 päeva |
| G/TBT/N/KOR/144 13. juuni 2007 | KOREA VABARIIK | imikutoit | ohutus | 4. august 2007 |
| G/TBT/N/SVN/57 13. juuni 2007 | SLOVEENIA | betoon ja betoontooted (ICS: 91.100; HS: 3824; 6810; 3816) | nõuded | 1. september 2007 |
| G/TBT/N/DNK/71 14. juuni 2007 | TAANI | külmutsusseadmed laevadel | meeskonna tervis ja ohutus | 5. september 2007 |
| G/TBT/N/ARM/54 18. juuni 2007 | ARMEENIA | keraamilised lauanõud | tarbijainfo | 1. august 2007 |
| G/TBT/N/ARM/55 18. juuni 2007 | ARMEENIA | pindaktiivsed ained | tehnilised nõuded | 1. august 2007 |
| G/TBT/N/ARM/56 18. juuni 2007 | ARMEENIA | toiduga kokkupuutuvad polümeer- ja plastmaterjalid | tarbijainfo | 1. august 2007 |
| G/TBT/N/EEC/159 18. juuni 2007 | EUROOPA ÜHENDUSED | 1,3-Dichloropropene (pestitsiidaktiivaine) | nõuded | 60 päeva |
| G/TBT/N/THA/233 18. juuni 2007 | TAI | tubakas ja tubakatooted (HS: 2402; ICS: 65.160) | tarbijakaitse | 60 päeva |
| G/TBT/N/THA/234 18. juuni 2007 | TAI | tekstiil abimaterjalid (HS: 3204; ICS: 59.040). | tarbijakaitse ja keskkonnakaitse | 60 päeva |
| G/TBT/N/THA/235 18. juuni 2007 | TAI | kommertsveokid (HS: 8703; ICS: 13.040.50; 43.080) | ohutus ja keskkonnakaitse | 60 päeva |
| G/TBT/N/USA/279 18. juuni 2007 | USA | koolibussid (ICS: 43.040, 43.080) | inimeste elude kaitse | 10. september 2007 |
| G/TBT/N/USA/280 18. juuni 2007 | USA | tööpingid (ICS: 25.060, 25.080) | inimeste elude kaitse | 3. august 2007 |
| G/TBT/N/DOM/43 19. juuni 2007 | DOMINKAAN | kinnispakis toodete märgistamine (ICS 67) | inimeste ja loomade tervise kaitse | - |
| G/TBT/N/DOM/44 19. juuni 2007 | DOMINKAAN | pagaritooted | tervisekaitse ja pettuse ennetamine | - |
| G/TBT/N/DOM/45 19. juuni 2007 | DOMINKAAN | doonorlus ja sellega seotud tegevused ning terminid | inimeste tervise kaitse | - |
| G/TBT/N/DOM/ 46, 47 19. juuni 2007 | DOMINKAAN | toidu lisääined | inimeste tervise kaitse | - |
| G/TBT/N/DOM/ 48 - 50 19. juuni 2007 | DOMINKAAN | toit | pettuse ennetamine, inimeste elu ja tervise kaitse, keskkonnakaitse | - |
| G/TBT/N/DOM/51 19. juuni 2007 | DOMINKAAN | pruun suhkur | inimeste tervise kaitse | - |

| | | | | |
|---|-------------------|---|--|-----------------------|
| G/TBT/N/FIN/18 19. juuni 2007 | SOOME | raadioseadmed | nõuded | 14. september 2007 |
| G/TBT/N/KGZ/1 19. juuni 2007 | KÕRGÕZSTAN | erinevad tehnilised nõuded | harmoneerimine | - |
| G/TBT/N/KGZ/2 19. juuni 2007 | KÕRGÕZSTAN | 2089 erinevat toodet | sertifitseerimine | - |
| G/TBT/N/KGZ/3 19. juuni 2007 | KÕRGÕZSTAN | transport, ehitus, elektromagnetiline ühilduvus, toiduohutus, vastavushindamine | seadusandluse kaasajastamine | - |
| G/TBT/N/THA/ 236 - 238 19. juuni 2007 | TAI | tubakas ja tubakatooted (ICS: 65.160; HS: 2402). | tervisekaitse | 60 päeva |
| G/TBT/N/CAN/ 201, 202 20. juuni 2007 | KANADA | raadiosideseadmed (ICS: 33.060) | võrgu kaitse | 7. oktoober 2007 |
| G/TBT/N/ECU/32 22. juuni 2007 | ECUADOR | mootorsöidukite osad | nõuded | 60 päeva |
| G/TBT/N/JPN/210 22. juuni 2007 | JAAPAN | ravimid | kvaliteet ja ohutus | 22. juuli 2007 |
| G/TBT/N/KOR/145 22. juuni 2007 | KOREA VABARIIK | toit | inimeste tervise kaitse | 21. juuli 2007 |
| G/TBT/N/ISR/180 25. juuni 2007 | IISRAEL | vasktorud (ICS: 23.040.40; 91.140.60; HS: 7412.20.00) | keskkonnakaitse ja tarbijaohtus | 60 päeva |
| G/TBT/N/ISR/181 25. juuni 2007 | IISRAEL | torustike osad ja torustikud ICS: 91.140.60; 23.040.20; 23.040.45 HS: 3917.39.00 | keskkonnakaitse ja tarbijate ohutus | 60 päeva |
| G/TBT/N/ISR/182 25. juuni 2007 | IISRAEL | elektriseadmetele mõeldud isolatsioonimaterjalid (ICS: 29.035.20; HS: 5906.10; 8546.10.90) | tarbijakaitse ja ohutus | 60 päeva |
| G/TBT/N/ARM/57 26. juuni 2007 | ARMEENIA | tomatipasta, tomatimahl (HS: 2002 90), puuviljade viljaliha (HS: 2007 99), puu- ja juurviljamahlad (HS: 2009), puu- ja juurviljanektarid ning joogid (HS: 2202 90 100) | tehnilised nõuded | 60 päeva |
| G/TBT/N/USA/281 26. juuni 2007 | USA | loomaliha, lambaliha, sealiha (HS peatükk 2: 1202; 0204; 1602.41; ICS: 67.120; 67.040; 67.080; 67.100) | tarbijakaitse ja inimeste tervis | 20. august 2007 |
| G/TBT/N/USA/282 26. juuni 2007 | USA | silmalainer, lauvärv, ripsmetuš ja puuder (HS: 3304; ICS: 71.100) | inimeste elu ja tervise kaitse | 19. juuli 2007 |

| | | | | |
|-----------------------------------|-------------------|---|---|-----------------------|
| G/TBT/N/JPN/211 27. juuni 2007 | JAAPAN | ravimid (HS: 30) | Jaapani farmakopöa uusversioon (15 väljaanne) | 31. august 2007 |
| G/TBT/N/THA/239 27. juuni 2007 | TAI | väikesed köögiseadmed (HS: 8509, ICS: 97.040.50) | ohutus | 60 päeva |
| G/TBT/N/THA/240 27. juuni 2007 | TAI | tualett-tarbed (HS: 8510; ICS: 97.170) | ohutus | 60 päeva |
| G/TBT/N/THA/241 27. juuni 2007 | TAI | mootorrattad ja mopeedid (HS: 8711; ICS: 43.140) | ohutus ja keskkonnakaitse | 60 päeva |
| G/TBT/N/KOR/146 28. juuni 2007 | KOREA VABARIIK | geneetiliselt muudetud toit ja toidu lisaained | inimeste tervise kaitse | 60 päeva |
| G/TBT/N/LTU/8 28. juuni 2007 | LEEDU | ehitustooted | nõuded | 60 päeva |
| G/TBT/N/SWE/85 28. juuni 2007 | ROOTSI | teeidel ja tänavatel kasutatavad ehitusmaterjalid | nõuded | 7. september 2007 |
| G/TBT/N/CAN/203 29. juuni 2007 | KANADA | juust (HS: 0406; ICS: 67.100) | nõuded | 30. august 2007 |
| G/TBT/N/CAN/204 29. juuni 2007 | KANADA | puumetega inimeste turvasüsteemid (ICS: 43.040).) | ohutus | 22. august 2007 |
| G/TBT/N/CHE/84 29. juuni 2007 | ŠVEITS | raadiosideseadmed | muudatused seadusandluses | 20. september 2007 |
| G/TBT/N/ISR/183 29. juuni 2007 | IISRAEL | elektritarvikud (ICS: 29.120.10; HS: 8536) | tarbijaohutus | 60 päeva |
| G/TBT/N/QAT/17 29. juuni 2007 | QUATAR | kodused putukatörjevahendid (ICS: 55.130) | tooteinfo ja ohutus, tarbijakaitse | 60 päeva |
| G/TBT/N/ZAF/64 29. juuni 2007 | LÕUNA AAFRIKA | maisi pakendamine ja märgistamine | tarbijaohutus | 31. august 2007 |

UUED STANDARDID JA KAVANDID ARVAMUSKÜSITLUSEKS

EVS Teataja avaldab andmed uutest vastuvõetud Eesti standarditest ja avalikuks arvamusküsitleks esitatud standardite kavanditest rahvusvahelise standardite klassifikaatori (ICS) järgi. Samas jaotises on toodud andmed nii eesti keeles avaldatud, kui ka jõustumisteatega Eesti standarditeks ingliskeelsetena vastuvõetud rahvusvahelistest ja Euroopa standarditest.

Eesmärgiga tagada standardite vastuvõtmine järgides konsensuse põhimõtteid, peab standardite vastuvõtmisele eelnema standardite kavandite avalik arvamusküsitus, milleks ettenähtud perioodi jooksul (reeglina 2 kuud) on ajast huvitatult võimalik tutvuda standardite kavanditega, esitada kommentaare ning teha ettepanekuid parandusteks.

Arvamusküsitleusele on esitatud:

1. Euroopa ja rahvusvahelised standardid ning standardikavadid, mis on kavas vastu võtta Eesti standarditeks jõustumisteatega.
Kavadid on kätesaadavad reeglina inglise keeles EVS klienditeeninduses ning standardiosakonnas. EVS tehnilistel komiteedel on võimalik saada koopiaid oma käsitlusalaaga kokkulangevatest standardite kavanditest EVS kontaktisiku kaudu.
2. Eesti algupäraste standardite kavadid, mis Eesti standardimisprogrammi järgi on joudnud arvamusküsitleuse etappi. Kavanditega saab tutvuda ning neid osta

Eesti Standardikeskuse klienditeeninduses
standard@evs.ee

Arvamusküsitlesel olevate dokumentide loetelus on esitatud järgnev informatsioon standardikavandi või standardi kohta:

- Tähis (eesliide pr Euroopa ja DIS rahvusvahelise kavandi puuhul)
- Viide identsele Euroopa või rahvusvahelisele dokumendile
- Arvamusküsitleuse lõppkuupäev (arvamuste esitamise tähtaeg)
- Pealkiri
- Käsitusala
- Keelsus (en=inglise; et=eesti)

Kavandite arvamusküsitlesel on eriti oodatud teave kui rahvusvahelist või Euroopa standardit ei peaks vastu võtma Eesti standardiks (vastuolu Eesti õigusaktidega, pole Eestis rakendatav jt põhjustel). Soovitame arvamusküsitleusele pandud standarditega tutvuda igakuiselt kasutades EVS infoteenust või EVS Teatajat. Kui see ei ole võimalik, siis alati viimase kahe kuu nimekirjadega kodulehel ja EVS Teatajas, kuna sellisel juhul saate info kõigist hetkel kommenteerimisel olevatest kavanditest.

Vastavad vormid arvamuse avaldamiseks Euroopa ja rahvusvaheliste standardikavandite ning algupäraste Eesti standardikavandite kohta leiate EVS koduleheküljelt www.evs.ee.

ICS PÕHIRÜHMAD

ICS Nimetus

- | | |
|----|---|
| 01 | Üldküsimused. Terminoloogia. Standardimine. Dokumentatsioon |
| 03 | Teenused. Ettevõtte organiseerimine, juhtimine ja kvaliteet. Haldus. Transport. |
| | Sotsioloogia |
| 07 | Matemaatika. Loodusteadused |
| 11 | Tervisehooldus |
| 13 | Keskkonna- ja tervisekaitse. Ohutus |
| 17 | Metroloogia ja mõõtmine. Füüsikalised nähtused |
| 19 | Katsetamine |
| 21 | Üldkasutatavad masinad ja nende osad |
| 23 | Üldkasutatavad hüdro- ja pneumosüsteemid ja nende osad |
| 25 | Tootmistehnoloogia |
| 27 | Elektri- ja soojusenergeetika |
| 29 | Elektrotehnika |
| 31 | Elektroonika |
| 33 | Sidetehnika |
| 35 | Infotehnoloogia. Kontoriseadmed |
| 37 | Visuaaltehnika |
| 39 | Täppismehaanika. Juveelitooted |
| 43 | Maanteesõidukite ehitus |
| 45 | Raudteetehnika |
| 47 | Laevaehitus ja mereehitised |
| 49 | Lennundus ja kosmosetehnika |
| 53 | Tõste- ja teisaldusseadmed |
| 55 | Pakendamine ja kaupade jaotussüsteemid |
| 59 | Tekstiili- ja nahatehnoloogia |
| 61 | Rõivatööstus |
| 65 | Põllumajandus |
| 67 | Toiduainete tehnoloogia |
| 71 | Keemiline tehnoloogia |
| 73 | Määndus ja maavarad |
| 75 | Nafta ja naftatehnoloogia |
| 77 | Metallurgia |
| 79 | Puidutehnoloogia |
| 81 | Klaasi- ja keraamikatööstus |
| 83 | Kummi- ja plastitööstus |
| 85 | Paberitehnoloogia |
| 87 | Värvide ja värvainete tööstus |
| 91 | Ehitusmaterjalid ja ehitus |
| 93 | Rajatised |
| 95 | Sõjatehnika |
| 97 | Olme. Meelelahutus. Sport |
| 99 | Muud |

01 ÜLDKÜSIMUSED. TERMINOLOGIA. STANDARDIMINE. DOKUMENTATSIOON

UUED STANDARDID

EVS-EN 14799:2007

Hind 113,00

Identne EN 14799:2007

Air filters for general air cleaning - Terminology

This European Standard is applicable to air filters used for general ventilation. It does not apply to filters for road vehicles and internal combustion engines. Dust separators for the purpose of air pollution control are also excluded.

Keel en

EVS-EN 60027-1:2006/A2:2007

Hind 73,00

Identne EN 60027-1:2006/A2:2007

ja identne IEC 60027-1:1995/A2:2005

Letter symbols to be used in electrical technology -- Part 1: General

Gives letter symbols for quantities and units used in electrical technology, and rules for their use and combination. Also specifies alphabets, subscripts, singularity functions, distributions and letter styles.

Keel en

EVS-EN 60027-2:2007

Hind 286,00

Identne EN 60027-2:2007

ja identne IEC 60027-2:2005

Letter symbols to be used in electrical technology -- Part 2: Telecommunications and electronics

This part of IEC 60027 is applicable to telecommunications and electronics. It gives names and symbols for quantities and units.

Keel en

Asendab EVS-HD 60027-2:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 131-1:1999

Identne EN 131-1:1993 + AC:1993

Redelid. Terminid, tüübhid, funktsionaalmõõtmad

See Euroopa standard esitab määratlused ja üldmõisted ning määrab kindlaks redelite üldised arvutuslikud karakteristikud, mis on olulised redelite ohutuse, käsitsemise ja valmistamise puhul ning on infoks kasutajatele. Standard kehtib kantavate redelite kohta. See ei kehti professionaalse erirakendusega redelite kohta, nagu tuletörjeredelid, katuseredelid ja liikurredelid.

Keel en

Asendatud EVS-EN 131-1:2007

EVS-HD 60027-2:2003

Identne HD 60027-2:2003

ja identne IEC 60027-2:2003

Letter symbols to be used in electrical technology -

Part 2: Telecommunications and electronics

Defines rules for the use and writing of symbols for general quantities, symbols for quantities concerning two-port networks, symbols for line transmissions of signals (including cables), symbols for radio wave propagation, symbols for quantities concerning waveguide propagation, symbols for aerials (antennas), symbols for electro-acoustics and symbols for equivalent circuits of piezo-electric crystals

Keel en

Asendab EVS-HD 245.2 S1:2003

Asendatud EVS-EN 60027-2:2007

KAVANDITE ARVAMUSKÜSITLUS

prEN 15429-1

Identne prEN 15429-1:2007

Tähtaeg 29.08.2007

Sweepers - Part 1: Classification and Terminology

This document applies to surface cleaning machines for outdoor applications on public areas, roads, airports and industrial plants. Cleaning machines for winter maintenance or indoor applications are not under the scope of this European Standard. Surface cleaning machines in terms of this Standard are self propelled, truck mounted, attached sweeping equipment or pedestrian controlled. This document deals with the classification of sweeping equipment and its performance specifications when they are used as intended and under the conditions foreseen by the manufacturer. This document does not include the carrier vehicles (e.g. truck). These will be handled in national or EC Directives for vehicles. This document does not apply to road surface cleaning machines such as front mounted on tractors according to EN 13524, or other vehicles.

Keel en

03 TEENUSED. ETTEVÖTTE ORGANISEERIMINE, JUHTIMINE JA KVALITEET. HALDUS. TRANSPORT. SOTSILOOGIA

UUED STANDARDID

CWA 15710:2007

Hind 151,00

Identne CWA 15710:2007

Metalex (Open XML Interchange Format for Legal and Legislative Resources)

This document contains agreements about:

- the abstract content models supported by the standard,
- the way metadata is added to a document, and
- a generic model for organizing metadata in RDF.

It does not constitute a complete, workable XML standard.

Keel en

EVS-EN 12798:2007

Hind 123,00

Identne EN 12798:2007

Transport Quality Management System - Road, Rail and Inland navigation transport - Quality management system requirements to supplement EN ISO 9001 for the transport of dangerous goods with regard to safety

This European Standard specifies quality management system requirements, supplementary to those of EN ISO 9001:2000, for the management of safety in the field of the transport of dangerous goods by road, rail and inland navigation. Application of this document covers, and is limited to, the range of transport related services that a company claims to provide in compliance with this European Standard.

Keel en

Asendab EVS-EN 12798:2003

EVS-EN ISO 15189:2007

Identne EN ISO 15189:2007

ja identne ISO 15189:2007

Medical laboratories - Particular requirements for quality and competence

Standard määratleb kvaliteedi ja kompetentsi erinõuded meditsiinilaboritele.

Keel en

Asendab EVS-EN ISO 15189:2004

ASENDATUD VÕI TÜHISTATUD STANDARDID**EVS-EN 12798:2003**

Identne EN 12798:1999

Transport Quality System - Road, rail and inland navigation transport - Quality system requirements to supplement EN ISO 9002 for the transport of dangerous goods with regard to safety

This European Standard specifies quality system requirements, supplementary to those of EN ISO 9002, for the management of safety in the field of the transport of dangerous goods by road, rail and inland navigation. Its application covers, and is limited by, the range of transport related services that the company claims to provide in compliance with this European Standard

Keel en

Asendatud EVS-EN 12798:2007

11 TERVISEHOOLDUS**UUED STANDARDID****EVS-EN 13544-1:2007**

Hind 208,00

Identne EN 13544-1:2007

Respiratoorse teraapia seadmed. Osa 1: Pihustussüsteemid ja nende komponendid

This European Standard specifies requirements for nebulizing systems used for the delivery of drugs in an aerosol form to humans through the respiratory system.

Keel en

Asendab EVS-EN 13544-1:2002

EVS-EN 62464-1:2007

Hind 286,00

Identne EN 62464-1:2007

ja identne IEC 62464-1:2007

Magnetic resonance equipment for medical imaging -- Part 1: Determination of essential image quality parameters

This international standard specifies measurement procedures for the determination of many essential medical MR EQUIPMENT image quality parameters. Measurement procedures as addressed in this standard are suitable for: - quality assessment in the ACCEPTANCE TEST; - quality assurance in the CONSTANCY TEST. In addition, the measurement procedures specified in this standard may also be useful for type tests, although that is not an objective of this standard.

Keel en

EVS-EN ISO 7396-1:2007

Identne EN ISO 7396-1:2007

ja identne ISO 7396-1:2007

Meditsiinilise gaasi torusüsteemid. Osa 1: Torustikud meditsiiniliste surugaaside ja vaakumi jaoks

Käesolev Euroopa standard määratleb põhinõuded meditsiiniliste surugaaside ja vaakumtorustike süsteemide paigaldamise, toimimise, läbilaskevõime, dokumentatsiooni, kontrollimise ja kasutussevõtmise jaoks eesmärgiga tagada patsiendi ohutus, varustades teda torusüsteemi abil pidevalt õige gaasiga.

Keel en

Asendab EVS-EN 737-3:2004

EVS-EN ISO 7396-2:2007

Hind 233,00

Identne EN ISO 7396-2:2007

ja identne ISO 7396-2:2007

Meditsiinilise gaasi torusüsteemid. Osa 2: Anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemid

This part of ISO 7396 specifies requirements for the design, installation, function, performance, documentation, testing and commissioning of anaesthetic gas scavenging disposal systems, to ensure patient safety and to minimize exposure of the operator and other persons to anaesthetic gases and vapours. It includes requirements for the power device, pipeline system, performance, non-interchangeability between key components and avoidance of cross connections between anaesthetic gas scavenging (AGS) disposal systems and medical gas and vacuum pipeline systems.

Keel en

Asendab EVS-EN 737-2:1999

EVS-EN ISO 8536-4:2007

Hind 162,00

Identne EN ISO 8536-4:2007

ja identne ISO 8536-4:2007

Meditsiinilised infusiooniseadmed. Osa 4:**Ühekordsed infusioonikomplektid**

This part of ISO 8536 specifies requirements for single-use, gravity feed infusion sets for medical use in order to ensure their compatibility with containers for infusion solutions and intravenous equipment. Secondary aims of this part of ISO 8536 are to provide guidance on specifications relating to the quality and performance of materials used in infusion sets and to present designations for infusion set components. In some countries, the national pharmacopoeia or other national regulations are legally binding and take precedence over this part of ISO 8536.

Keel en

Asendab EVS-EN ISO 8536-4:2004

EVS-EN ISO 10993-6:2007

Hind 180,00

Identne EN ISO 10993-6:2007

ja identne ISO 10993-6:2007

Meditsiinivahendite bioloogiline hindamine. Osa 6:**Katsed implantatsioonijärgsete paiksete toimete hindamiseks**

This part of ISO 10993 specifies test methods for the assessment of the local effects after implantation of biomaterials intended for use in medical devices. This part of ISO 10993 applies to materials that are: - solid and non-biodegradable; - degradable and/or resorbable; - non-solid, such as porous materials, liquids, pastes and particulates.

Keel en

Asendab EVS-EN 30993-6:1999

EVS-EN ISO 11135-1:2007

Hind 233,00

Identne EN ISO 11135-1:2007

ja identne ISO 11135-1:2007

Meditsiiniseadmete steriliseerimine. Etüleenoksiid. Osa 1: Nõuded meditsiiniseadmete steriliseerimise protsessi väljatöötamiseks, usaldusvääruse kontrollimiseks ja rutiinseks kontrollimiseks

Standard määratleb nõudmised meditsiiniseadmete niiske kuumusega steriliseerimisele, selle valideerimisele, protsessi kontrollimisele ja jälgimisele.

Keel en

Asendab EVS-EN 550:1999

EVS-EN ISO 11810-2:2007

Hind 151,00

Identne EN ISO 11810-2:2007

ja identne ISO 11810-2:2007

Laserid ja laseritega seotud seadmestik. Laseriga kasutamiseks sobivad kirurgilised eesriuided ja/või patsiendi kaitsekatted. Osa 2: Teisene süttimine

This part of ISO 11810 is applicable to disposable and re-usable, as well as woven and non-woven materials used as surgical drapes and/or patient protective covers which claim to be laser-resistant. The purpose of this part of ISO 11810 is to provide a standardized method for testing and classifying surgical drapes and/or patient protective covers with respect to laser-induced hazards. An appropriate classification system is given. It is not the purpose of this part of ISO 11810 to serve as a general fire safety specification. This part of ISO 11810 is limited to testing the secondary ignition of materials that are rated I1 or I2 from ISO 11810-1.

Keel en

Asendab EVS-EN ISO 11810:2003

EVS-EN ISO 15189:2007

Identne EN ISO 15189:2007

ja identne ISO 15189:2007

Medical laboratories - Particular requirements for quality and competence

Standard määratleb kvaliteedi ja kompetentsi erinõuded meditsiinilaboritele.

Keel en

Asendab EVS-EN ISO 15189:2004

ASENDATUD VÕI TÜHISTATUD STANDARDID**EVS-EN 550:1999**

Identne EN 550:1994

Meditsiiniseadmete steriliseerimine.**Etüleenoksiidiga steriliseerimise usaldusvääruse kontrollimine ja rutiinne kontrollimine**

Käesolev standard esitab nõuded meditsiiniseadmete steriliseerimise sooritamisele, usaldusvääruse kontrollimisele, protsessi kontrollimisele ja jälgimisele, juhul kui steriliseerimiseks kasutatakse etüleenoksiidi.

Keel en

Asendatud EVS-EN ISO 11135-1:2007

EVS-EN 737-2:1999

Identne EN 737-2:1998 + AC:2000

Meditsiinilise gaasi torusüsteemid. Osa 2:**Anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemid. Põhinõuded**

Standardi käesolev osa esitab põhinõuded anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemide paigaldamisele, funktsioneerimisele, jõudlusele, dokumentatsioonile, testimisele ja töövalmis seadmisele, et tagada kliinilisest keskkonnast anesteetiliste gaaside ja aurude üleholga turvaline eemaldamine ning selle kaudu patsiendi ja operaatori ohutus. Standard sisaldb põhinõudeid toiteseadmele, torusüsteemile, jõudlusele ning võtmekomponentide omavahelisele mittevahetatavusele.

Keel en

Asendatud EVS-EN ISO 7396-2:2007

EVS-EN 737-2:1998/A1:2000

Identne EN 737-2:1998/A1:1999

**Meditsiinilise gaasi torusüsteemid. Osa 2:
Anesteetiliste gaaside evakuatsiooni- ja
kahjutustamissüsteemid. Põhinõuded**

Standardi käesolev osa esitab põhinõuded anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemide paigaldamisele, funktsioneerimisele, jõudlusele, dokumentatsioonile, testimisele ja töövalmis seadmisele, et tagada kliinilisest keskkonnast anesteetiliste gaaside ja aurude ülehelgula turvaline eemaldamine ning selle kaudu patsiendi ja operaatori ohutus. Standard sisaldab põhinõudeid toiteseadmele, torusüsteemile, jõudlusele ning võtmekomponentide omavaheliselle mittevahetatavusele.

Keel en

Asendab EVS-EN ISO 7396-2:2007

EVS-EN 13544-1:2002

Identne EN 13544-1:2001+AC:2004

**Respiratoorse teraapia seadmed. Osa 1:
Pihustussüsteemid ja nende komponendid**

This European Standard specifies requirements for nebulizing systems for the delivery of drugs in an aerosol form to humans through the respiratory system.

Keel en

Asendatud EVS-EN 13544-1:2007

EVS-EN 13544-1:2002/A1:2004

Identne EN 13544-1:2001/A1:2004

**Respiratoorse teraapia seadmed. Osa 1:
Pihustussüsteemid ja nende komponendid**

This European Standard specifies requirements for nebulizing systems for the delivery of drugs in an aerosol form to humans through the respiratory system.

Keel en

Asendatud EVS-EN 13544-1:2007

EVS-EN 30993-6:1999

Identne EN 30993-6:1994

ja identne ISO 10993-6:1994

Meditsiinivahendite bioloogiline hindamine. Osa 6:**Katsed implantatsioonijärgsete paiksete toimete
hindamiseks**

Standardi käesolev osa esitab testimismeetodid implanteeritava materjali poolt elavale koele avaldatava paikse toime hindamiseks nii makroskoopilisel kui mikroskoopilisel tasandil.

Keel en

Asendatud EVS-EN ISO 10993-6:2007

EVS-EN ISO 8536-4:2004

Identne EN ISO 8536-4:2004

ja identne ISO 8536-4:2004

**Infusion equipment for medical use - Part 4: Infusion
sets for single use, gravity feed**

This part of ISO 8536 specifies requirements for single-use, gravity feed infusion sets for medical use in order to ensure their compatibility with containers for infusion solutions and intravenous equipment. Secondary aims of this part of ISO 8536 are to provide guidance on specifications relating to the quality and performance of materials used in infusion sets and to present designations for infusion set components. In some countries, the national pharmacopoeia or other national regulations are legally binding and take precedence over this part of ISO 8536.

Keel en

Asendatud EVS-EN ISO 8536-4:2007

KAVANDITE ARVAMUSKÜSITLUS**prEN 60601-2-19**

Identne prEN 60601-2-19:2007

ja identne IEC 60601-2-19:200X

Tähtaeg 29.08.2007

**Elektrilised meditsiiniseadmed. Erinõuded
imikuinkubaatorite ohutusele**

This International Standard applies to the BASIC SAFETY and ESSENTIAL PERFORMANCE of INFANT INCUBATORS, also referred to as ME EQUIPMENT. If a clause or subclause is specifically intended to be applicable to ME EQUIPMENT only, or to ME SYSTEMS only, the title and content of that clause or subclause will say so. If that is not the case, the clause or subclause applies both to ME EQUIPMENT and to ME SYSTEMS, as relevant. HAZARDS inherent in the intended physiological function of ME EQUIPMENT or ME SYSTEMS within the scope of this standard are not covered by specific requirements in this standard except in 7.2.13 and 8.4.1 of the general standard.

Keel en

Asendab EVS-EN 60601-2-19:2001

prEN ISO 15752

Identne prEN ISO 15752:2007

ja identne ISO/DIS 15752:2007

Tähtaeg 29.08.2007

Oftalmilised instrumendid. Endoilluminatorid.**Põhinõuded ja katsemeetodid optilise kiirguse kaitse
tagamiseks**

This International Standard specifies optical radiation safety aspects of endoilluminator light sources and endoilluminator light guides which are used to illuminate the interior of the eye during ocular surgery.

Keel en

**13 KESKKONNA- JA TERVISEKAITSE.
OHUTUS****UUED STANDARDID****EVS-EN 12798:2007**

Hind 123,00

Identne EN 12798:2007

**Transport Quality Management System - Road, Rail
and Inland navigation transport - Quality
management system requirements to supplement EN
ISO 9001 for the transport of dangerous goods with
regard to safety**

This European Standard specifies quality management system requirements, supplementary to those of EN ISO 9001:2000, for the management of safety in the field of the transport of dangerous goods by road, rail and inland navigation. Application of this document covers, and is limited to, the range of transport related services that a company claims to provide in compliance with this European Standard.

Keel en

Asendab EVS-EN 12798:2003

EVS-EN 13921:2007

Hind 162,00

Identne EN 13921:2007

Isikukaitsehandid. Ergonomilised põhimõtted

This European Standard provides guidance on the generic ergonomic characteristics related to personal protective equipment (PPE). It specifies for the writers of PPE product standards, principles relating to:- anthropometric characteristics related to PPE;- the biomechanical interaction between PPE and the human body;- the thermal interaction between PPE and the human body;- the interaction between PPE and the human senses: vision; hearing; smell and taste; and skin contact. This European Standard does not cover requirements related to the specific hazard for which PPE is designed.

Keel en

EVS-EN 15309:2007

Hind 208,00

Identne EN 15309:2007

Characterization of waste and soil - Determination of elemental composition by X-ray fluorescence

This European Standard specifies the procedure for a quantitative determination of major and trace element concentrations in homogeneous solid waste, soil and soil-like material by energy dispersive X-ray fluorescence (EDXRF) spectrometry or wavelength dispersive X-ray fluorescence (WDXRF) spectrometry using a calibration with matrix-matched standards. This European Standard is applicable for the following elements: Na, Mg, Al, Si, P, S, Cl, K, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ag, Cd, Sn, Sb, Te, I, Cs, Ba, Ta, W, Hg, Tl, Pb, Bi, Th and U. Concentration levels between approximately 0,000 1 % and 100 % can be determined depending on the element and the instrument used.

Keel en

EVS-EN ISO 11161:2007

Hind 221,00

Identne EN ISO 11161:2007

ja identne ISO 11161:2007

Masinate ohutus. Integreeritud tootmissüsteemid. Põhinõuded (ISO 11161:2007)

This International Standard specifies the safety requirements for integrated manufacturing systems (IMS) that incorporate two or more interconnected machines for specific applications, such as component manufacturing or assembly. It gives requirements and recommendations for the safe design, safeguarding and information for the use of such IMSs (see Figure 1 for the basic configuration of an IMS).

Keel en

EVS-EN ISO 11810-2:2007

Hind 151,00

Identne EN ISO 11810-2:2007

ja identne ISO 11810-2:2007

Laserid ja laseritega seotud seadmestik. Laseriga kasutamiseks sobivad kirurgilised eesriuided ja/või patsiendi kaitsekatted. Osa 2: Teisene süttimine

This part of ISO 11810 is applicable to disposable and re-usable, as well as woven and non-woven materials used as surgical drapes and/or patient protective covers which claim to be laser-resistant. The purpose of this part of ISO 11810 is to provide a standardized method for testing and classifying surgical drapes and/or patient protective covers with respect to laser-induced hazards. An appropriate classification system is given. It is not the purpose of this part of ISO 11810 to serve as a general fire safety specification. This part of ISO 11810 is limited to testing the secondary ignition of materials that are rated I1 or I2 from ISO 11810-1.

Keel en

Asendab EVS-EN ISO 11810:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID**EVS-EN 1089-2:2002**

Identne EN 1089-2:2002

Transportable gas cylinders - Gas cylinder identification (excluding LPG) - Part 2: Precautionary labels

This European Standard specifies the design, content, i.e. hazard symbols and text, and application of precautionary labels intended for use on the shoulders of individual gas cylinders containing single gases or gas mixtures or immediately below (maximum 50 mm from the rounded part). Labels for bundles of cylinders and for LPG cylinders are not covered by this standard.

Keel en

Asendab EVS-EN 1089-2:1999

Asendatud EVS-EN ISO 7225:2007

KAVANDITE ARVAMUSKÜSITLUS**EN 14387:2004/prA1**

Identne EN 14387:2004/prA1:2007

Tähtaeg 29.08.2007

Hingamisteede kaitsehandid. Gaasi filter (id), kombineeritud filtrip. Nõuded, katsetamine, markeerimine

This European Standard refers to gas filters and combined filters for use as components in unassisted respiratory protective devices. Filters for use against CO are excluded from this standard. Laboratory tests are included for the assessment of compliance with the requirements.

Keel en

EN 60335-2-17:2003/prA2

Identne EN 60335-2-17:2002/prA2:2007

ja identne IEC 60335-2-17:2002/A2:200X

Tähtaeg 29.08.2007

Majapidamis- ja muud taolised elektriseadmed. Ohutus. Osa 2-17: Erinõuded tekkidele, patjadele ja muudele taolistele paindlilekoole soojendusseadmetele

Deals with the safety of electric blankets, pads and other flexible appliances for heating the bed or human body, for household and similar purposes, their rated voltage being not more than 250 V. This standard also deals with the control units supplied with the appliance

Keel en

prEN 13274-7

Identne prEN 13274-7:2007

Tähtaeg 29.08.2007

Respiratory protective devices - Methods of test -**Part 7: Determination of particle filter penetration**

This European Standard specifies the procedure for testing particle filter penetration for respiratory protective devices.

Keel en

prEN 15460

Identne prEN 15460:2007

Tähtaeg 29.08.2007

Water quality - Guidance standard for the surveying of macrophytes in lakes

This guidance standard defines a method for surveying aquatic macrophytes in lakes primarily for the purpose of assessing ecological status, using these organisms as an element of biological quality. The information provided by this method includes the composition and abundance of the aquatic macrophyte flora.

Keel en

prEN 60204-33

Identne prEN 60204-33:2007

ja identne IEC 60204-33:200X

Tähtaeg 29.08.2007

Safety of machinery - Electrical equipment of machines -- Part 33: Requirements for semiconductor fabrication equipment

This part of IEC 60204 applies to electrical and electronic equipment used in the fabrication (manufacture, measurement, assembly, and test) of semiconductors. This does not include electrical equipment of machines that are portable by hand while working.

Keel en

prEN ISO 17852

Identne prEN ISO 17852:2007

ja identne ISO 17852:2006

Tähtaeg 29.08.2007

Water quality - Determination of mercury - Method using atomic fluorescence spectrometry

This International Standard specifies a method for the determination of mercury in drinking, surface, ground and rain water using atomic fluorescence spectrometry.

Keel en

Asendab EVS-EN 13506:2002

17 METROLOOGIA JA MÕÖTMINE. FÜÜSIKALISED NÄHTUSED

UUED STANDARDID**EVS-EN ISO 835:2007**

Hind 141,00

Identne EN ISO 835:2007

ja identne ISO 835:2007

Laboratory glassware - Graduated pipettes

This International Standard specifies metrological and constructional requirements for graduated pipettes, adequate for general laboratory purposes. The details specified are in conformity with the principles of design and construction of volumetric glassware given in ISO 384.

Keel en

KAVANDITE ARVAMUSKÜSITLUS**prCEN ISO/TS 14253-3**

Identne prCEN ISO/TS 14253-3:2007

ja identne ISO/TS 14253-3:2002

Tähtaeg 29.08.2007

Geometrical product specifications (GPS) - Inspection by measurement of workpieces and measuring equipment - Part 3: Guidelines for achieving agreements on measurement uncertainty statements

This part of ISO 14253 provides guidelines and defines procedures for assisting the customer and supplier to reach amicable agreements on disputed measurement uncertainty statements regulated in accordance with ISO 14253-1, and so avoid costly and time-consuming disputes.

Keel en

prCEN ISO/TS 15530-3

Identne prCEN ISO/TS 15530-3:2007

ja identne ISO/TS 15530-3:2004

Tähtaeg 29.08.2007

Geometrical product specifications (GPS) - Coordinate measuring machines (CMM): Technique for determining the uncertainty of measurement - Part 3: Use of calibrated workpieces or standards

This part of ISO 15530 specifies the evaluation of measurement uncertainty for results of measurements obtained by a CMM and by using calibrated workpieces. It provides an experimental technique for simplifying the uncertainty evaluation of CMM measurements, whose approach (substitution measurements) leads to measurements being carried out in the same way as actual measurements, but with calibrated workpieces of similar dimension and geometry instead of the unknown workpieces to be measured. Non-substitution measurements on CMMs are also covered, as are the requirements of the uncertainty evaluation procedure, the measurement equipment needed, and the reverification and the interim check of the measurement uncertainty.

Keel en

prCEN ISO/TS 17450-1

Identne prCEN ISO/TS 17450-1:2007

ja identne ISO/TS 17450-1:2005

Tähtaeg 29.08.2007

Geometrical product specifications (GPS) - General concepts - Part 1: Model for geometrical specification and verification

This part of ISO/TS 17450 provides a model for geometrical specification and verification and defines the corresponding concepts. It also explains the mathematical basis of the concepts associated with the model.

Keel en

prEN 60909-3

Identne prEN 60909-3:2007

ja identne IEC 60909-3:200X

Tähtaeg 29.08.2007

Short-circuit currents in three-phase a.c systems -- Part 3: Currents during two separate simultaneous line-to-earth short-circuits and partial short-circuit currents flowing through earth

This part of IEC 60909 specifies procedures for calculation of the prospective short-circuit currents with an unbalanced short circuit in high-voltage three-phase AC systems operating at nominal frequency 50 Hz or 60 Hz, i.e. currents during two separate simultaneous line-toearth short circuits in isolated neutral or resonant earthed neutral systems; partial short-circuit currents flowing through earth in case of single line-to-earth short circuit in solidly earthed or low-impedance earthed neutral systems. The currents calculated by these procedures are used when determining induced voltages or touch or step voltages and rise of earth potential at a station (power station or substation) and the towers of overhead lines.

Keel en

Asendab EVS-EN 60909-3:2004

prEN 61340-5-1

Identne prEN 61340-5-1:2007

ja identne IEC 61340-5-1:200X

Tähtaeg 29.08.2007

Electrostatics -- Part 5-1: Protection of electronic devices from electrostatic phenomena - General requirements

This part of IEC 61340 applies to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM). This standard provides the requirements for an ESD control program. The user should refer to IEC 61340-5-2 for guidance on the implementation of this standard. This standard does not apply to electrically initiated explosive devices, flammable liquids, gases and powders.

Keel en

Asendab EVS-EN 61340-5-1:2002

prEN 61753-082-2

Identne prEN 61753-082-2:2007

ja identne IEC 61753-082-2:200X

Tähtaeg 29.08.2007

Fibre optic interconnecting devices and passive components performance standard -- Part 082-2: Pigtailed single-mode fibre optic 1,31/1,55 µm WWDM Devices for category C - Controlled environment

This standard contains the minimum initial test and measurement requirements and severities which a fibre optic 1.31/1.55µm WWDM device shall satisfy in order to be categorised as meeting the IEC standard, Category C- Controlled Environment. The requirements cover devices with single-mode pigtailed pigtails.

Keel en

prEN 62058-11

Identne prEN 62058-11:2007

ja identne IEC 62058-11:200X

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 11: General acceptance inspection methods

The general acceptance inspection methods specified in this part of IEC 62058 apply to newly manufactured electricity meters produced and supplied in lots of 50 and above.

Keel en

Asendab EVS-EN 60514:2002; EVS-EN 61358:2002

prEN 62058-21

Identne prEN 62058-21:2007

ja identne IEC 62058-21:200X

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 21: Particular requirements for electromechanical meters for active energy (classes 0,5, 1 and 2)

This International Standard specifies particular requirements for acceptance testing of newly manufactured direct connected or transformer operated electromechanical meters for active energy (classes 0,5, 1 and 2) delivered in lots in quantities above 50. The method of acceptance of smaller lots shall be agreed upon by the manufacturer and the customer.

Keel en

Asendab EVS-EN 61358:2002

prEN 62058-31

Identne prEN 62058-31:2007

ja identne IEC 62058-31:200X

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 31: Particular requirements for static meters for active energy (classes 0,2 S, 0,5 S, 1 and 2)

This International Standard specifies particular requirements for acceptance testing of newly manufactured direct connected or transformer operated static meters for active energy (classes 0,2 S, 0,5 S, 1 and 2) delivered in lots in quantities above 50. The method of acceptance of smaller lots shall be agreed upon by the manufacturer and the customer.

Keel en

Asendab EVS-EN 60514:2002

prEN ISO 25378

Identne prEN ISO 25378:2007

ja identne ISO/DIS 25378:2007

Tähtaeg 29.08.2007

Geomeetrilised tootekirjeldused (GPS).**Spetsifikatsioon. Omadused ja tingimused**

This document defines general terms for geometrical specifications, characteristics and conditions. These definitions are based on concepts developed in ISO/TS 17450-1 and ISO 22432 and they are given by using a mathematical description based on Annex B of ISO/TS 17450-1. This document is not intended for industrial use as such among designers, but is aimed to serve as the "road map" mapping out the requirements based on geometrical features, thus enabling future standardisation for industry and software makers in a consistent manner.

Keel en

19 KATSETAMINE

UUED STANDARDID

EVS-EN 60068-2-1:2007

Hind 151,00

Identne EN 60068-2-1:2007

ja identne IEC 60068-2-1:2007

Environmental testing -- Part 2-1: Tests - Test A: Cold

This part of IEC 60068 deals with cold tests applicable to both non heat-dissipating and heatdissipating specimens. For non heat-dissipating specimens, Tests Ab and Ad do not deviate essentially from earlier issues. Test Ae has been added primarily for testing equipment that requires being operational throughout the test, including the conditioning periods. The object of the cold test is limited to the determination of the ability of components, equipment or other articles to be used, transported or stored at low temperature. Cold tests cover by this standard do not enable the ability of specimens to withstand or operate during the temperature variations to be assessed. In this case, it would be necessary to use IEC 60068-2-14.

Keel en

Asendab EVS-EN 60068-2-1:2002; EVS-EN 60068-2-1:2002/A2:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 60068-2-1:2002

Identne EN 60068-2-1:1993+A1:1993

ja identne IEC 60068-2-1:1990+A1:1993

Environmental testing - Part 2: Tests - Tests A: Cold

The object of this standard is to provide a standard test procedure to determine the suitability of non heat-dissipating components, equipment or other articles for use and/or storage under conditions of low temperature and for which the subjection to a sudden change of temperature has no detrimental effect. □ This procedure is for specimens which are subjected to a low temperature for a time long enough for the specimen to achieve temperature stability.

Keel en

Asendatud EVS-EN 60068-2-1:2007

EVS-EN 60068-2-1:2002/A2:2003

Identne EN 60068-2-1:1993/A2:1994

ja identne IEC 68-2-1:1993/A2:1994

Environmental testing - Part 2: Tests - Tests A: Cold

The object of this standard is to provide a standard test procedure to determine the suitability of non heat-dissipating components, equipment or other articles for use and/or storage under conditions of low temperature and for which the subjection to a sudden change of temperature has no detrimental effect. □ This procedure is for specimens which are subjected to a low temperature for a time long enough for the specimen to achieve temperature stability.

Keel en

Asendatud EVS-EN 60068-2-1:2007

21 ÜLDKASUTATAVAD MASINAD JA NENDE OSAD

UUED STANDARDID

EVS-EN ISO 8748:2007

Hind 104,00

Identne EN ISO 8748:2007

ja identne ISO 8748:2007

Sirged vedrutihvtid. Spiraalsed, raske koormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terastest või roostevabast austeniit- või martensiitterastest valmistatud, raske koormuse jaoks ettenähtud spiraalsete sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 1,5 - 20 mm (kaasa arvatud).

Keel en

Asendab EVS-EN ISO 8748:1999

EVS-EN ISO 8750:2007

Hind 104,00

Identne EN ISO 8750:2007

ja identne ISO 8750:2007

Sirged vedrutihvtid. Spiraalsed, tavakoormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terastest või roostevabast austeniit- või martensiitterastest valmistatud, tavakoormuse jaoks ettenähtud spiraalse sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 0,8 - 20 mm (kaasa arvatud).

Keel en

Asendab EVS-EN ISO 8750:1999

EVS-EN ISO 8751:2007

Hind 104,00

Identne EN ISO 8751:2007

ja identne ISO 8751:2007

Sirged vedrutihvtid. Spiraalsed, kerge koormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terastest või roostevabast austeniit- või martensiitterastest valmistatud, kerge koormuse jaoks ettenähtud spiraalse sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 1,5 - 8 mm (kaasa arvatud).

Keel en

Asendab EVS-EN ISO 8751:1999

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN ISO 8748:1999

Identne EN ISO 8748:1997

ja identne ISO 8748:1997

Sirged vedrutihvtid. Spiraalsed, raske koormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terastest või roostevabast austeniit- või martensiitterastest valmistatud, raske koormuse jaoks ettenähtud spiraalse sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 1,5 - 20 mm (kaasa arvatud).

Keel en

Asendatud EVS-EN ISO 8748:2007

EVS-EN ISO 8750:1999

Identne EN ISO 8750:1997

ja identne ISO 8750:1997

Sirged vedrutihvtid. Spiraalsed, tavakoormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terasest või roostevabast austeniit- või martensiitterasest valmistatud, tavakoormuse jaoks ettenähtud spiraalsete sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 0,8 - 20 mm (kaasa arvatud).

Keel en

Asendatud EVS-EN ISO 8750:2007

EVS-EN ISO 8751:1999

Identne EN ISO 8751:1997

ja identne ISO 8751:1997

Sirged vedrutihvtid. Spiraalsed, kerge koormuse jaoks

See rahvusvaheline standard määrab kindlaks selliste terasest või roostevabast austeniit- või martensiitterasest valmistatud, kerge koormuse jaoks ettenähtud spiraalsete sirgete vedrutihvtide parameetrid, mille nimiläbimõõt d1 on 1,5 - 8 mm (kaasa arvatud).

Keel en

Asendatud EVS-EN ISO 8751:2007

KAVANDITE ARVAMUSKÜSITLUS**prEN 12080 rev**

Identne prEN 12080:2007

Tähtaeg 29.08.2007

Raudteealased rakendused. Rattapuksid.**Veereelaagrid**

Käesolev Euroopa standard on koostatud eesmärgiga saavutada raudteetranspordis optimaalne jõudlus. Jõudlus viitab sõiduki veeresõlmede teatavale kvaliteeditasemele, mida iga raudteefirma võib nõuda, seda peamiselt heakskiiduprotseduuride juurutamise teel ning nõudes tootekinnituseks vajamineva kvaliteedikinnituse ja -tingimuste olemasolu.

Keel en

Asendab EVS-EN 12080:2000

prEN 60300-3-15

Identne prEN 60300-3-15:2007

ja identne IEC 60300-3-15:200X

Tähtaeg 29.08.2007

Dependability management -- Part 3-15: Guidance to engineering of system dependability

This International Standard provides guidance on engineering dependability into systems and describes a process for realization of system dependability through the system life cycle. It is applicable to new system development and for enhancement of existing systems involving interactions of system functions consisting of hardware, software and human elements. It also applies to providers of subsystems and suppliers of products seeking system information and criteria for system integration. Methods and tools are provided for system dependability assessment and verification of results for achievement of dependability objectives.

Keel en

23 ÜLDKASUTATAVAD HÜDRO- JA PNEUMOSÜSTEEMID JA NENDE OSAD**UUED STANDARDID****EVS-EN 13445-3:2002/A3:2007**

Hind 73,00

Identne EN 13445-3:2002/A3:2007

Leekkuumutuseta surveanumad. Osa 3:**Kavandamine**

This Part of this European Standard specifies requirements for the design of unfired pressure vessels covered by EN 13445-1:2002 and constructed of steels in accordance with EN 13445-2:2002. EN 13445-5:2002, Annex C specifies requirements for the design of access and inspection openings, closing mechanisms and special locking elements.

Keel en

EVS-EN 15266:2007

Hind 233,00

Identne EN 15266:2007

Roostevabast painduvast pleistik kuni 0,5 baarise töösurvega gaasitorud ehitistele

This European Standard specifies the requirements for material, design, manufacture, testing, marking and documentation of stainless steel pliable corrugated gas tubing kits for buildings with a maximum operating pressure (MOP) less than or equal to 0,5 bar and a nominal size range from DN 10 to DN 50. This document applies to stainless steel pliable corrugated gas tubing kits used for 1st, 2nd and 3rd family gases in residential, commercial and industrial gas installations. This document does not apply to: - pliable tubing without cover; - corrugated safety metal hose assemblies for connection to moveable appliances. This document does not cover the installation aspects of stainless steel pliable corrugated gas tubing kits.

Keel en

EVS-EN ISO 7225:2007

Hind 113,00

Identne EN ISO 7225:2007

ja identne ISO 7225:2005

Gas cylinders - Precautionary labels

This International Standard specifies the design, content (i.e. hazard symbols and text) and application of precautionary labels intended for use on individual gas cylinders containing single gases or gas mixtures. Labels for cylinders of bundles and labels for bundles are not covered by this International Standard.

Keel en

Asendab EVS-EN 1089-2:2002

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 737-2:1998/A1:2000

Identne EN 737-2:1998/A1:1999

Meditsiinilise gaasi torusüsteemid. Osa 2: Anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemid. Põhinõuded

Standardi käesolev osa esitab põhinõuded anesteetiliste gaaside evakuatsiooni- ja kahjutustamissüsteemide paigaldamisele, funktsioneerimisele, jõudlusele, dokumentatsioonile, testimisele ja töövalmis seadmisele, et tagada kliinilisest keskkonnast anesteetiliste gaaside ja aurude üleholga turvaline eemaldamine ning selle kaudu patsiendi ja operaatori ohutus. Standard sisaldb põhinõudeid toiteseadmele, torusüsteemile, jõudlusele ning võtmekomponentide omavahelisele mittevahetatavusele.

Keel en

Asendab EVS-EN ISO 7396-2:2007

EVS-EN 1089-2:2002

Identne EN 1089-2:2002

Transportable gas cylinders - Gas cylinder identification (excluding LPG) - Part 2: Precautionary labels

This European Standard specifies the design, content, i.e. hazard symbols and text, and application of precautionary labels intended for use on the shoulders of individual gas cylinders containing single gases or gas mixtures or immediately below (maximum 50 mm from the rounded part). Labels for bundles of cylinders and for LPG cylinders are not covered by this standard.

Keel en

Asendab EVS-EN 1089-2:1999

Asendatud EVS-EN ISO 7225:2007

KAVANDITE ARVAMUSKÜSITLUS

EN 60335-2-51:2003/prA1

Identne EN 60335-2-51:2003/prA1:2007

ja identne IEC 60335-2-51:2002/A1:200X

Tähtaeg 29.08.2007

Majapidamis- ja muud taolised elektriseadmed. Ohutus. Osa 2-51: Erinõuded kütte- ja tarbeveepaigaldiste statsionaarsetele ringluspumpadele

Deals with the safety of electric stationary circulation pumps intended for use in heating systems or in service water systems, having a rated power input not exceeding 300 W, their rated voltage being not more than 250 V for single-phase and 480 V for other appliances. Hydraulic and electric parts of the pump may be in the same enclosure, so that the water serves as a coolant, or they maybe separate. This standard does not apply to pumps for circulating liquids other than water; pumps, other than circulation pumps (IEC 60335-2-41); circulation pumps intended exclusively for industrial purposes; circulation pumps intended for locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapor, or gas)

Keel en

prEN 60534-9

Identne prEN 60534-9:2007

ja identne IEC 60534-9:200X

Tähtaeg 29.08.2007

Industrial-process control valves -- Part 9: Test procedure for response measurements from step inputs

This part of IEC 60534 defines the testing and reporting of the step response of control valves that are used in throttling closed-loop control applications. A control valve consists of the complete, ready-to-use assembly of the control valve body, the actuator, and any required accessories. The most probable accessory is a valve positioner.

Keel en

25 TOOTMISTEHNOLOOGIA

UUED STANDARDID

EVS-EN 60745-2-8:2003/A11:2007

Hind 84,00

Identne EN 60745-2-8:2003/A11:2007

Käsimootoriga elektrilised tööriistad. Ohutus. Osad 2-8: Erinõuded lõikuritele ja purustitele

Deals with the safety of tools which the rated voltage is not more than 250 V for single-phase a.c. or d.c. tools and 440 V for three-phase a.c. tools. Supplements or modifies the corresponding clauses of IEC 60745-1

Keel en

EVS-EN 60745-2-14:2003/A11:2007

Hind 73,00

Identne EN 60745-2-14:2003/A11:2007

Käeshoitavad mootorajamiga elektritööriistad. Ohutus. Osa 2-14: Erinõuded höövlitele

This standard applies to planers with a cutting width up to 150 mm.

Keel en

EVS-EN 60745-2-14:2003/A1:2007

Hind 132,00

Identne EN 60745-2-14:2003/A1:2007

ja identne IEC 60745-2-14:2003/A1:2006 (Modified)

Käeshoitavad mootorajamiga elektritööriistad. Ohutus. Osa 2-14: Erinõuded höövlitele

This standard applies to planers with a cutting width up to 150 mm.

Keel en

EVS-EN 60745-2-17:2003/A11:2007

Hind 73,00

Identne EN 60745-2-17:2003/A11:2007

Käeshoitavad mootorajamiga elektritööriistad. Ohutus. Osa 2-17: Erinõuded höövlitele ja lamineerimistrimmeritele

Deals with the safety of tools which the rated voltage is not more than 250 V for single-phase a.c. or d.c. tools, and 440 V for three-phase a.c. tools. Supplements or modifies the corresponding clauses of IEC 60745-1

Keel en

EVS-EN ISO 11161:2007

Hind 221,00

Identne EN ISO 11161:2007

ja identne ISO 11161:2007

**Masinate ohutus. Integreeritud tootmissüsteemid.
Põhinõuded (ISO 11161:2007)**

This International Standard specifies the safety requirements for integrated manufacturing systems (IMS) that incorporate two or more interconnected machines for specific applications, such as component manufacturing or assembly. It gives requirements and recommendations for the safe design, safeguarding and information for the use of such IMSs (see Figure 1 for the basic configuration of an IMS).

Keel en

KAVANDITE ARVAMUSKÜSITLUS**EN 60745-2-11:2003/A11**

Identne EN 60745-2-11:2003/A11:2007

Tähtaeg 29.08.2007

Käsimootoriga elektrilised tööriistad. Ohutus. Osad 2-11: Erinõuded kahepoolsetele saagidele (kett- ja raiesaed)

Deals with the safety of hand-held motor-operated or magnetically driven tools, specific requirements for reciprocating saws. The rated voltage being not more than 250 V for single-phase a.c. or d.c. and 440 V for three-phase a.c. tools. Tools covered by this standard include but are not limited to jigsaws and reciprocating (sabre) saws

Keel en

prEN 60534-9

Identne prEN 60534-9:2007

ja identne IEC 60534-9:200X

Tähtaeg 29.08.2007

Industrial-process control valves -- Part 9: Test procedure for response measurements from step inputs

This part of IEC 60534 defines the testing and reporting of the step response of control valves that are used in throttling closed-loop control applications. A control valve consists of the complete, ready-to-use assembly of the control valve body, the actuator, and any required accessories. The most probable accessory is a valve positioner.

Keel en

prEN 62264-1

Identne prEN 62264-1:2007

ja identne IEC 62264-1:2003

Tähtaeg 29.08.2007

**Enterprise-control system integration -- Part 1:
Models and terminology**

This part of IEC 62264 describes the interface content between manufacturing control functions and other enterprise functions. The interfaces considered are the interfaces between Levels 3 and 4 of the hierarchical model defined by this standard. The goal is to reduce the risk, cost, and errors associated with implementing these interfaces. The standard can be used to reduce the effort associated with implementing new product offerings. The goal is to have enterprise systems and control systems that inter-operate and easily integrate.

The scope of this standard is limited to

- a) a presentation of the scope of the manufacturing operations and control domain;
- b) a discussion of the organization of physical assets of an enterprise involved in manufacturing;
- c) a listing of the functions associated with the interface between control functions and enterprise functions; and
- d) a description of the information that is shared between control functions and enterprise functions.

Keel en

prEN 62264-2

Identne prEN 62264-2:2007

ja identne IEC 62264-2:2005

Tähtaeg 29.08.2007

**Enterprise-control system integration -- Part 2:
Object model attributes**

This part of IEC 62264, in conjunction with IEC 62264-1, specifies generic interface content between manufacturing control functions and other enterprise functions. The interfaces considered are the interfaces between Levels 3 and 4 of the hierarchical model defined in IEC 62264-1. The goal is to reduce the risk, cost, and errors associated with implementing these interfaces. Since IEC 62264 covers many domains, and there are many different standards in those domains, the semantics of this Standard are described at a level intended to enable the other standards to be mapped to these semantics. To this end, this Standard defines a set of generic interfaces content elements, together with a mechanism for extending those elements for implementations.

Keel en

prEN ISO 2081 rev

Identne prEN ISO 2081:2007

ja identne ISO/DIS 2081:2007

Tähtaeg 29.08.2007

Metallide korrosionikaitse. Elektrosadestatud tsinkkatte koos raua või terase täiendava töötlemisega

This International Standard specifies requirements for electroplated coatings of zinc with supplementary treatments on iron or steel. It includes information to be supplied by the purchaser to the electroplater, and the requirements for heat treatment before and after electroplating. It does not apply to zinc coatings applied to sheet, strip or wire in the non-fabricated form; to close-coiled springs; or for other than protective or decorative purposes. This International Standard does not specify requirements for the surface condition of the basis metal prior to electroplating with zinc. Because the appearance and serviceability of zinc coatings depends on the surface condition of the basis metal, agreement should be reached between the interested parties that the surface finish of the basis metal is satisfactory for electroplating [See 4.1c) and 4.1e)]. The coating thickness that can be applied to threaded components may be limited by dimensional requirements, including class or fit. Attention is drawn to ISO 4042 (Ref. 1) which specifies the maximum thickness that can be applied to standard threads.

Keel en

Asendab EVS-EN 12329:2000

prEN ISO 27874

Identne prEN ISO 27874:2007

ja identne ISO/DIS 27874:2007

Tähtaeg 29.08.2007

Metallilised pinnakatted. Elektrosadestatud kullast ja kullasulamist pinnatötlusmaterjalid elektrilistele, elektroonilistele ja insenertehnilistele rakendustele. Spetsifikatsioonid ja katsemeetodid

This International Standard specifies the requirements for electrodeposited gold and gold alloy coatings for electrical, electronic and other engineering applications on metallic and non-metallic substrates. It also specifies test methods for measuring the properties of the coatings. Although this International Standard does not specify the condition, finish or surface roughness of the basis material prior to electroplating, the appearance and serviceability of electroplated gold or gold alloy coatings depends on the condition of the basis material. It is essential that the purchaser specifies the surface finish and roughness of the basis material in order to conform to the product requirements. This International Standard does not apply to coatings on screw threads (see ISO 4042) or to coatings on sheet or strip in the non-fabricated form.

Keel en

29 ELEKTROTEHNIKA

UUED STANDARDID

EVS-EN 50464-1:2007

Hind 123,00

Identne EN 50464-1:2007

Three-phase oil-immersed distribution transformers 50 Hz, from 50 kVA to 2 500 kVA with highest voltage for equipment not exceeding 36 kV -- Part 1: General requirements

This document covers transformers from 50 kVA to 2 500 kVA intended for operation in three-phase distribution networks, for indoor or outdoor continuous service, 50 Hz, immersed in mineral oil, natural cooling, with two windings: – a primary (high-voltage) winding with a highest voltage for equipment from 3,6 kV to 36 kV; – a secondary (low-voltage) winding with a highest voltage for equipment not exceeding 1,1 kV.

Keel en

Asendab EVS-HD 428.1 S1:2003; EVS-HD 428.3 S1:2003

EVS-EN 50464-3:2007

Hind 73,00

Identne EN 50464-3:2007

Three-phase oil-immersed distribution transformers 50 Hz, from 50 kVA to 2 500 kVA with highest voltage for equipment not exceeding 36 kV -- Part 3: Determination of the power rating of a transformer loaded with non-sinusoidal currents

This European Standard gives to the user guidance to determine the loadability of an oil-immersed distribution transformer, as defined in and covered by EN 50464-1, in the case of load current with harmonic factors exceeding the maximum values allowed.

Keel en

Asendab EVS-HD 428.4 S1:2003

EVS-EN 50464-4:2007

Hind 73,00

Identne EN 50464-4:2007

Three phase oil-immersed distribution transformers 50 Hz, from 50 kVA to 2 500 kVA with highest voltage for equipment not exceeding 36 kV Part 6: Requirements and tests concerning pressurised corrugated tanks

This Part 4 of EN 50464 series is applicable to test procedures to verify the mechanical withstand capability of the corrugated tanks of completely oil filled and hermetically sealed distribution transformers.

Keel en

Asendab EVS-HD 428.6 S1:2003

EVS-EN 50464-2-1:2007

Hind 104,00

Identne EN 50464-2-1:2007

**Three-phase oil-immersed distribution transformers
50 Hz, from 50 kVA to 2 500 kVA with highest voltage
for equipment not exceeding 36 kV -- Part 2-1:
Distribution transformers with cable boxes on the
high-voltage and/or low-voltage side - General
requirements**

EN 50464-2-1 covers, in conjunction with EN 50464-1, distribution transformers under iii) and iv) above, up to 36 kV (the data from 24 kV to 36 kV are under consideration). Further documents exist which may be used by agreement between purchaser and manufacturer for cable boxes and enclosures. The dimensional requirements for cable boxes and protective enclosures are not enclosed in this document.

Keel en

Asendab EVS-HD 428.2.1 S1:2003

EVS-EN 50464-2-2:2007

Hind 84,00

Identne EN 50464-2-2:2007

**Three-phase oil-immersed distribution transformers
50 Hz, from 50 kVA to 2 500 kVA with highest voltage
for equipment not exceeding 36 kV -- Part 2-2:
Distribution transformers with cable boxes on the
high-voltage and/or low-voltage side - Cable boxes
type 1 for use on distribution transformers meeting
the requirements of EN 50464-2-1**

This European Standard specifies the requirements for cable boxes, Type 1, in which the cable cores are terminated. The cable boxes are suitable for use on transformers defined in EN 50464-2-1, "Distribution Transformers with Cable Boxes", for side mounted or cover mounted use. The cable boxes are suitable for operation indoors and outdoors under environmental conditions specified in EN 50464-1. Important design and construction requirements of the cable boxes are given.

Keel en

Asendab EVS-HD 428.2.2 S1:2003

EVS-EN 50464-2-3:2007

Hind 84,00

Identne EN 50464-2-3:2007

**Three-phase oil-immersed distribution transformers
50 Hz, from 50 kVA to 2 500 kVA with highest voltage
for equipment not exceeding 36 kV -- Part 2-3:
Distribution transformers with cable boxes on the
high-voltage and/or low-voltage side - Cable boxes
type 2 for use on distribution transformers meeting
the requirements of EN 50464-2-1**

Cable boxes described in this European Standard correspond to cable boxes Type 2 in EN 50464-2-1 and are suitable for assembly on the cover of oil-immersed distribution transformers meeting the requirements of EN 50464-2-1.

Keel en

Asendab EVS-HD 428.2.3 S1:2003

EVS-EN 60079-30-1:2007

Hind 190,00

Identne EN 60079-30-1:2007

ja identne IEC 60079-30-1:2007

**Plahvatusohtlikud keskkonnad. Osa 30-1: Elektriline
takistus-joonkuumutus. Üld- ja katsetusnõuded**

This part of IEC 60079 specifies general and testing requirements for electrical resistance trace heaters for application in explosive gas atmospheres. The standard covers trace heaters that may comprise either factory- or field- (work-site) assembled units, and which may be series heating cables, parallel heating cables or heating pads and heating panels that have been assembled and/or terminated in accordance with the manufacturer's instructions. This standard also includes requirements for termination assemblies and control methods used with trace heating. The hazardous areas referred to by this standard are those defined in IEC 60079-10. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard shall take precedence.

Keel en

Asendab EVS-EN 62086-1:2005

EVS-EN 60079-30-2:2007

Hind 233,00

Identne EN 60079-30-2:2007

ja identne IEC 60079-30-2:2007

**Explosive atmospheres -- Part 30-2: Electrical
resistance trace heating - Application guide for
design, installation and maintenance**

This part of IEC 60079 provides guidance for the application of electrical resistance trace heating systems in areas where explosive gas atmospheres may be present, with the exception of those classified as zone 0. It provides recommendations for the design, installation, maintenance and repair of trace heating equipment and associated control and monitoring equipment. It does not cover devices that operate by induction heating, skin effect heating or direct pipeline heating, nor those intended for stress relieving. This part supplements the requirements specified in IEC 60079-30-1.

Keel en

Asendab EVS-EN 62086-2:2005

EVS-EN 60684-3-248:2007

Hind 141,00

Identne EN 60684-3-248:2007

ja identne IEC 60684-3-248:2007

**Flexible insulating sleeving -- Part 3: Specifications
for individual types of sleeving -- Sheet 248: General
purpose, heat-shrinkable, dual wall polyolefin
sleeving, flame retarded, shrink ratios 2:1, 3:1, 4:1**

This part of IEC 60684 gives the requirements for six types of general purpose, heat shrinkable dual wall polyolefin sleeveings, flame retarded with nominal shrink ratios of 2:1, 3:1 or 4:1 and available in low and high temperature adhesive inner walls. The low temperature adhesive sleeving has been found suitable for temperatures up to 105 °C and the high temperature adhesive sleeving has been found suitable for temperatures up to 125 °C.

Keel en

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 62086-1:2005

Identne EN 62086-1:2005

ja identne IEC 62086-1:2001 + AC:2003

Electrical apparatus for explosive gas atmospheres – Electrical resistance trace heating Part 1: General and testing requirements

Specifies general and testing requirements for electrical resistance trace heaters for application in explosive gas atmospheres. The standard covers trace heaters that may comprise either factory- or field- (work-site) assembled units, and which may be series heating cables, parallel heating cables or heating pads and heating panels that have been assembled and/or terminated in accordance with the manufacturer's instructions

Keel en

Asendatud EVS-EN 60079-30-1:2007

EVS-EN 62086-2:2005

Identne EN 62086-2:2005

ja identne IEC 62086-2:2001

Electrical apparatus for explosive gas atmospheres – Electrical resistance trace heating Part 2: Application guide for design, installation and maintenance

Provides guidance for the application of electrical resistance trace-heating systems in areas where explosive gas atmospheres may be present. It provides recommendations for the design, installation and maintenance of trace-heating equipment and associated control and monitoring equipment. This part supplements the requirements specified in IEC 62086-1.

Keel en

Asendatud EVS-EN 60079-30-2:2007

EVS-HD 428.2.1 S1:2003

Identne HD 428.2.1 S1:1994

Three phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV - Part 2: Distribution transformers with cable boxes on the high voltage and/or low voltage side - Section 1: General requirements

HD 428.1 subclause 3.3 states that a distribution transformer could have different termination features.

Keel en

Asendatud EVS-EN 50464-2-1:2007

EVS-HD 428.2.2 S1:2003

Identne HD 428.2.2 S1:1997

Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV - Part 2: Distribution transformers with cable boxes on the high-voltage and/or low-voltage side - Section 2: Cable boxes type 1 for use on distribution transformers meeting the requirements of HD 428.2.1 S1

This document specifies the requirements for cable boxes, Type 1, in which the cable cores are terminated. The cable boxes are suitable for use on transformers defined in HD 428.2.1 S1, Distribution transformers with cable boxes, for side mounted or cover mounted use. The cable boxes are suitable for operation indoors and outdoors under environmental conditions specified in HD 428.1 S1. Important design and construction requirements of the cable boxes are given.

Keel en

Asendatud EVS-EN 50464-2-2:2007

EVS-HD 428.2.3 S1:2003

Identne HD 428.2.3 S1:1998

Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV - Part 2: Distribution transformers with cable boxes on the high-voltage and/or low-voltage side - Section 3: Cable boxes type 2 for use on distribution transformers meeting the requirements of HD 428.2.1

Cable boxes described in this document correspond to cable boxes Type 2 in HD 428.2.1 and are suitable for assembly on the cover of oil-immersed distribution transformers meeting the requirements of HD 428.2.1.

Keel en

Asendatud EVS-EN 50464-2-3:2007

EVS-HD 428.1 S1:2003

Identne HD 428.1 S1:1992 + A1:1995

Three phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV - Part 1: General requirements and requirements for transformers with highest voltage for equipment not exceeding 24 kV

This harmonization document covers transformers from 50 to 2500 kVA intended for operation in three-phase distribution networks, for indoor or outdoor continuous service, 50 Hz, immersed in mineral-oil, natural cooling, with two windings: - a primary (high-voltage) winding with a highest voltage for equipment from 3,6 to 24 kV, - a secondary (low-voltage) winding with a highest voltage for equipment not exceeding 1,1 kV.

Keel en

Asendab EVS-EN 50464-1:2007

EVS-HD 428.3 S1:2003

Identne HD 428.3 S1:1994

Three phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV; part 3: supplementary requirements for transformers with highest voltage for equipment equal to 36 kV

This Harmonization Document covers transformers from 50 to 2500 kVA intended for operation in three-phase distribution networks, for indoor or outdoor continuous service, 50 Hz, immersed in mineral-oil, natural cooling, with two windings.

Keel en

Asendatud EVS-EN 50464-1:2007

EVS-HD 428.4 S1:2003

Identne HD 428.4 S1:1994

Three phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV; part 4: determination of the power rating of a transformer loaded with non-sinusoidal currents

This document gives to the user guidance to determine the loadability of an oil-immersed distribution transformer, as defined in and covered by HD 428, in the case of load current with harmonic factors exceeding the maximum values allowed.

Keel en

Asendatud EVS-EN 50464-3:2007

EVS-HD 428.6 S1:2003

Identne HD 428.6 S1:2002

**Three phase oil-immersed distribution transformers
50 Hz, from 50 kVA to 2 500 kVA with highest voltage
for equipment not exceeding 36 kV Part 6:
Requirements and tests concerning pressurised
corrugated tanks**

This part 6 of HD 428 series is applicable to test procedures to verify the mechanical withstand capability of the corrugated tanks of completely oil filled and hermetically sealed distribution transformers.

Keel en

Asendatud EVS-EN 50464-4:2007

KAVANDITE ARVAMUSKÜSITLUS**EN 61000-3-3:2001/prA3**

Identne EN 61000-3-3:1995/prA3:2007

ja identne IEC 61000-3-3:1994/A3:200X

Tähtaeg 29.08.2007

**Elektromagnetiline ühilduvus. Osa 3: Piirväärtused.
Jagu 3: Pingeköikumise ja väreluse piirväärtused
avalikes madalpingevõrkudes seadmetele
nimivooluga kuni 16 A**

This section of IEC 1000-3 is concerned with the limitation of voltage fluctuations and flicker impressed on the public low-voltage system. It specifies limits of voltage changes which may be produced by an equipment tested under specified conditions and gives guidance on methods of assessment. This section is applicable to electrical and electronic equipment having an input current up to and including 16 A per phase and intended to be connected to public low-voltage distribution systems of between 220 V and 250 V at 50 Hz line to neutral.

Keel en

EN 61558-1:2005/prA1

Identne EN 61558-1:2005/prA1:2007

ja identne IEC 61558-1:2005/A1:200X

Tähtaeg 29.08.2007

**Jõutrafode, elektrivarustusseadmete ja muude
taoliste seadmete ohutus. Osa 1: Üldnõuded ja
katsetused**

This International Standard deals with safety aspects of power transformers, power supplies, reactors and similar products such as electrical, thermal and mechanical safety. This standard covers the following types of dry-type transformers, power supplies, including switch mode power supplies, and reactors, the windings of which may be encapsulated or non-encapsulated. It has the status of a group safety publication in accordance with IEC Guide 104.

Keel en

prEN 60079-29-1:2007/prAA

Identne prEN 60079-29-1:2007/prAA:2007

Tähtaeg 29.08.2007

**Explosive atmospheres -- Part 29-1: Gas detectors -
Performance requirements**

Keel en

prEN 60423

Identne prEN 60423:2007

ja identne IEC 60423:200X

Tähtaeg 29.08.2007

**Conduit systems for cable management - Outside
diameters of conduits for electrical installations and
threads for conduits and fittings**

This International Standard specifies outside diameters for conduits used in electrical installations or in communication systems and the dimensional requirements for threads. It also specifies the dimensional requirements for threads used in associated fittings. It is not applicable to extra heavy-duty electrical rigid steel conduits specified in IEC 60981.

Keel en

Asendab EVS-EN 60423:2002

prEN 60730-2-3

Identne prEN 60730-2-3:2007

ja identne IEC 60730-2-3:2006

Tähtaeg 29.08.2007

**Elektrilised automaatjuhtimisseadmed majapidamis-
ja muuks taoliseks kasutuseks. Osa 2-3: Erinõuded
torukujuliste luminofoorlampide liiteseadiste
termokaitsele**

This part of IEC 60730 applies to the evaluation of thermal protectors for ballasts for tubular fluorescent lamps. This standard applies to thermal protectors using NTC or PTC thermistors, additional requirements for which are contained in Annex J. Requirements concerning the testing of the combination of ballasts and thermal protectors are given in IEC 61347-1.

Keel en

Asendab EVS-EN 60730-2-3:2001

prEN 60909-3

Identne prEN 60909-3:2007

ja identne IEC 60909-3:200X

Tähtaeg 29.08.2007

**Short-circuit currents in three-phase a.c. systems --
Part 3: Currents during two separate simultaneous
line-to-earth short-circuits and partial short-circuit
currents flowing through earth**

This part of IEC 60909 specifies procedures for calculation of the prospective short-circuit currents with an unbalanced short circuit in high-voltage three-phase AC systems operating at nominal frequency 50 Hz or 60 Hz, i.e. currents during two separate simultaneous line-to-earth short circuits in isolated neutral or resonant earthed neutral systems; partial short-circuit currents flowing through earth in case of single line-to-earth short circuit in solidly earthed or low-impedance earthed neutral systems. The currents calculated by these procedures are used when determining induced voltages or touch or step voltages and rise of earth potential at a station (power station or substation) and the towers of overhead lines.

Keel en

Asendab EVS-EN 60909-3:2004

prEN 61340-5-1

Identne prEN 61340-5-1:2007

ja identne IEC 61340-5-1:200X

Tähtaeg 29.08.2007

Electrostatics -- Part 5-1: Protection of electronic devices from electrostatic phenomena - General requirements

This part of IEC 61340 applies to activities that: manufacture, process, assemble, install, package, label, service, test, inspect, transport or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V human body model (HBM). This standard provides the requirements for an ESD control program. The user should refer to IEC 61340-5-2 for guidance on the implementation of this standard. This standard does not apply to electrically initiated explosive devices, flammable liquids, gases and powders.

Keel en

Asendab EVS-EN 61340-5-1:2002

prEVS-EN 50423-3-xx

Tähtaeg 29.08.2007

Elektriõhuliinid vahelduvpingega üle 1 kV kuni 45 kV.

Osa 3-xx: Eesti siseriiklikud erinõuded (SEN)

EE.1 Käesolev standard hõlmab paljas- või kaetud juhtmetega elektriõhuliine ning õhukaabelliine vahelduvpingega üle 1 kV kuni 45 kV nimisagedusega alla 100 Hz. Üldiselt rakenduvad standardi EN 50341-1 "Elektriõhuliinid vahelduvpingega üle 45 kV. Osa 1: Üldnõuded – ühisid eeskirjad" nõuded. Käesolev standard määratleb täiendavad nõuded või lihtsustused, mis rakenduvad ainult vaadeldavas pingete vahemikus. EE.2 Rakendamine olemasolevatele ja ehitusstaadiumis õhuliinidele. Käesolev Osa 3-x on Eestis rakendatav ainult uutele, mitte aga olemasolevatele kõrgepingeõhuliinidele. Olemasolevate liinide ulatuslikuma renoveerimise korral tuleb käesoleva Osa 3-x rakendatavus otsustada iga konkreetse projekti puhul liini omaniku või kompetentse ametkonna poolt. Planeerimis- või ehitusstaadiumis olevad paigaldisted võib lõpetada, rakendades planeerimise algul kehtinud standardite nõudeid, kui ei lepita kokku teisiti paigaldise omaniku ja/või muu kompetentse ametkonnaga. EE.3 Kaetud juhtmete ja õhukaablite kasutamine. Käesolev standard hõlmab ka nõudeid kaetud juhtmete ja õhukaablitega õhuliinide projekteerimiseks ja ehitamiseks, mida võidakse täiendada projekti erinõuetega (edaspidi PN).

EE.4 Telekommunikatsioonikaablite kasutamine. Käesolev standard hõlmab nõudeid elektriliinidele paigaldatavatele kiudoptilistele õhukaablitel.

EE.5 Rakendamine telekommunikatsiooniseadmete paigaldussele. Käesolev Osa 3-x hõlmab nõudeid telekommunikatsiooniseadmete elementide (antennid, taldrikantennid jne) paigaldamiseks elektriliinidele, eriti mis puudutab tuulesurveid ja jäitekoormusi sellistele elementidele. Seadmed tuleb projekteerida ja paigaldada liini omaniku ja/või muu kompetentse ametkonna järelvalvel.

Telekommunikatsiooni-seadmete paigaldamine ülekandeliini mastidele sätestatakse PN-ga. Kui telekommunikatsiooniseadmed (antennid, taldrikantennid jne) paigaldatakse elektriliini mastidele ja nende suurus, paiknemine või montaaž võivad oluliselt mõjutada koormusi või konstruktsoonide projekteerimist, tuleb arvesse võtta ka standardi EVS/TS 1993-3-1 (Teraskonstruktsioonid. Tornid, mastid ja korstnad, Osa 3-1: Tornid ja mastid) nõudeid.

Keel et

31 ELEKTROONIKA

UUED STANDARDID

EVS-EN 61071:2007

Hind 221,00

Identne EN 61071:2007

ja identne IEC 61071:2007

Jõuelektronikakondensaatorid

This International Standard applies to capacitors for power electronics applications. The operating frequency of the systems in which these capacitors are used is usually up to 15kHz, while the pulse frequencies may be up to 5 to 10 times the operating frequency. The standard distinguishes between a.c. and d.c. capacitors which are considered as components when mounted in enclosures. This standard covers an extremely wide range of capacitor technologies for numerous applications, e.g. overvoltage protection, d.c. and a.c. filtering, switching circuits, d.c. Energy storage, auxiliary inverters, etc.

Keel en

Asendab EVS-EN 61071-2:2001; EVS-EN 61071-1:2001

EVS-EN 61587-1:2007

Hind 171,00

Identne EN 61587-1:2007

ja identne IEC 61587-1:2007

Elektroonikaseadmete mehaaniline osa. Katsetused vastavalt standarditele IEC 60917 ja IEC 60297. Osa 1: Kastide, raamide, osaraamide ja aluste kliima- ja mehaanilised katsetused

This part of IEC 61587 specifies mechanical tests, climatic tests and safety aspects for cabinets, racks, subracks and chassis as defined in the standards of the IEC 60917 series and the IEC 60297 series for indoor applications. It applies in whole or part only to the mechanical structures of cabinets, racks, subracks and chassis, but it does not apply to electronic equipment or systems. Tests dedicated to outdoor enclosures are standardized in IEC 61969-3. Some suitable parts of IEC 61587-1 apply to IEC 61969-3. The object of this standard is to ensure physical integrity and environmental performance in cabinets, racks, subracks and chassis, taking into account the need for different levels of performance in different applications. It is intended to give the user a level of confidence in the selection of performance levels to meet as close as possible the individual application requirements.

Keel en

Asendab EVS-EN 61587-1:2002

EVS-EN ISO 11810-2:2007

Hind 151,00

Identne EN ISO 11810-2:2007

ja identne ISO 11810-2:2007

Laserid ja laseritega seotud seadmestik. Laseriga kasutamiseks sobivad kirurgilised eesriided ja/või patsiendi kaitsekatted. Osa 2: Teisene süttimine

This part of ISO 11810 is applicable to disposable and re-usable, as well as woven and non-woven materials used as surgical drapes and/or patient protective covers which claim to be laser-resistant. The purpose of this part of ISO 11810 is to provide a standardized method for testing and classifying surgical drapes and/or patient protective covers with respect to laser-induced hazards. An appropriate classification system is given. It is not the purpose of this part of ISO 11810 to serve as a general fire safety specification. This part of ISO 11810 is limited to testing the secondary ignition of materials that are rated I1 or I2 from ISO 11810-1.

Keel en

Asendab EVS-EN ISO 11810:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 61071-1:2001

Identne EN 61071-1:1996

ja identne IEC 1071-1:1991

Jõuelektronikakondensaatorid. Osa 1: Üldsätted

Applies to capacitors intended to be used in power electronic equipment, particularly for:- semiconductor switching and protection, - filtering and energy storage. The rated voltage of capacitors is limited to 10 000 V. The operating frequency of the systems in which these capacitors are used is usually below 1000 Hz, while the pulse frequencies may go up to several 1 000 Hz in some cases beyond 10 000 Hz.

Keel en

Asendatud EVS-EN 61071:2007

EVS-EN 61071-2:2001

Identne EN 61071-2:1996

ja identne IEC 1071-2:1994

Jõuelektronikakondensaatorid. Osa 2: Nõuded sulavkaitsemete lahutuskatsele, purustuskatsele, iseparaniskatsele ja taluvuskatsele

This technical report applies to power electronic capacitors according to IEC 1071-1 and gives the requirements for disconnecting test on fuses, destruction test, self-healing test and endurance test of these capacitors.

Keel en

Asendatud EVS-EN 61071:2007

EVS-EN 61587-1:2002

Identne EN 61587-1:1999

ja identne IEC 61587-1:1999

Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 - Part 1: Climatic, mechanical tests and safety aspects for cabinets, racks, subracks and chassis

This document will specify mechanical tests, climatic tests and safety aspects for cabinets, racks, subracks and chassis as defined in detail specifications IEC 917 and 297 for indoor and outdoor applications.

Keel en

Asendatud EVS-EN 61587-1:2007

KAVANDITE ARVAMUSKÜSITLUS

prEN 62007-1

Identne prEN 62007-1:2007

ja identne IEC 62007-1:200X

Tähtaeg 29.08.2007

Semiconductor optoelectronic devices for fibre optic system applications -- Part 1: Specification template for essential ratings and characteristics

This part of IEC 62007 is a specification template for essential ratings and characteristics of the following categories of semiconductor optoelectronic devices to be used in the field of fibre optic systems and subsystems:

- semiconductor photoemitters;
- semiconductor photoelectric detectors;
- monolithic or hybrid integrated optoelectronic devices and their modules.

Keel en

Asendab EVS-EN 62007-1:2002

33 SIDETEHNIIKA

UUED STANDARDID

EVS-EN 60730-1:2001/A16:2007

Hind 104,00

Identne EN 60730-1:2000/A16:2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 1: Üldnöuded

In general, this standard applies to automatic electrical controls for use in, on, or in association with equipment for household and similar use, including controls for heating, air-conditioning and similar applications. The equipment may use electricity, gas, oil, solid fuel, solar thermal energy, etc., or a combination thereof. This part 1 is to be used in conjunction with the appropriate part 2 for a particular type of control, or for controls for particular applications. This part 1 may also be applied, so far as reasonable, to controls not mentioned in a part 2, and to controls designed

Keel en

EVS-EN 60794-5:2007

Hind 141,00

Identne EN 60794-5:2007

ja identne IEC 60794-5:2006

Optical fibre cables -- Part 5: Sectional specification - Microduct cabling for installation by blowing

This part of IEC 60794 specifies the requirements of microduct optical fibre cables, microduct fibre units, microducts and protected microducts for installation by blowing for outdoor and/or indoor use. The microduct optical fibre cables and microduct fibre units utilise the structure of the microduct or protected microducts to support installation and to provide protection over the design lifetime. These products may be used for applications such as communication and transmission networks, transmission, telephone and data processing equipment, control and monitoring applications. The cabling structures described in this sectional specification are uniquely designed to facilitate and take advantage of installation by blowing into microducts. They are not necessarily covered by sectional specifications IEC 60794-2, IEC 60794-3 or IEC 60794-4.

Keel en

EVS-EN 60794-4-10:2007

Hind 151,00

Identne EN 60794-4-10:2007

ja identne IEC 60794-4-10:2006

Optical fibre cables -- Part 4-10: Aerial optical cables along electrical power lines - Family specification for OPGW (Optical Ground Wires)

This part of IEC 60794-4 specifies the electrical, mechanical and optical requirements, and test methods for OPGW (Optical Ground Wire).

Keel en

EVS-EN 61000-4-34:2007

Hind 199,00

Identne EN 61000-4-34:2007

ja identne IEC 61000-4-34:2005

Electromagnetic compatibility (EMC) -- Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase

This part of IEC 61000 defines the immunity test methods and range of preferred test levels for electrical and electronic equipment connected to low-voltage power supply networks for voltage dips, short interruptions, and voltage variations. This standard applies to electrical and electronic equipment having a rated input current exceeding 16 A per phase. It covers equipment installed in residential areas as well as industrial machinery, specifically voltage dips and short interruptions for equipment connected to either 50 Hz or 60 Hz a.c. networks, including 1-phase and 3-phase mains. NOTE 1 Equipment with a rated input current of 16 A or less per phase is covered by publication IEC 61000-4-11. NOTE 2 There is no upper limit on rated input current in this publication. However, in some countries, the rated input current may be limited to some upper value, for example 75 A or 250 A, because of mandatory safety standards. It does not apply to electrical and electronic equipment for connection to 400 Hz a.c. networks. Tests for equipment connected to these networks will be covered by future IEC standards.

Keel en

EVS-EN 62272-2:2007

Hind 171,00

Identne EN 62272-2:2007

ja identne IEC 62272-2:2007

Digital Radio Mondiale (DRM) -- Part 2: Digital radio in the bands below 30 MHz - Methods of measurement for DRM transmitters

This part of IEC 62272 describes the methods of measurement to assess the performance characteristics of digital modulated radio transmitters in the bands below 30 MHz for sound and/or data broadcasting in the LF, MF and HF bands, and to facilitate the comparison of measurements which are carried out by different personnel. It contains details of specially selected methods for determining the most important performance parameters of digital radio transmitters. The measurement methods described apply to a limited number of performance parameters, i.e. those which can give rise to ambiguous interpretation due to the use of different methods and conditions. They are neither restrictive nor mandatory: measurements can be chosen for each particular case. The measurement methods described in this standard are intended to be used for type approval tests, quality control tests or acceptance test measurements in factories and on site.

Keel en

EVS-EN 300 132-2 V2.2.1:2007

Hind 190,00

Identne EN 300 132-2 V2.2.1:2007

Environmental Engineering (EE);Power supply interface at the input to telecommunications equipment;Part 2: Operated by direct current (dc)

Keel en

EVS-EN 301 459 V1.4.1:2007

Hind 221,00

Identne EN 301 459 V1.4.1:2007

Kosmoseside maajaamat ja süsteemid (SES); Saatesagedusega 29,5 kuni 30,0 GHz geostatsionaarorbiidi satelliitide satelliitside interaktiivsete terminalide (SIT) ja satelliitside kasutajaterminalide (SUT) põhinõuded, harmoneeritud EN R&TTE direktiivi artikli 3.2 alusel

Keel en

EVS-EN 301 908-1 V3.2.1:2007

Hind 151,00

Identne EN 301 908-1 V3.2.1:2007

Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Kolmanda põlvkonna mobiilsidevörgu IMT-2000 baasjaamat (BS), repiiterid ja kasutajaseadmed (UE); Osa 1: IMT-2000, sissejuhatus ja üldised nõuded, harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuetega alusel

Keel en

EVS-EN 301 908-2 V3.2.1:2007

Hind 199,00

Identne EN 301 908-2 V3.2.1:2007

Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Kolmanda põlvkonna mobiilsidevörgu IMT-2000 baasjaamat (BS), repiiterid ja kasutajaseadmed (UE); Osa 2: IMT-2000, otsese hajutamisega CDMA (UTRA FDD) (UE) harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuetega alusel

Keel en

EVS-EN 301 908-3 V3.2.1:2007

Hind 199,00

Identne EN 301 908-3 V3.2.1:2007

Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Kolmanda põlvkonna mobiilsidevörgu IMT-2000 baasjaamat (BS), repiiterid ja kasutajaseadmed (UE); Osa 3: IMT-2000, otsese hajutamisega CDMA (UTRA FDD) (BS) harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuetega alusel

Keel en

EVS-EN 301 908-7 V3.2.1:2007

Hind 233,00

Identne EN 301 908-7 V3.2.1:2007

Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Kolmanda põlvkonna mobiilsidevörgu IMT-2000 baasjaamat (BS), repiiterid ja kasutajaseadmed (UE); Osa 7: IMT-2000, CDMA TDD (UTRA TDD) (BS) harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuetega alusel

Keel en

EVS-EN 301 908-11 V3.2.1:2007

Hind 190,00

Identne EN 301 908-11 V3.2.1:2007

Elektromagnetilise ühilduvuse ja raadiospektri küsimused (ERM); Kolmanda põlvkonna mobiilsidevõrgu IMT-2000 baasjaamad (BS), repiiterid ja kasutajaseadmed (UE); Osa 11: IMT-2000, CDMA otsese hajutamisega (UTRA FDD) repiiterite harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuete alusel

Keel en

EVS-EN 302 326-1 V1.2.2:2007

Hind 246,00

Identne EN 302 326-1 V1.2.2:2007

Fixed Radio Systems;Multipoint Equipment and Antennas;Part 1: Overview and Requirements for Digital Multipoint Radio Systems

Keel en

EVS-EN 302 326-2 V1.2.2:2007

Hind 246,00

Identne EN 302 326-2 V1.2.2:2007

Paiksed raadiosidesüsteemid; Mitmikpunktide seadmed ja antennid; Osa 2: Digitaalsele mitmikpunktide raadioseadmete harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuete alusel

Keel en

EVS-EN 302 326-3 V1.2.2:2007

Hind 199,00

Identne EN 302 326-3 V1.2.2:2007

Paiksed raadiosidesüsteemid; Mitmikpunktide seadmed ja antennid; Osa 3: Mitmikpunktide raadioantennide harmoneeritud EN R&TTE direktiivi artikli 3.2 põhinõuete alusel

Keel en

KAVANDITE ARVAMUSKÜSITLUS**EN 300 392-3-5 V1.3.0**

Identne EN 300 392-3-5 V1.3.0:2007

Tähtaeg 19.08.2007

Terrestrial Trunked Radio (TETRA);Voice plus Data (V+D);Part 3: Interworking at the Inter-System Interface (ISI);Sub-part 5: Additional Network Feature for Mobility Management (ANF-ISIMM)

Keel en

EN 300 392-2 V3.2.0

Identne EN 300 392-2 V3.2.0:2007

Tähtaeg 19.08.2007

Terrestrial Trunked Radio (TETRA);Voice plus Data (V+D);Part 2: Air Interface (AI)

Keel en

EN 300 720-2 V1.2.1

Identne EN 300 720-2 V1.2.1:2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);Ultra-High Frequency (UHF) on-board communications systems and equipment;Part 2: Harmonized EN under article 3.2 of the R&TTE Directive

Keel en

EN 301 489-24 V1.4.1

Identne EN 301 489-24 V1.4.1:2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);ElectroMagnetic Compatibility (EMC) standard for radio equipment and services;Part 24: Specific conditions for IMT-2000 CDMA Direct Spread (UTRA) for Mobile and portable (UE) radio and ancillary equipment

Keel en

EN 301 908-4 V3.2.1

Identne EN 301 908-4 V3.2.1 :2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks;Part 4: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (UE) covering essential requirements of article 3.2 of the R&TTE Directive

Keel en

EN 301 908-5 V3.2.1

Identne EN 301 908-5 V3.2.1:2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks;Part 5: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (BS) covering essential requirements of article 3.2 of the R&TTE Directive

Keel en

EN 301 908-6 V3.2.1

Identne EN 301 908-6 V3.2.1:2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks;Part 6: Harmonized EN for IMT-2000, CDMA TDD (UTRA TDD) (UE) covering essential requirements of article 3.2 of the R&TTE Directive

Keel en

EN 301 908-12 V1.1.2

Identne EN 301 908-12 V1.1.2 :2007

Tähtaeg 19.08.2007

Electromagnetic compatibility and Radio spectrum Matters (ERM);Base Stations (BS), Repeaters and User Equipment (UE) for IMT-2000 Third-Generation cellular networks;Part 12: Harmonized EN for IMT-2000, CDMA Multi-Carrier (cdma2000) (Repeaters) covering essential requirements of article 3.2 of the R&TTE Directive

Keel en

EN 302 217-4-1 V1.2.1

Identne EN 302 217-4-1 V1.2.1:2007

Tähtaeg 19.08.2007

Fixed Radio Systems;Characteristics and requirements for point-to-point equipment and antennas;Part 4-1: System-dependent requirements for antennas

Keel en

EN 302 217-4-2 V1.3.1

Identne EN 302 217-4-2 V1.3.1:2007

Tähtaeg 19.08.2007

Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 4-2: Harmonized EN covering essential requirements of Article 3.2 of R&TTE Directive for antennas

Keel en

prEN 50164-4

Identne prEN 50164-4:2007

Tähtaeg 29.08.2007

Lightning protection components (LPC) -- Part 4: Requirements for conductor fasteners

This European standard specifies requirements and tests for:

- Metallic and non-metallic conductor fasteners that are used in conjunction with the air termination system and down conductors.
- Fixing of fasteners to the fabric / membrane / gravel roofing of structures is not covered by this standard due to the vast number and types used in modern day construction.

LPC may also be suitable for use in hazardous atmospheres. Regard should then be taken of the extra requirements necessary for the components to be installed in such conditions.

Keel en

prEN 50164-7

Identne prEN 50164-7:2007

Tähtaeg 29.08.2007

Lightning Protection Components (LPC) -- Part 7: Requirements for earthing enhancing compounds

This European Standard specifies the requirements and tests for

- earthing enhancing compounds increasing the contact surface area of the earth electrode.

Keel en

prEN 60728-1

Identne prEN 60728-1:2007

ja identne IEC 60728-1:200X

Tähtaeg 29.08.2007

Televisiooni- ja raadiolevisignaalide kaabeljaotussüsteemid. Osa 7: Süsteemi näitajad

This part of IEC 60728 is applicable to any cable network (including individual receiving systems) having in the forward path a coaxial cable output and primarily intended for television and sound signals operating between about 30 MHz and 3 000 MHz. This standard specifies the basic methods of measurement of the operational characteristics of cable network having coaxial cable outputs in order to assess the performance of these systems and their performance limits. All requirements refer to the performance limits, which shall be obtained between the input(s) to the headend or headends and any system outlet when terminated in a resistance equal to the nominal load impedance of the system, unless otherwise specified. Where system outlets are not used, the above applies at the subscriber's end of the subscriber's feeder. Also the requirements which are obtained between the input(s) to the headend or headends and any home network interface (HNI) are given.

Keel en

Asendab EVS-EN 50083-7:1999

prEN 60728-4

Identne prEN 60728-4:2007

ja identne IEC 60728-4:200X

Tähtaeg 29.08.2007

Televisioonisignaalide, helisignaalide ja interaktiivsete teenuste kaablivõrgud Osa 4: Passiivsed lairiba seadmed koaksiaalkaabelvõrkudele

This part of IEC 60728 applies to system outlets, splitters and taps, passive single or multiple port equipment comprising filters, attenuators, equalizers, galvanic isolators, power injectors, cable splices, terminating resistors and transfer points, but excluding coaxial cables and receiver leads

Keel en

Asendab EVS-EN 50083-4:2001

prEN 60728-5

Identne prEN 60728-5:2007

ja identne IEC 60728-5:200X

Tähtaeg 29.08.2007

Cable networks for television signals, sound signals and interactive services -- Part 5: Headend equipment

This part of IEC 60728 defines the characteristics of equipment used in the headends of terrestrial broadcast and satellite receiving systems (without satellite outdoor units and without those broadband amplifiers in the headend as described in IEC 60728-3). The satellite outdoor units for FSS are described in ETSI ETS 300 158, for BSS in ETSI ETS 300 249. Test methods for both types (FSS and BSS) of satellite outdoor units are laid down in ETSI ETS 300 457.

Keel en

Asendab EVS-EN 50083-5:2002

prEN 60794-2-50

Identne prEN 60794-2-50:2007

ja identne IEC 60794-2-50:200X

Tähtaeg 29.08.2007

Optical fibre cables -- Part 2-50: Indoor optical fibre cables - Family specification for simplex and duplex cables for use in terminated cable assemblies

This part of IEC 60794 is a family specification that covers requirements for simplex and duplex optical fibre cables for use in terminated cable assemblies or for termination with optical fibre passive components.

Keel en

prEN 61280-2-2

Identne prEN 61280-2-2:2007

ja identne IEC 61280-2-2:200X

Tähtaeg 29.08.2007

Fibre optic communication subsystem test procedures -- Part 2-2: Digital systems - Optical eye pattern, waveform and extinction ratio measurement

The purpose of this part of IEC 61280 is to describe a test procedure to measure the eye pattern and waveform parameters such as rise time, fall time, overshoot, and extinction ratio. Alternatively, the waveform may be tested for compliance with a predetermined waveform mask.

Keel en

Asendab EVS-EN 61280-2-2:2005

prEN 61300-3-2

Identne prEN 61300-3-2:2007

ja identne IEC 61300-3-2:200X

Tähtaeg 29.08.2007

Fibre optic interconnecting devices and passive components - Basic test and measurement procedures -- Part 3-2: Examination and measurements - Polarisation dependent loss in a single-mode fibre optic device

The object of this part of IEC 61300 is to determine the dependence of loss in a single-mode fibre optic device to changes in polarisation. This procedure focuses on measurements with a fixed wavelength source; therefore, this procedure is applicable to devices whose properties at a single wavelength can represent those over the broader wavelength band. Typical examples of such devices are single-mode interconnecting devices and passive components, including connectors, splices, branching devices, attenuators, isolators, and switches. The maximum observed variation in transmission loss is referred to as polarisation-dependent-loss (PDL).

Keel en

Asendab EVS-EN 61300-3-2:2002

prEN 62007-1

Identne prEN 62007-1:2007

ja identne IEC 62007-1:200X

Tähtaeg 29.08.2007

Semiconductor optoelectronic devices for fibre optic system applications -- Part 1: Specification template for essential ratings and characteristics

This part of IEC 62007 is a specification template for essential ratings and characteristics of the following categories of semiconductor optoelectronic devices to be used in the field of fibre optic systems and subsystems:

- semiconductor photoemitters;
- semiconductor photovoltaic detectors;
- monolithic or hybrid integrated optoelectronic devices and their modules.

Keel en

Asendab EVS-EN 62007-1:2002

**35 INFOTEHNOLOGIA.
KONTORISEADMED****UUED STANDARDID****CLC/TR 50501-1:2007**

Hind 221,00

Identne CLC/TR 50501-1:2007

Railway applications - Rolling stock - Intercommunication between vehicles and train/wayside -- Part 1: Data dictionary and rules for functional standardisation

This Technical Report will define - requirements for the methods to be used for functional standardisation, in the standards to be prepared for data exchange involving railway vehicles, in two contexts 1) inter-consists communication, within a train formation, 2) communication with ground based installations. - the Reference Architecture defining the essential functional interfaces, - the concept of a central Data Dictionary/repository to be applied to freight and passenger traffic functions. In this context, data are to be limited to basic information elements, which are necessary to define standard messages required for interoperability, and displayed on the interfaces of the communicating entities. Entering Data Dictionary will provide full definition of a data element, along with its essential attributes at conceptual level.

Keel en

CWA 15710:2007

Hind 151,00

Identne CWA 15710:2007

Metalex (Open XML Interchange Format for Legal and Legislative Resources)

This document contains agreements about:

- the abstract content models supported by the standard,
- the way metadata is added to a document, and
- a generic model for organizing metadata in RDF.

It does not constitute a complete, workable XML standard.

Keel en

EVS-EN 1332-1:2000/A1:2007

Hind 113,00

Identne EN 1332-1:1999/A1:2007

Identifitseerimiskaartide süsteemid. Inimene-seade-liides. Osa 1: Kasutajaliidese kujunduse põhimõtted

This European Standard defines user requirements for card based services that are applicable to any sector (eg banking, telecommunications, mass transport, parking, logical access control, physical access control). It also provides recommendations for the operational procedures (with related symbols) to be followed when users interact with a card operated device: - in order to enter a system; - whilst using a system; - leaving a system.

Keel en

EVS-EN 13606-4:2007

Hind 221,00

Identne EN 13606-4:2007

Health informatics - Electronic health record communication - Part 4: Security

This part of this multipart standard on Electronic Health Record Communication describes a methodology for specifying the privileges necessary to access EHR data. This methodology forms part of the overall EHR communications architecture defined in Part 1 of this standard. This standard seeks to address those requirements uniquely pertaining to EHR communications and to represent and communicate EHR-specific information that will inform an access decision. It also refers to general security requirements that apply to EHR communications and points at technical solutions and standards that specify details on services meeting these security needs.

Keel en

EVS-EN 15509:2007

Hind 246,00

Identne EN 15509:2007

Road transport and traffic telematics - Electronic fee collection - Interoperability application profile for DSRC

The scope for this European Standard is limited to:- payment method: Central account based on EFC-DSRC; - physical systems: OBU, RSE and the DSRC interface between them (all functions and information flows related to these parts); - DSRC-link requirements; - EFC transactions over the DSRC interface;

Keel en

EVS-EN ISO 19123:2007

Hind 268,00

Identne EN ISO 19123:2007

ja identne ISO 19123:2005

Geographic information - Schema for coverage geometry and functions

This International Standard defines a conceptual schema for the spatial characteristics of coverages. Coverages support mapping from a spatial, temporal or spatiotemporal domain to feature attribute values where feature attribute types are common to all geographic positions within the domain. A coverage domain consists of a collection of direct positions in a coordinate space that may be defined in terms of up to three spatial dimensions as well as a temporal dimension. Examples of coverages include rasters, triangulated irregular networks, point coverages and polygon coverages. Coverages are the prevailing data structures in a number of application areas, such as remote sensing, meteorology and mapping of bathymetry, elevation, soil and vegetation. This International Standard defines the relationship between the domain of a coverage and an associated attribute range. The characteristics of the spatial domain are defined whereas the characteristics of the attribute range are not part of this standard.

Keel en

EVS-EN ISO 19133:2007

Hind 343,00

Identne EN ISO 19133:2007

ja identne ISO 19133:2005

Geographic information - Location-based services - Tracking and navigation

This International Standard describes the data types, and operations associated with those types, for the implementation of tracking and navigation services. This International Standard is designed to specify web services that can be made available to wireless devices through web-resident proxy applications, but is not restricted to that environment.

Keel en

EVS-EN ISO 19135:2007

Hind 246,00

Identne EN ISO 19135:2007

ja identne ISO 19135:2005

Geographic information - Procedures for item registration

This International Standard specifies procedures to be followed in establishing, maintaining and publishing registers of unique, unambiguous and permanent identifiers and meanings that are assigned to items of geographic information. In order to accomplish this purpose, this International Standard specifies elements of information that are necessary to provide identification and meaning to the registered items and to manage the registration of these items.

Keel en

KAVANDITE ARVAMUSKÜSITLUS**prEN 14908-5**

Identne prEN 14908-5:2007

Tähtaeg 29.08.2007

Open Data Communication in Building Automation, Controls and Building Management Implementation Guideline - Control Network Protocol - Part 5: Implementation Guideline

This specification contains all the information necessary to facilitate the exchange of data and control information in an interoperable fashion using EN14908-1 and its associated data-transport media specifications.

Keel en

prEN 62264-1

Identne prEN 62264-1:2007

ja identne IEC 62264-1:2003

Tähtaeg 29.08.2007

Enterprise-control system integration -- Part 1: Models and terminology

This part of IEC 62264 describes the interface content between manufacturing control functions and other enterprise functions. The interfaces considered are the interfaces between Levels 3 and 4 of the hierarchical model defined by this standard. The goal is to reduce the risk, cost, and errors associated with implementing these interfaces. The standard can be used to reduce the effort associated with implementing new product offerings. The goal is to have enterprise systems and control systems that inter-operate and easily integrate.

The scope of this standard is limited to

- a) a presentation of the scope of the manufacturing operations and control domain;
- b) a discussion of the organization of physical assets of an enterprise involved in manufacturing;
- c) a listing of the functions associated with the interface between control functions and enterprise functions; and
- d) a description of the information that is shared between control functions and enterprise functions.

Keel en

prEN 62264-2

Identne prEN 62264-2:2007

ja identne IEC 62264-2:2005

Tähtaeg 29.08.2007

Enterprise-control system integration -- Part 2: Object model attributes

This part of IEC 62264, in conjunction with IEC 62264-1, specifies generic interface content between manufacturing control functions and other enterprise functions. The interfaces considered are the interfaces between Levels 3 and 4 of the hierarchical model defined in IEC 62264-1. The goal is to reduce the risk, cost, and errors associated with implementing these interfaces. Since IEC 62264 covers many domains, and there are many different standards in those domains, the semantics of this Standard are described at a level intended to enable the other standards to be mapped to these semantics. To this end, this Standard defines a set of generic interfaces content elements, together with a mechanism for extending those elements for implementations.

Keel en

37 VISUAALTEHNIKA

UUED STANDARDID

EVS-ISO 12648:2007

Hind 305,00

Trükitehnoloogia. Ohutusnõuded trükipressi süsteemide jaoks (ISO 12648:2003)

Käesolev rahvusvaheline standard kehtib trükipressi süsteemide kohta, kaasa arvatud abiseadmed ja järel töötlusmasinad, milles kõik süsteemis olevate seadmete masinaktivaatoreid (näiteks ajameid) juhitakse sama juhtimissüsteemiga.

See on rakendatav vaid sellistele süsteemidele, milles trükipress on süsteemi osa. Juhtudel, kui köite-/järel töötussüsteem ei ole ühendatud trükipressiga, rakendatakse standardit ISO 12649.

Keel et

43 MAANTEESÖIDUKITE EHITUS

KAVANDITE ARVAMUSKÜSITLUS

prEN 15429-1

Identne prEN 15429-1:2007

Tähtaeg 29.08.2007

Sweepers - Part 1: Classification and Terminology

This document applies to surface cleaning machines for outdoor applications on public areas, roads, airports and industrial plants. Cleaning machines for winter maintenance or indoor applications are not under the scope of this European Standard. Surface cleaning machines in terms of this Standard are self propelled, truck mounted, attached sweeping equipment or pedestrian controlled. This document deals with the classification of sweeping equipment and its performance specifications when they are used as intended and under the conditions foreseen by the manufacturer. This document does not include the carrier vehicles (e.g. truck). These will be handled in national or EC Directives for vehicles. This document does not apply to road surface cleaning machines such as front mounted on tractors according to EN 13524, or other vehicles.

Keel en

45 RAUDTEETEHNIKA

UUED STANDARDID

CLC/TR 50501-1:2007

Hind 221,00

Identne CLC/TR 50501-1:2007

Railway applications - Rolling stock - Intercommunication between vehicles and train/wayside -- Part 1: Data dictionary and rules for functional standardisation

This Technical Report will define - requirements for the methods to be used for functional standardisation, in the standards to be prepared for data exchange involving railway vehicles, in two contexts 1) inter-consists communication, within a train formation, 2) communication with ground based installations. - the Reference Architecture defining the essential functional interfaces, - the concept of a central Data Dictionary/repository to be applied to freight and passenger traffic functions. In this context, data are to be limited to basic information elements, which are necessary to define standard messages required for interoperability, and displayed on the interfaces of the communicating entities. Entering Data Dictionary will provide full definition of a data element, along with its essential attributes at conceptual level.

Keel en

KAVANDITE ARVAMUSKÜSITLUS

prEN 12080 rev

Identne prEN 12080:2007

Tähtaeg 29.08.2007

Raudteealased rakendused. Rattapuksid.

Veerelaagrid

Käesolev Euroopa standard on koostatud eesmärgiga saavutada raudteetranspordis optimaalne jõudlus. Jõudlus viitab sõiduki veeresõlmede teatavale kvaliteeditasemele, mida iga raudteefirma võib nõuda, seda peamiselt heakskiiduprotseduuride juurutamise teel ning nõudes tootekinnituseks vajamineva kvaliteedikinnituse ja -tingimuste olemasolu.

Keel en

Asendab EVS-EN 12080:2000

prEN 12082 rev

Identne prEN 12082:2007

Tähtaeg 29.08.2007

Raudteealased rakendused. Rattapuksid.

Tööomaduste katsetamine

Käesolev Euroopa standard kirjeldab vastavalt standardis EN 12080 määratletud veerelaagritega ja standardis EN 12081 määratletud määretega veerelaagrisõlmede montaa ikindlustesti põhimõtteid ja meetodeid. Raudtee peamagistraalidel töötavate sõidukite katseparametrid ja vähimad talitusnõuded on esitatud jaotises 6 ning lisas A (normatiiv). Teistes raudteevõrkudes töötavate sõidukite jaoks võib valida erinevad katseparametrid ja talitusnõuded.

Keel en

Asendab EVS-EN 12082:2000

47 LAEVAEHITUS JA MERE-EHITISED

KAVANDITE ARVAMUSKÜSITLUS

prEN ISO 10133 rev

Identne prEN ISO 10133:2007

ja identne ISO/DIS 10133:2007

Tähtaeg 29.08.2007

Väikelaeval. Elektrisüsteemid. Väikepinge

ala lisvoolupaigaldised

This International Standard establishes the requirements for the design, construction and installation of extra-low-voltage direct current (d.c.) electrical systems which operate at nominal potentials of 50 V d.c. or less on small craft of up to 24 m length of hull including their propulsion engines.

Keel en

Asendab EVS-EN ISO 10133:2001

53 TÕSTE- JA TEISALDUS-SEADMED

UUED STANDARDID

EVS-EN 14985:2007

Hind 233,00

Identne EN 14985:2007

Kraanad. Pöördnoolkraanad

This European Standard applies to power operated slewing jib cranes mounted in one position or free to travel on horizontal rails. It does not apply to wall mounted, pillar or workshop jib cranes. This European Standard is not applicable to erection, dismantling operations, or changing the configuration of the crane. This European Standard gives requirements for all significant hazards, hazardous situations and events relevant to slewing jib cranes, when used as intended and under conditions foreseen by the manufacturer

Keel en

59 TEKSTIILI- JA NAHATEHNOLOGIA

UUED STANDARDID

EVS-EN ISO 10722:2007

Hind 113,00

Identne EN ISO 10722:2007

ja identne ISO 10722:2007

Geotekstiil ja samalaadsed tooted. Paigaldamisel tekkivate kahjustuste simuleerimise toiming

See Euroopa eelstandard kirjeldab protseduuri geosünteetilise materjali vigastamiseks laboratooriumis, et imiteerida paigaldamisel tekkivat lokaalset vigastust, kui geosünteetiline materjal on asetatud granuleeritud materjali kahe tihendatud kihiga vahel. Vigastust hinnatakse visuaalselt ja tömbetugevuse kao järgi. Teisi kontrollkatseid võib kasutada selle katsega tekitatud vigastuste hindamiseks.

Keel en

Asendab EVS-ENV ISO 10722-1:2000

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-ENV ISO 10722-1:2000

Identne ENV ISO 10722-1:1998

ja identne ISO/TR 10722-1:1998

Geotekstiil ja samalaadsed tooted. Paigaldamisel tekkivate kahjustuste simuleerimise toiming

See Euroopa eelstandard kirjeldab protseduuri geosünteetilise materjali vigastamiseks laboratooriumis, et imiteerida paigaldamisel tekkivat lokaalset vigastust, kui geosünteetiline materjal on asetatud granuleeritud materjali kahe tihendatud kihiga vahel. Vigastust hinnatakse visuaalselt ja tömbetugevuse kao järgi. Teisi kontrollkatseid võib kasutada selle katsega tekitatud vigastuste hindamiseks.

Keel en

Asendatud EVS-EN ISO 10722:2007

61 RÕIVATÖÖSTUS

UUED STANDARDID

EVS-EN 14878:2007

Hind 123,00

Identne EN 14878:2007

Textiles - Burning behaviour of children's nightwear - Specification

This European Standard specifies requirements for the burning behaviour of children's nightwear and nightwear fabrics intended for such garments when tested in accordance with EN 1103 but without the washing procedure.

Keel en

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 522:2000

Identne EN 522:1998

Naha- ja jalatsimaterjalide liimid. Liimistugevus. Minimaalnõuded ja liimide liigitus

See standard määrab kindlaks meetodi, kuidas hinnata lahustipõhiseid ja dispersioonliime, mis on ette nähtud kasutamiseks tallaühendamisel. Standard määrab kindlaks minimaalnõuded mõnede nende liimidega tehtud ühenduste tugevusomadustele ja kehtestab liimide liigituse, mis põhineb jalatsitööstuses sagedamini talla- ja pealsematerjalina kasutatavate naha, kummi ja plastidega tehtud standardkatsete tulemustel.

Keel en

Asendatud EVS-EN 15307:2007

EVS-EN 1391:2000

Identne EN 1391:1998

Naha- ja jalatsimaterjalide liimid. Materjalide nakkuvuse hindamise meetod. Minimaalnõuded ja materjalide liigitus

See Euroopa standard määrab kindlaks meetodi naha- ja jalatsimaterjalide nakkuvuse hindamiseks eriti talla- ja pealsematerjalide liimühendustes, kui kasutatakse lahustipõhiseid või dispersioonliime spetsiaalsetel tingimustel.

Keel en

Asendatud EVS-EN 15307:2007

65 PÖLLUMAJANDUS

UUED STANDARDID

EVS-EN 13525:2005+A1:2007

Hind 199,00

Identne EN 13525:2005+A1:2007

Metsandusmasinad. Puiduhakkurid. Ohutus KONSOLIDEERITUD TEKST

This document specifies safety requirements and their verification for design and construction of transportable, i.e. self-propelled, mounted, semi-mounted and trailed, wood chippers used in forestry, agriculture, horticulture and landscaping.

Keel en

Asendab EVS-EN 13525:2005

EVS-EN 14910:2007

Hind 221,00

Identne EN 14910:2007

Aiapidamisseadmed. Eeslükatavad sisepõlemismootoriga hekilöikurid. Ohutus

This European Standard deals with all significant hazards, hazardous situations and events relevant to walk-behind trimmers, powered by a combustion engine, with cutting means using non-metallic filament line or freely pivoting non-metallic cutter(s), of which the cutting elements rely on centrifugal force to achieve cutting with the kinetic energy of a single cutting element not exceeding 10 J, designed for cutting grass or similar plant material, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer

Keel en

EVS-EN 15099-1:2007

Hind 123,00

Identne EN 15099-1:2007

Irrigation techniques - Remote monitoring and control for irrigation systems - Part 1: General considerations

This part of EN 15099 establishes the definitions, functionalities and specifications related to remote monitoring and control for irrigation systems and its elements.

Keel en

EVS-EN 15360:2007

Hind 95,00

Identne EN 15360:2007

Fertilizers - Determination of dicyandiamide - Method using highperformance liquid chromatography (HPLC)

This document specifies a method for the selective determination of dicyandiamide (DCD) in addition to all the other forms of nitrogen fixations, particularly in fertilizers to which DCD has been added as a nitrification inhibiting agent.

Keel en

Asendab CEN/TS 15360:2006

ASENDATUD VÕI TÜHISTATUD STANDARDID

CEN/TS 15360:2006

Identne CEN/TR 15360:2006

Fertilizers - Determination of dicyandiamide - Method using highperformance liquid chromatography (HPLC)

This Technical Specification specifies a method for the selective determination of dicyandiamide (DCD) in addition to all the other forms of nitrogen fixations, particularly in fertilizers to which DCD has been added as a nitrification inhibiting agent.

Keel en

Asendatud EVS-EN 15360:2007

EVS-EN 13525:2005

Identne EN 13525:2005

Metsandusmasinad. Puiduhakkurid. Ohutus

This document specifies safety requirements and their verification for design and construction of transportable, i.e. self-propelled, mounted, semi-mounted and trailed, wood chippers used in forestry, agriculture, horticulture and landscaping.

Keel en

Asendatud EVS-EN 13525:2005+A1:2007

67 TOIDUAINETE TEHNOLOOGIA

UUED STANDARDID

EVS-EN ISO 21415-1:2007

Hind 132,00

Identne EN ISO 21415-1:2007

ja identne ISO 21415-1:2006

Wheat and wheat flour - Gluten content - Part 1: Determination of wet gluten by a manual method

This part of ISO 21415 specifies a manual washing out method for the determination of the wet gluten content of wheat flour (*Triticum aestivum* L. and *Triticum durum* Desf.). This method is directly applicable to flour. It is also applicable to semolina and wheat after grinding, if their particle size distribution meets the specification given in Table B.1.

Keel en

EVS-EN ISO 21415-3:2007

Hind 113,00

Identne EN ISO 21415-3:2007

ja identne ISO 21415-3:2006

Wheat and wheat flour - Gluten content - Part 3: Determination of dry gluten from wet gluten by an oven drying method

This part of ISO 21415 specifies a method for the determination of the dry gluten content from wet gluten obtained as specified in either ISO 21415-1 or ISO 21415-2. In this method, dry gluten is obtained from wet gluten by drying in an oven. The method can also be used to determine the moisture content of the wet gluten.

Keel en

EVS-EN ISO 21415-4:2007

Hind 113,00

Identne EN ISO 21415-4:2007

ja identne ISO 21415-4:2006

Wheat and wheat flour - Gluten content - Part 4: Determination of dry gluten from wet gluten by a rapid drying method

This part of ISO 21415 specifies a rapid method for the determination of the dry gluten content from wet gluten obtained as specified in either ISO 21415-1 or ISO 21415-2. The method can also be used to determine the moisture content of the wet gluten.

Keel en

EVS-EN ISO 22160:2007

Hind 162,00

Identne EN ISO 22160:2007

ja identne ISO 22160:2007

Milk and milk-based drinks - Determination of alkaline phosphatase activity - Enzymatic photo-activated system (EPAS) method

This International Standard specifies a method for the determination of alkaline phosphatase activity in pasteurized whole milk, semi-skimmed milk, skimmed milk, cream, and flavoured milks using a chemiluminescent (EPAS) method.

Keel en

Asendab EVS-EN ISO 11816-1:2000

KAVANDITE ARVAMUSKÜSITLUS

prEN 14164 rev

Identne prEN 14164:2007

Tähtaeg 29.08.2007

Foodstuffs - Determination of vitamin B6 by HPLC

This European Standard specifies a method for the determination of vitamin B6 in foodstuffs by high performance liquid chromatography (HPLC). Vitamin B6 is the mass fraction of the sum of pyridoxine, pyridoxal, pyridoxamine including their phosphorylated derivatives determined as pyridoxine. The β -glycosylated forms are not taken into account. These can be determined with the method given in EN 14663 by which the different vitamers of vitamin B6 (pyridoxal, pyridoxamine and pyridoxine) are separated and individually quantified. A third European Standard (EN 14166 1) determines the total vitamin B6 by microbiological assay.

Keel en

75 NAFTA JA NAFTATEHNOLOGIA

UUED STANDARDID

EVS-EN ISO 15546:2007

Hind 199,00

Identne EN ISO 15546:2007

ja identne ISO 15546:2007

Petroleum and natural gas industries - Aluminium alloy drill pipe

This International Standard specifies the technical delivery condition, manufacturing process, material requirements, configuration and dimensions, and verification and inspection procedures for aluminium alloy drill pipes with or without attached steel tool joints for use in drilling and production operations in the petroleum and natural gas industries

Keel en

Asendab EVS-EN ISO 15546:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN ISO 15546:2003

Identne EN ISO 15546:2002

ja identne ISO 15546:2002

Petroleum and natural gas industries - Aluminium alloy drill pipe

This International Standard specifies the technical delivery condition, manufacturing process, material requirements, configuration and dimensions, and verification and inspection procedures for aluminium alloy drill pipes with or without attached steel tool joints for use in drilling and production operations in the petroleum and natural gas industries

Keel en

Asendatud EVS-EN ISO 15546:2007

KAVANDITE ARVAMUSKÜSITLUS

prEN 12081 rev

Identne prEN 12081:2007

Tähtaeg 29.08.2007

Raudteealased rakendused. Rattapuksid.

Määrdaineid

Käesolev Euroopa standard määratleb kvaliteedinõuded vastavalt standardiga EN 12080 ettenähtud veerelaagrisõlmede määrete kohta, millega määrimine on nõutav rongide usaldusväärseks tööks Euroopa raudteedevõrgus. Standard hõlmab määrete heakskiiduprotseedu, kvaliteedikontrolli meetodit ja määrdede kvaliteedi jälgimise korda. Määrdede esitatavad nõuded on esitatud kahe sõidukiiruse klassi kohta.

Keel en

Asendab EVS-EN 12081:2000

prEN 15691

Identne prEN 15691:2007

Tähtaeg 29.08.2007

Ethanol as a blending component for petrol - Determination of total dry residue (involatile material) - Gravimetric method

This European Standard specifies a procedure for the determination of dry residue in ethanol by desiccation method in the range (10 to 25) mg/100 ml.

Keel en

prEN 15692

Identne prEN 15692:2007

Tähtaeg 29.08.2007

Ethanol as a blending component for gasoline - Determination of water content - Karl Fischer potentiometric titration method

This standard specifies a method for the direct determination of water in ethanol to be used in gasoline blends. It is applicable in the range 0,040 % (m/m) to 0,540 % (m/m).

Keel en

77 METALLURGIA

UUED STANDARDID

EVS-EN 15079:2007

Hind 132,00

Identne EN 15079:2007

Copper and copper alloys - Analysis by optical emission spectrometry with spark excitation (S-OES)

This European Standard specifies a routine method for the analysis of copper and copper alloys by spark source optical emission spectrometry (S-OES). The method is applicable to all elements except copper commonly present in copper and copper alloys present as impurities or minor or main constituents, and detectable by S-OES.

Keel en

EVS-EN ISO 14577-4:2007

Hind 190,00

Identne EN ISO 14577-4:2007

ja identne ISO 14577-4:2007

Metallic materials - Instrumented indentation test for hardness and materials parameters - Part 4: Test method for metallic and non-metallic coatings

This part of ISO 14577 specifies a method for testing coatings which is particularly suitable for testing in the nano/micro range applicable to thin coatings. This test method is limited to the examination of single layers when the indentation is carried out normal to the test piece surface, but graded and multilayer coatings can also be measured in cross-section if the thickness of the individual layers or gradations is greater than the spatial resolution of the indentation process. The test method is not limited to any particular type of material. Metallic, non-metallic and organic coatings are included in the scope of this part of ISO 14577. The application of this part of ISO 14577 regarding measurement of hardness is only possible if the indenter is a pyramid or a cone with a radius of tip curvature small enough for plastic deformation to occur within the coating. The hardness of visco-elastic materials, or materials exhibiting significant creep will be strongly affected by the time taken to perform the test.

Keel en

EVS-EN ISO 15546:2007

Hind 199,00

Identne EN ISO 15546:2007

ja identne ISO 15546:2007

Petroleum and natural gas industries - Aluminium alloy drill pipe

This International Standard specifies the technical delivery condition, manufacturing process, material requirements, configuration and dimensions, and verification and inspection procedures for aluminium alloy drill pipes with or without attached steel tool joints for use in drilling and production operations in the petroleum and natural gas industries

Keel en

Asendab EVS-EN ISO 15546:2003

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN ISO 15546:2003

Identne EN ISO 15546:2002

ja identne ISO 15546:2002

Petroleum and natural gas industries - Aluminium alloy drill pipe

This International Standard specifies the technical delivery condition, manufacturing process, material requirements, configuration and dimensions, and verification and inspection procedures for aluminium alloy drill pipes with or without attached steel tool joints for use in drilling and production operations in the petroleum and natural gas industries

Keel en

Asendatud EVS-EN ISO 15546:2007

79 PUIDUTEHNOLOGIA

UUED STANDARDID

EVS-EN 1870-1:2007

Hind 305,00

Identne EN 1870-1:2007

Puidutöötlemismasinate ohutus.

Ketassaagimisseadmed. Osa 1: Ketassaepingid (koos liugalusega ja ilma), täppissaed ja ehitusplatsisaed

This document deals with the significant hazards, hazardous situations and events as listed in Clause 4 which are relevant to stationary and displaceable circular saw benches (with or without sliding table and/or demountable power feed unit), dimensions saws and building site saws, hereinafter referred to as "machines", designed to cut solid wood, chipboard, fibreboard, plywood and also these materials, if they are covered with plastic edging and/or plastic/light alloy laminates, when they are used as intended and under the conditions foreseen by the manufacturer.

Keel en

Asendab EVS-EN 1870-1:1999

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 1870-1:1999

Identne EN 1870-1:1999

Puidutöötlemismasinate ohutus.

Ketassaagimisseadmed. Osa 1: Ketassaepingid (koos liugalusega ja ilma) ja täppissaed

Käesolev Euroopa standard määrab kindlaks nõuded ja/või meetmed ohuolukordade kõrvaldamiseks ja ohtude vähendamiseks ketassaepinkide (koos liugalusega ja ilma) ja täppissaagide (edaspidi nimetatud kui "masinad") suhtes, mis on ette nähtud kõva puidu, puitkiudplaadi, kiudplaadi või vineeri lõikamiseks ja nende materjalide lõikamiseks, kui need on ääristsatud plastservadega.

Keel en

Asendatud EVS-EN 1870-1:2007

KAVANDITE ARVAMUSKÜSITLUS

prEN 13696 rev

Identne prEN 13696:2007

Tähtaeg 29.08.2007

Wood flooring - Test methods to determine elasticity and resistance to wear and impact resistance

This document specifies a test method to determine the resistance to wear of lacquered wood floorings, a method to test the elasticity of the lacquer and a method to determine resistance to impact of lacquered wood floorings.

Keel en

81 KLAASI- JA KERAAMIKA-TÖÖSTUS

UUED STANDARDID

EVS-EN 15335:2007

Hind 171,00

Identne EN 15335:2007

Advanced technical ceramics - Ceramic composites - Determination of elastic properties by resonant beam method up to 2 000 °C

This European Standard specifies the resonant beam method for the determination of the dynamic elastic moduli of fibre reinforced ceramic matrix composites from 20 °C up to 2 000 °C in vacuum or inert atmosphere. The Young's moduli and the shear moduli for different orientations with respect to the main axes of symmetry of the composite can be obtained.

Keel en

83 KUMMI- JA PLASTITÖÖSTUS

UUED STANDARDID

EVS-EN 15307:2007

Hind 84,00

Identne EN 15307:2007

Adhesives for leather and footwear materials - Sole-upper bonds - Minimum strength requirements

This European Standard defines for four main types of footwear minimum strength requirements for their soleupper bonds produced with solvent-based or dispersion adhesives under specified conditions.

Keel en

Asendab EVS-EN 522:2000; EVS-EN 1391:2000

EVS-EN ISO 307:2007

Hind 208,00

Identne EN ISO 307:2007

ja identne ISO 307:2007

Plastid. Polüamiidid. Viskoossusindeksi määramine

This International Standard specifies a method for the determination of the viscosity number of dilute solutions of polyamides in certain specified solvents. Polyamide samples must be completely soluble in the solvents mentioned. Additives such as flame-retardants and modifiers often interfere with the viscosity measurement, having an increasing effect on the viscosity number in formic acid and a decreasing effect on the viscosity number in sulfuric acid. The extent of the effect for polyamide compounds depends on the additive, the quantity of the additive, the presence of other additives and the compounding conditions.

Keel en

Asendab EVS-EN ISO 307:2004

EVS-EN ISO 7823-3:2007

Hind 123,00

Identne EN ISO 7823-3:2007

ja identne ISO 7823-3:2007

Plastics - Poly(methyl methacrylate) sheets - Types, dimensions and characteristics - Part 3: Continuous cast sheets

This part of ISO 7823 specifies requirements for non-modified flat poly(methyl methacrylate) (PMMA) continuous cast sheets for general-purpose use. The sheets may be colourless or coloured, and may be transparent, translucent or opaque. The thickness range of the sheets covered by this part of ISO 7823 is 1 mm to 10 mm.

Keel en

Asendatud EVS-EN ISO 7823-3:2007

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN 522:2000

Identne EN 522:1998

Naha- ja jalatsimaterjalide liimid. Liimimistugevus. Minimaalnõuded ja liimide liigitus

See standard määrab kindlaks meetodi, kuidas hinnata lahustipõhiseid ja dispersioonliime, mis on ette nähtud kasutamiseks tallaühendamisel. Standard määrab kindlaks minimaalnõuded mõnede nende liimidega tehtud ühenduste tugevusomadustele ja kehtestab liimide liigitus, mis põhineb jalatsitööstuses sagedamini talla- ja pealsematerjalina kasutatavate naha, kummi ja plastidega tehtud standardkatsete tulemustel.

Keel en

Asendatud EVS-EN 15307:2007

EVS-EN 1391:2000

Identne EN 1391:1998

Naha- ja jalatsimaterjalide liimid. Materjalide nakkuvuse hindamise meetod. Minimaalnõuded ja materjalide liigitus

See Euroopa standard määrab kindlaks meetodi naha- ja jalatsimaterjalide nakkuvuse hindamiseks eriti talla- ja pealsematerjalide liimühendustes, kui kasutatakse lahustipõhiseid või dispersioonliime spetsiaalsetel tingimustel.

Keel en

Asendatud EVS-EN 15307:2007

EVS-EN ISO 307:2004

Identne EN ISO 307:2003

ja identne ISO 307:2003

Plastid. Polüamiidid. Viskoossusindeksi määramine

Käesolev standard määrab kindlaks meetodi teatud kindlates lahustites lahustatud polüamiidide lahjendatud lahuste viskoossusindeksi määramiseks

Keel en

Asendab EVS-EN ISO 307:2000

Asendatud EVS-EN ISO 307:2007

EVS-EN ISO 7823-3:2004

Identne EN ISO 7823-3:2004

ja identne ISO 7823-3:2003

Plastics - Poly(methyl methacrylate) sheets - Types, dimensions and characteristics - Part 3: Continuous cast sheets

This part of ISO 7823 specifies requirements for non-modified flat poly(methyl methacrylate) (PMMA) continuous cast sheets (plates) for general-purpose use. The sheets may be colourless or coloured, and may be transparent, translucent or opaque.

Keel en

Asendatud EVS-EN ISO 7823-3:2007

85 PABERITEHNOLOGIA

KAVANDITE ARVAMUSKÜSITLUS

prEN ISO 287

Identne ISO/DIS 287:2007

Tähtaeg 29.08.2007

Paber ja papp. Partii niiskusesisalduse määramine. Ahjus kuivatamise meetod

This International Standard specifies an oven-drying method for the determination of moisture content of a lot of paper and board. The procedure in Clause 8 of this International Standard, describing how the test pieces shall be drawn from the lot, shall be performed at the time of sampling. This International Standard is applicable to every lot of paper and board, including corrugated fibreboard and solid fibreboard, provided that the paper or board does not contain any substances, other than water, that will escape at the temperature specified in this International Standard.

Keel en

87 VÄRVIDE JA VÄRVAINETE TÖÖSTUS

UUED STANDARDID

EVS-EN ISO 2409:2007

Hind 132,00

Identne EN ISO 2409:2007

ja identne ISO 2409:2007

Värvid ja lakkid. Võrekujuliste sisselöigete meetod

See standard on üks standardiseerias, mis käsitleb värvide, lakkide ja nendega seotud toodete proovivõtmist ja katsetamist. Standard määrab kindlaks katsemeetodi värvkatte vastupidavuse määramiseks tema eraldamisele aluspinnast, kui läbi katte aluspinnani lõigatakse täisnurkne võrgustik. Selle empiirilise katsega mõõdetav omadus oleneb teiste faktorite kõrval katte nakkest eelmise kihiga aluspinnaga. Meetodit ei saa siiski kasutada nakke mõõtmiseks.

Keel en

Asendab EVS-EN ISO 2409:2000

EVS-EN ISO 16276-1:2007

Hind 132,00

Identne EN ISO 16276-1:2007

ja identne ISO 16276-1:2007

Corrosion protection of steel structures by protective paint systems - Assessment of, and acceptance criteria for, the adhesion/cohesion (fracture strength) of a dry film - Part 1: Pull-off testing

This part of ISO 16276 specifies procedures for assessing the fracture strength of a protective paint coating of any thickness on a steel substrate of thickness not less than 10 mm. The procedures given in this part of ISO 16276 are based on methods used with different types of pull-off test equipment. The results obtained using such different types of equipment are not comparable.

Keel en

EVS-EN ISO 16276-2:2007

Hind 132,00

Identne EN ISO 16276-2:2007

ja identne ISO 16276-2:2007

Corrosion protection of steel structures by protective paint systems - Assessment of, and acceptance criteria for, the adhesion/cohesion (fracture strength) of a dry film - Part 2: Cross-cut test and X-cut testing

This part of ISO 16276 specifies procedures for rating the resistance of coating systems when a cut in the form of a right-angle lattice pattern (cross-cut) or in the form of an X (X-cut) is made into the coating, penetrating through to the substrate. This part of ISO 16276 is only applicable if the cross-cut or X-cut test method is specified, together with the rating from the appropriate rating scale.

Keel en

EVS-EN ISO 16773-2:2007

Hind 162,00

Identne EN ISO 16773-2:2007

ja identne ISO 16773-2:2007

Paints and varnishes - Electrochemical impedance spectroscopy (EIS) on high-impedance coated samples - Part 2: Experimental procedures and requirements for data collection

This part of ISO 16773 provides guidance on optimizing the collection of EIS data from high-impedance systems. High impedance in the context of intact coatings refers to systems with an impedance greater than $109 \Omega \cdot \text{cm}^2$. This does not preclude measurements on systems with lower impedance.

Keel en

EVS-EN ISO 21227-3:2007

Hind 104,00

Identne EN ISO 21227-3:2007

ja identne ISO 21227-3:2007

Paints and varnishes - Evaluation of defects on coated surfaces using optical imaging - Part 3: Evaluation of delamination and corrosion around a scribe

This part of ISO 21227 specifies a method for evaluating delamination and corrosion around a scribe by means of digital optical imaging. The damaged surface can be produced in accordance with ISO 9227, ISO 11997-1 or ISO 11997-2.

Keel en

ASENDATUD VÕI TÜHISTATUD STANDARDID

EVS-EN ISO 2409:2000

Identne EN ISO 2409:1994

ja identne ISO 2409:1992

Värvid ja lakkid. Võrekujuliste sisselöigete meetod

See standard on üks standardiseerias, mis käsitleb värvide, lakkide ja nendega seotud toodete proovivõtmist ja katsetamist. Standard määrab kindlaks katsemeetodi värvkatte vastupidavuse määramiseks tema eraldamisele aluspinnast, kui läbi katte aluspinnani lõigatakse täisnurkne võrgustik. Selle empiirilise katsega mõõdetav omadus oleneb teiste faktorite kõrval katte nakkest eelmise kihi või aluspinnaga. Meetodit ei saa siiski kasutada nakke mõõtmiseks.

Keel en

Asendatud EVS-EN ISO 2409:2007

KAVANDITE ARVAMUSKÜSITLUS

prEN ISO 16773-3

Identne prEN ISO 16773-3:2007

ja identne ISO/DIS 16773-3:2007

Tähtaeg 29.08.2007

Värvid ja lakkid. Suure takistusega pinnakattematerjalidega töödeldud näidiste elektrokeemiline näivtakistusspektromeetria (EIS). Osa 3: Tühirakkude baasil saadud andmete töötlemine ja analüüsime

This part of ISO 16773 specifies the procedure for evaluation of the experimental setup of EIS on high impedance coated samples. On this purpose dummy cells are used to simulate high impedance coated samples. On the basis of the described equivalent circuits, it gives a guideline for the use of dummy cells to gain confidence in the testing protocol including measurement, fitting and data presentation.

Keel en

91 EHITUSMATERJALID JA EHITUS

UUED STANDARDID

EVS-EN 1999-1-3:2007

Hind 286,00

Identne EN 1999-1-3:2007

Eurokoodeks 9: Alumiiniumkonstruktsioonide projekteerimine. Osa 1-3: Väsimustundlikud konstruktsioonid

P EN 1999 applies to the design of buildings and civil engineering and structural works in aluminium. It complies with the principles and requirements for the safety and serviceability of structures, the basis of their design and verification that are given in EN 1990 – Basis of structural design. EN 1999 is only concerned with requirements for resistance, serviceability, durability and fire resistance of aluminium structures. Other requirements, e.g. concerning thermal or sound insulation, are not considered.

Keel en

EVS-EN 12794:2006+A1:2007

Hind 221,00

Identne EN 12794:2005+A1:2007

Betoonvalmistooted. Vundamendivaiad**KONSOLIDEERITUD TEKST**

Käesolev Euroopa standard spetsifitseerib terminoloogia, nõuded, põhilised toimivuskriteeriumid, katsemeetodid ja vastavushindamise korra tehases valmistatud betoonist vundamendivaiadele, mida kasutatakse hoonete ja rajatiste ehitamisel ning süvistatakse ehitusplatsil kasutades rammimist, vibreerimist, surumist või mõnda muud sobivat meetodit. Käesolevat standardit võib rakendada ka ehitusplatsil ajutistes tsehhides valmistatud toodetele, kui tootmise järelevalve toimub vastavalt jaotise 6 eeskirjadele ja on vajaduse kohaselt ilmastikumõjude eest kaitstud.

Keel en

Asendab EVS-EN 12794:2006

EVS-EN 13084-2:2007

Hind 162,00

Identne EN 13084-2:2007

Free-standing chimneys - Part 2: Concrete chimneys

This European Standard specifies particular requirements and performance criteria for the design and construction of cast-in-situ concrete chimneys as well as prefabricated concrete chimneys. It identifies requirements to ensure the mechanical resistance and stability of concrete chimneys in accordance with the general requirements given in EN 13084-1. As for chimneys attached to buildings the criteria given in Clause 1 of EN 13084-1:2000 apply. Unless otherwise stated in the following clauses the basic standard for the design of concrete structures, EN 1992-1-1, applies.

Keel en

Asendab EVS-EN 13084-2:2002

EVS-EN 13119:2007

Hind 84,00

Identne EN 13119:2007

Rippseinad. Terminoloogia

This European Standard describes terminology used in documents, drawings, specifications etc., when referring to the detailed elements of curtain walling and provides a comprehensive, though not total, list of regular terms. It does not set out to repeat those physical definitions properly included within individual curtain walling standards related to performance requirements and associated test methods.

Keel en

EVS-EN 13779:2007

Hind 268,00

Identne EN 13779:2007

Hoonete (va. eluhooned) ventilatsioon. Ventilatsiooni ja õhu konditsioneerimise süsteemide toimivuse nõuded

This European Standard applies to the design and implementation of ventilation and room conditioning systems for non-residential buildings subject to human occupancy, excluding applications like industrial processes. It focuses on the definitions of the various parameters that are relevant for such systems. The guidance for design given in this standard and its annexes are mainly applicable to mechanical supply and exhaust ventilation systems, and the mechanical part of hybrid ventilation systems. Applications for residential ventilation are not dealt with in this standard.

Performance of ventilation systems in residential buildings are dealt with in CEN/TR 14788. The classification uses different categories. For some values, examples are given and, for requirements, typical ranges with default values are presented. The default values given in this standard are not normative as such, and should be used where no other values are specified. Classification should always be appropriate to the type of building and its intended use, and the basis of the classification should be explained if the examples given in the standard are not to be used.

Keel en

Asendab EVS-EN 13779:2004

EVS-EN 15050:2007

Hind 233,00

Identne EN 15050:2007

Betoonvalmistooted. Sillaelemendid

This European Standard applies to elements produced in a factory and to precast concrete structural elements used in bridge construction, for example deck elements, abutments, elements for piers and precast arches. Normal weight concrete elements are considered, both reinforced and prestressed; their use can be on road bridges, railway bridges and footbridges. Deck elements include both single elements from which the deck may be composed (beams, slabs, ribbed or cellular elements) and elements consisting of a segment of the entire deck.

Keel en

EVS-EN 15200:2007

Hind 199,00

Identne EN 15200:2007

Sanitary appliances - Multifunction shower cabinets

This standard specifies requirements and test methods for multifunction shower cabinets (subsequently referred to as unit(s)), used for domestic purposes. This standard does not apply to shower cabinets and shower enclosures.

Keel en

EVS-EN 15239:2007

Hind 208,00

Identne EN 15239:2007

Hoonete ventilatsioon. Hoonete energiakasutus.**Juhised ventilatsiooni süsteemide kontrollimiseks**

This standard develops the methodology required for the inspection of mechanical and natural ventilation systems in relation to its energy consumption. This standard applies to both residential and non residential buildings. The inspection may include the following issues, in order to determine the energy performance of the building and its associated mechanical / electrical plant: - The system conformity related to the original and subsequent design modifications, actual requirements and the present building state. - Correct operation of the mechanical, electrical or pneumatic components. - Provision of an adequate and pure supply of ventilation air. - The functioning of all the controls involved. - Fan power absorbed and specific fan power. - Building air tightness.

Keel en

EVS-EN 15240:2007

Hind 199,00

Identne EN 15240:2007

Hoonete ventilatsioon. Hoonete energiakasutus.**Juhised õhu konditsioneerimise süsteemide kontrollimiseks**

This European Standard describes the common methodology for inspection of air conditioning systems in buildings for space cooling and or heating from an energy consumption standpoint. The inspection can consider for instance the following points to assess the energy performance and proper sizing of the system: - System conformity to the original and subsequent design modifications, actual requirements and the present state of the building. - Correct system functioning. - Function and settings of various controls. - Function and fitting of the various components. - Power input and the resulting energy output.

Keel en

EVS-EN 15241:2007

Hind 162,00

Identne EN 15241:2007

Hoonete ventilatsioon. Ühiskondlike hoonete ventilatsioonist ja infiltratsioonist põhjustatud energiakadude arvutusmeetodid

This European Standard describes the method to calculate the energy impact of ventilation systems (including airing) in buildings to be used for applications such as energy calculations, heat and cooling load calculation. Its purpose is to define how to calculate the characteristics (temperature, humidity) of the air entering the building, and the corresponding energies required for its treatment and the auxiliaries electrical energy required. This standard can also be used for air heating and cooling systems when they assure the provision of ventilation, considering that prEN 15243 will provide the required heating or cooling load and the corresponding air flows and/or air temperatures.

Keel en

EVS-EN 15242:2007

Hind 233,00

Identne EN 15242:2007

Hoonete ventilatsioon. Hoonetes õhuhulkade, sh.infiltratsiooni määramise meetodid

This European Standard describes the method to calculate the ventilation air flow rates for buildings to be used for applications such as energy calculations, heat and cooling load calculation, summer comfort and indoor air quality evaluation. The ventilation and air tightness requirements (as IAQ, heating and cooling, safety, fire protection...) are not part of the standard. For these different applications, the same iterative method is used but the input parameter should be selected according to the field of application. For specific applications a direct calculation is also defined in this standard. A simplified approach is also allowed at national level following prescribed rules of implementation.

Keel en

EVS-EN 15251:2007

Hind 233,00

Identne EN 15251:2007

Nöuded sisekliimale, kaasa arvatud soojuslik mugavus, siseõhu puhtus, valgustus ja müra

- This European Standard specifies the indoor environmental parameters which have an impact on the energy performance of buildings.
- The standard specifies how to establish indoor environmental input parameters for building system design and energy performance calculations.
- The standard specifies methods for long term evaluation of the indoor environment obtained as a result of calculations or measurements.
- The standard specifies criteria for measurements which can be used if required to measure compliance by inspection.

Keel en

ASENDATUD VÕI TÜHISTATUD STANDARDID**EVS-EN 772-16:2004**

Identne EN 772-16:2000

Müürivide katsemeetodid. Osa 16: Mõõtmete määramine

Standard spetsifitseerib müürivide gabariitmõõtmete, väliskesta ja õõnte vaheseinte paksuse ning õõnte sügavuse määramise meetodi.

Keel et

Asendatud EVS-EN 772-16:2004/A1:2004; EVS-EN 772-16:2004/A2:2005

EVS-EN 772-16:2004/A1:2004

Identne EN 772-16:2000/A1:2004

Müürivide katsemeetodid. Osa 16: Mõõtmete määramine

Käesolev Euroopa standard spetsifitseerib müürivide gabariitmõõtmete, väliskesta ja õõnte vaheseinte paksuse ning õõnte sügavuse määramise meetodi.

Keel en

Asendatud EVS-EN 772-16:2007

EVS-EN 772-16:2004/A2:2005

Identne EN 772-16:2000/A2:2005

Müürivide katsemeetodid. Osa 16: Mõõtmete määramine

Standard spetsifitseerib müürivide gabariitmõõtmete, väliskesta ja õõnte vaheseinte paksuse ning õõnte sügavuse määramise meetodi.

Keel en

Asendatud EVS-EN 772-16:2007

EVS-EN 933-3:2000

Identne EN 933-3:1997

Täitematerjalide geommeetrislike omaduste katsetamine. Osa 3: Tera kuju määramine.**Plaatsustegur**

Käesolev Euroopa standard sätestab looduslike, tehisja kerätäitematerjalide plaatsusteguri määramise meetodi. Käesolevas standardis osas kirjeldatud katsemетодika ei ole rakendatav teradele mõõduga alla 4 mm ja üle 80 mm.

Keel et

Asendab EVS-EN 933-3:2007

EVS-EN 933-1:2000

Identne EN 933-1:1997

Täitematerjalide geommeetrislike omaduste katsetamine. Osa 1: Terastikulise koostise määramine. Sõelanalüüs

Käesolev standard sätestab täitematerjalide terastikulise koostise määramise meetodi katsesõltega. Standard rakendub kuni 63 mm nimimõõtmega looduslikele, tehisja kerätäitematerjalidele, filter välja arvatud.

Keel et

Asendatud EVS-EN 933-1:2007

EVS-EN 1097-2:2001

Identne EN 1097-2:1998

Täitematerjalide mehaaniliste ja füüsikaliste omaduste katsetamine. Osa 2: Purunemiskindluse määramise meetodid

Käesolev standard eristab jämetäitematerjali purunemiskindluse määramise meetodid. Määratletud on kaks meetodit: a) Los Angelese meetod (põhimeetod); b) löögikatse (alternatiivne meetod).

Käesolev Euroopa standard rakendub ehituses kasutatavatele looduslikele ja tehistäitematerjalidele.

Keel et

Asendatud EVS-EN 1097-2:2007

EVS-EN 1097-1:2001

Identne EN 1097-1:1996

Täitematerjalide mehaaniliste ja füüsikaliste omaduste katsetamine. Osa 1: Kulumiskindluse määramine (mikro-Deval)

Käesolev standard määrab kindlaks katsemeetodi täitematerjali proovi kulumiskindluse mõõtmiseks. Tavaliselt katsetatakse proovi märjalt, kuid võib katsetada ka kuivalt. Käesolev standard rakendub hoonete ja rajatiste ehitamisel kasutatavatele looduslikele ja tehistäitematerjalidele.

Keel et

Asendab EVS-EN 1097-1:2000

EVS-EN 12794:2006

Identne EN 12794:2005

Betoonvalmistooted. Vundamendivaiad

Käesolev Euroopa standard spetsifitseerib terminoloogia, nõuded, põhilised toimivuskriteeriumid, katsemeetodid ja vastavushindamise korra tehases valmistatud betoonist vundamendivaiadele, mida kasutatakse hoonete ja rajatiste ehitamisel ning süvistatakse ehitusplatsil kasutades rammimist, vibreerimist, surumist või mõnda muud sobivat meetodit. Käesolevat standardit võib rakendada ka ehitusplatsil ajutistes tsehhides valmistatud toodetele, kui tootmise järelevalve toimub vastavalt jaotise 6 eeskirjadele ja on vajaduse kohaselt ilmastikumõjude eest kaitstud.

Keel et

Asendab EVS 851:2004

Asendatud EVS-EN 12794:2006+A1:2007

EVS-EN 13084-2:2002

Identne EN 13084-2:2001

Free-standing chimneys - Part 2: Concrete chimneys

This part of the European Standard specifies particular requirements and performance criteria for the design and construction of cast-in-situ concrete chimneys as well as prefabricated concrete chimneys. It identifies requirements to ensure the mechanical resistance and stability of concrete chimneys in accordance with the general requirements given in EN 13084-1.

Keel en

Asendatud EVS-EN 13084-2:2007

EVS-EN 13779:2004

Identne EN 13779:2004

Hoone (va. eluhooned) ventilatsioon. Nõutavad ventilatsiooni ja õhu konditsioneerimise süsteemide omadused

This document applies to the design of ventilation and room conditioning systems for non-residential buildings subject to human occupancy. It focuses on the definitions of the various parameters that are relevant for such systems. Naturally ventilated buildings are outside the scope of this document. The classification uses different categories. For some values, examples are given and, for requirements, typical ranges with default values are presented. The default values given in this document shall be used where no other values are specified. Classification should always be appropriate to the type of building and its intended use, and the basis of the classification should be explained if the examples given in the standard are not to be used. National regulations must always be followed, even when they are out of the range given in this document.

Keel en

Asendatud EVS-EN 13779:2007

KAVANDITE ARVAMUSKÜSITLUS**EN 50164-1:2002/prA2**

Identne EN 50164-1:1999/prA2:2007

Tähtaeg 29.08.2007

Lightning Protection Components (LPC) -- Part 1: Requirements for connection components

This European Standard specifies the requirements and tests for metallic connection components such as connectors, bonding and bridging components, expansion pieces as well as test joints for Lightning Protection Systems (LPS).

Keel en

EN 50164-2:2003/prA2

Identne EN 50164-2:2002/prA2:2007

Tähtaeg 29.08.2007

Lightning protection components (LPC) -- Part 2: Requirements for conductors and earth electrodes

This European Standard specifies the requirements and tests for - metallic conductors (other than "natural" conductors) that form part of the air termination system and down conductors, - metallic earth electrodes that form part of the earth termination system

Keel en

prCEN/TR 15678

Identne prCEN/TR 15678:2007

Tähtaeg 29.08.2007

Concrete - Release of regulated dangerous substances into soil, groundwater and surface water - Test method for new or unapproved constituents of concrete and for production concretes

This document outlines three test methods. The first is designed to test the constituents of concrete, not designated as WT products, using reference concrete matrices (control mixes and test mixes) wherein the release of (regulated) dangerous substances from the constituent under test, into soil, groundwater or surface water, can be determined. The types of constituent which can be tested using this method are as follows:

- a) factory-made cements;
- b) aggregates;
- c) additions type I;
- d) additions type II;
- e) admixtures;
- f) polymer modifiers;
- g) fibres.

Keel en

prEN 13126-15 rev

Identne prEN 13126-15:2007

Tähtaeg 29.08.2007

Building hardware - Hardware for windows and balcony doors - Requirements and test methods - Part 15: Rollers for horizontal sliding and sliding folding windows and doors

This Part of CEN/TS 13126 gives requirements and test methods for durability, strength, security and function of rollers for windows and door height windows. This standard is applicable to rollers irrespective of whether they are adjustable or not and of the method or type of fixing or if they are used independently, or in multiples or combinations

Keel en

Asendab CEN/TS 13126-15:2004

prEN 13126-16

Identne prEN 13126-16:2007

Tähtaeg 29.08.2007

Building hardware - Hardware for windows and balcony doors - Requirements and test methods - Part 16: Hardware for Lift&Slide windows and doors

This part of EN 13126 provides requirements and test methods for durability, strength, security and function of hardware for Lift&Slide windows and door height windows, regardless of whether the hardware enables an additional tilt position.

Keel en

prEN 13126-17 rev

Identne prEN 13126-17:2007

Tähtaeg 29.08.2007

Building hardware - Hardware for windows and balcony doors - Requirements and test methods - Part 17: Hardware for Tilt&Slide windows and doors

This Part of CEN/TS 13126 gives requirements and test methods for durability, strength, security and function of fittings for tilt and slide systems for windows and door height windows.

Keel en

Asendab CEN/TS 13126-17:2004

prEN 14908-5

Identne prEN 14908-5:2007

Tähtaeg 29.08.2007

Open Data Communication in Building Automation, Controls and Building Management Implementation Guideline - Control Network Protocol - Part 5: Implementation Guideline

This specification contains all the information necessary to facilitate the exchange of data and control information in an interoperable fashion using EN14908-1 and its associated data-transport media specifications.

Keel en

prEN 62058-11:2007/prAA

Identne prEN 62058-11:2007/prAA:2007

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 11: General acceptance inspection methods

Keel en

prEN 62058-21:2007/prAA

Identne prEN 62058-21:2007/prAA:2007

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 21: Particular requirements for electromechanical meters for active energy (classes 0,5, 1 and 2)

Keel en

prEN 62058-31:2007/prAA

Identne prEN 62058-31:2007/prAA:2007

Tähtaeg 29.08.2007

Electricity metering equipment (ac) - Acceptance inspection -- Part 31: Particular requirements for static meters for active energy (classes 0,2 S, 0,5 S, 1 and 2)

Keel en

93 RAJATISED

UUED STANDARDID

EVS-EN 12794:2006+A1:2007

Hind 221,00

Identne EN 12794:2005+A1:2007

**Betoonvalmistooted. Vundamendivaiad
KONSOLIDEERITUD TEKST**

Käesolev Euroopa standard spetsifitseerib terminoloogia, nõuded, põhilised toimivuskriteeriumid, katsemeetodid ja vastavushindamise korra tehases valmistatud betoonist vundamendivaiadele, mida kasutatakse hoonete ja rajatiste ehitamisel ning süvistatakse ehitusplatsil kasutades rammimist, vibreerimist, surumist või mõnda muud sobivat meetodit. Käesolevat standardit võib rakendada ka ehitusplatsil ajutistes tsehhides valmistatud toodetele, kui tootmise järelevalve toimub vastavalt jaotise 6 eeskirjadele ja on vajaduse kohaselt ilmastikumõjude eest kaitstud.

Keel en

Asendab EVS-EN 12794:2006

EVS-EN 13476-1:2007

Hind 171,00

Identne EN 13476-1:2007

Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 1: General requirements and performance characteristics

This European Standard, together with EN 13476-2 and EN 13476-3, specifies the definitions and general requirements for pipes, fittings and the system based on unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) structured-wall piping systems that are to be used for non-pressure underground drainage and sewerage systems.

Keel en

EVS-EN 13476-2:2007

Hind 208,00

Identne EN 13476-2:2007

Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 2: Specifications for pipes and fittings with smooth internal and external surface and the system, Type A

This part of prEN 13476, together with prEN 13476-1, specifies the definitions and requirements for pipes, fittings and the system based on unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) structured-wall piping systems that are intended to be used for non-pressure underground drainage and sewerage systems. This part is applicable to pipes and fittings with smooth internal and external surfaces, designated as Type A.

Keel en

EVS-EN 13476-3:2007

Hind 208,00

Identne EN 13476-3:2007

Plastics piping systems for non-pressure underground drainage and sewerage - Structured-wall piping systems of unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) - Part 3: Specifications for pipes, fittings and the system, Type B

This part of prEN 13476, together with prEN 13476-1, specifies the definitions and requirements for pipes, fittings and the system based on unplasticized poly(vinyl chloride) (PVC-U), polypropylene (PP) and polyethylene (PE) structured-wall piping systems that are intended to be used for non-pressure underground drainage and sewerage systems. This part is applicable to pipes and fittings with smooth internal and profiled external surfaces, designated as Type B. It specifies test methods and test parameters as well as requirements.

Keel en

EVS-EN 15050:2007

Hind 233,00

Identne EN 15050:2007

Betoonvalmistooted. Sillaelemendid

This European Standard applies to elements produced in a factory and to precast concrete structural elements used in bridge construction, for example deck elements, abutments, elements for piers and precast arches. Normal weight concrete elements are considered, both reinforced and prestressed; their use can be on road bridges, railway bridges and footbridges. Deck elements include both single elements from which the deck may be composed (beams, slabs, ribbed or cellular elements) and elements consisting of a segment of the entire deck.

Keel en

97 OLME. MEELELAHUTUS. SPORT**UUED STANDARDID****EVS-EN 71-4:1999/A3:2007**

Hind 132,00

Identne EN 71-4:1990/A3:2007

Mänguasjade ohutus. Osa 4: Katsekomplektid keemiakatseteks ja samalaadseks tegevuseks

Käesolev standard määrab kindlaks nõuded teatud kindlate ainete ja preparaatide maksimaalsele hulgale, mida kasutatakse keemia ja sellega seotud valdkondade katsevahendite komplektides. See hõlmab ka mänguasju, mida kasutatakse mineraloogia, bioloogia, füüsika, mikroskoopia ja keskkonnateaduste alaste katsete tegemiseks, kui neis tarvitatakse üht või enamat keemilist ainet või preparati. See määrab kindlaks ka nõuded märgistamisele, sisalduse kirjeldamisele ja kasutusjuhendile.

Keel en

EVS-EN 131-1:2007

Hind 162,00

Identne EN 131-1:2007

Ladders - Part 1: Terms, types, functional sizes

This European Standard defines terms and specifies the general design characteristics of ladders. It applies to portable ladders. It does not apply to step stools for which EN 14183 applies. It does also not apply to ladders designed for specific professional use such as firebrigade ladders, roof ladders and mobile ladders.

Keel en

Asendab EVS-EN 131-1:1999

EVS-EN 131-3:2007

Hind 151,00

Identne EN 131-3:2007

Ladders - Part 3: User Instructions

This European Standard advises on the safe use of ladders covered by the scope of prEN 131-1 and fulfilling the requirements of prEN 131-1, prEN 131-2 and, for single or multiple hinged-joint ladders, prEN 131-4 used as standing or leaning ladders.

Keel en

EVS-EN 131-4:2007

Hind 132,00

Identne EN 131-4:2007

Ladders - Part 4: Single or multiple hinge-joint ladders

This European Standard specifies the requirements, tests and marking of hinged combination ladders with one or several hinge joints. This European Standard is not applicable to hinge-joints of combination and standing ladders as defined by prEN 131-1. This part of the standard is intended to be used in conjunction with prEN 131-1 and prEN 131-2.

Keel en

EVS-EN 203-2-7:2007

Hind 84,00

Identne EN 203-2-7:2007

Gaaskuumutusega toitlustusettevõtteseadmed. Osa 2-7: Erinõuded. Küpsetusplaadid ja pöörleva praevardaga grillid

This European Standard specifies requirements for the construction and operating characteristics relating to the safety, rational use of energy and marking, of salamanders and rotisseries. It also states test methods to check those characteristics. This European Standard only covers type testing.

Keel en

Asendab EVS-EN 203-2:1999

EVS-EN 12278:2007

Hind 95,00

Identne EN 12278:2007

Mägironimisvarustus. Plokid. Ohutusnõuded ja katsemeetodid

Käesolev standard määrab kindlaks ohutusnõuded ja testimismeetodid mägironimisel ja alpinismis kasutatavatele plokkidele.

Keel en

Asendab EVS-EN 12278:1999

EVS-EN 13834:2007

Hind 162,00

Identne EN 13834:2007

Cookware - Ovenware for use in traditional domestic ovens

This European Standard specifies safety and performance requirements for items of ovenware for use in domestic ovens. It is applicable to all ovenware regardless of material or method of manufacture.

Keel en

EVS-EN 14878:2007

Hind 123,00

Identne EN 14878:2007

Textiles - Burning behaviour of children's nightwear - Specification

This European Standard specifies requirements for the burning behaviour of children's nightwear and nightwear fabrics intended for such garments when tested in accordance with EN 1103 but without the washing procedure.

Keel en

EVS-EN 50090-2-2:2001/A2:2007

Hind 62,00

Identne EN 50090-2-2:1996/A2:2007

Olme- ja hooneelektroonikasüsteemid. Osa 2-2: Süsteemi ülevaade. Üldtehnilised nõuded

This standard defines the general technical requirements of a Home and Building Electronic System (HBES) based on SELV or PELV. It concerns cabling and topology, electrical and functional safety, environmental conditions and behaviour in case of failures as well as specific HBES installation rules. The HBES includes also the interfaces of devices and equipment providing connection to the HBES. Parts of devices and equipment not providing HBES functionality are not included. For such parts the relevant product standards apply.

Keel en

ASENDATUD VÕI TÜHISTATUD STANDARDID**EVS-EN 131-1:1999**

Identne EN 131-1:1993 + AC:1993

Redelid. Terminid, tüübhid, funktsionaalmõõtmned

See Euroopa standard esitab määratlused ja üldmõisted ning määrab kindlaks redelite üldised arvutuslikud karakteristikud, mis on olulised redelite ohutuse, käsitsemise ja valmistamise puuhul ning on infoks kasutajatele. Standard kehitib kantavate redelite kohta. See ei kehti professionaalse erirakendusega redelite kohta, nagu tuletörjeredelid, katuseredelid ja liikurrededelid.

Keel en

Asendatud EVS-EN 131-1:2007

EVS-EN 12278:1999

Identne EN 12278:1998

Mägironimisvarustus. Plokid. Ohutusnõuded ja katsemeetodid

Käesolev standard määrab kindlaks ohutusnõuded ja testimismeetodid mägironimisel ja alpinismis kasutatavatele plokkidele.

Keel en

Asendatud EVS-EN 12278:2007

KAVANDITE ARVAMUSKÜSITLUS**EN 60335-2-17:2003/prA2**

Identne EN 60335-2-17:2002/prA2:2007

ja identne IEC 60335-2-17:2002/A2:200X

Tähtaeg 29.08.2007

Majapidamis- ja muud taolised elektriseadmed. Ohutus. Osa 2-17: Erinõuded tekkidele, patjadele ja muudele taolistele paindlile soojendusseadmetele

Deals with the safety of electric blankets, pads and other flexible appliances for heating the bed or human body, for household and similar purposes, their rated voltage being not more than 250 V. This standard also deals with the control units supplied with the appliance

Keel en

prEN 621 rev

Identne prEN 621:2007

Tähtaeg 29.08.2007

Väljaspool kodumajapidamist kasutatavad gaasiküttel sundkonvektsiooniga otsepõlemis-öhusoojendid ruumide soojendamiseks, soojuse netosisendväärtusega alla 300 kW, ilma põlemisõhku ja/või põlemisjäake teisaldava ventilaatorita

See Euroopa standard määrab kindlaks ohutus- ja efektiivsusnõuded ning katsetusmeetodid väljaspool kodumajapidamist kasutatavate gaasiküttel otsepõlemis-öhusoojendite jaoks soojuse netosisendväärtusega alla 300 kW. Nendel öhusoojenditel on atmosfääriõhul töötavad põletid ning puudub ventilaator, mis aitaks teisaldada põlemisõhku ja/või põlemise jäÄggaase. See Euroopa standard kehtib B11, C11 ja C31 tüüpilised seadmete kohta, mida ei kasutata omaette üksuse moodustavates elamutes.

Keel en

Asendab EVS-EN 621:1999

prEN 13696 rev

Identne prEN 13696:2007

Tähtaeg 29.08.2007

Wood flooring - Test methods to determine elasticity and resistance to wear and impact resistance

This document specifies a test method to determine the resistance to wear of lacquered wood floorings, a method to test the elasticity of the lacquer and a method to determine resistance to impact of lacquered wood floorings.

Keel en

prEN 15468

Identne prEN 15468:2007

Tähtaeg 30.05.2006

Laminate floor coverings - Elements with directly applied printing and resin surface layer - Specifications, requirements and test methods

This European Standard specifies characteristics, states requirements and references test methods for Laminate floor coverings with directly applied printing and resin surface layer. It includes a classification system, based on EN 685, giving practical requirements for areas of use and levels of use, to indicate where laminate floor coverings will give satisfactory service and to encourage the consumer to make an informed choice. It also specifies requirements for marking and packaging.

Keel en

prEN 60730-2-3

Identne prEN 60730-2-3:2007

ja identne IEC 60730-2-3:2006

Tähtaeg 29.08.2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 2-3: Erinõuded torukujuliste lumenofoorlampide liiteseadiste termokaitsele

This part of IEC 60730 applies to the evaluation of thermal protectors for ballasts for tubular fluorescent lamps. This standard applies to thermal protectors using NTC or PTC thermistors, additional requirements for which are contained in Annex J. Requirements concerning the testing of the combination of ballasts and thermal protectors are given in IEC 61347-1.

Keel en

Asendab EVS-EN 60730-2-3:2001

prEN 60730-2-4

Identne prEN 60730-2-4:2007

ja identne IEC 60730-2-4:2006

Tähtaeg 29.08.2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 2-4: Erinõuded hermeetilist ja poolhermeetilist tüüpilised mootorkompressorite mootorite termokaitseseadistele

This part of IEC 60730 applies to the partial evaluation of thermal motor protectors as defined in IEC 60730-1 for sealed (hermetic and semi-hermetic type) motor-compressors. A thermal motor protector is an integrated control which is dependent on its correct mounting and fixing in or on a motor and which can only be fully tested in combination with the relevant motor. Requirements concerning the testing of the combination of motor and thermal motor protectors are given in IEC 60335-2-34. This standard applies to thermal motor protectors for motor compressors using NTC or PTC thermistors, additional requirements for which are contained in Annex J.

Keel de

Asendab EVS-EN 60730-2-4:2001; EVS-EN 60730-2-4:2001/A2:2003

prEN 60730-2-10

Identne prEN 60730-2-10:2007

ja identne IEC 60730-2-10:2006

Tähtaeg 29.08.2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 2-10: Erinõuded elektriliselt käitatavatele mootorikäivitusreleedele

This part of IEC 60730 applies to controls for automatically controlling the starting windings of single phase motors associated with equipment for household and similar use. This standard applies to motor-starting relays using NTC or PTC thermistors, additional requirements for which are contained in Annex J.

Keel de

Asendab EVS-EN 60730-2-10:2001; EVS-EN 60730-2-10:2001/A2:2003

prEN 60730-2-11

Identne prEN 60730-2-11:2007

ja identne IEC 60730-2-11:2006

Tähtaeg 29.08.2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 2-11: Erinõuded energiaregulaatoritele

In general, this part of IEC 60730 applies to energy regulators for use in, on, or in association with equipment for household and similar use, including energy regulators for heating, air conditioning and similar applications. The equipment may use electricity, gas, oil, solid fuel, solar thermal energy, etc. or a combination thereof.

Keel en

Asendab EVS-EN 60730-2-11:2001; EVS-EN 60730-2-11:2001/A11:2005

prEN 60730-2-13

Identne prEN 60730-2-13:2007

ja identne IEC 60730-2-13:2006

Tähtaeg 29.08.2007

Elektrilised automaatjuhtimisseadmed majapidamis- ja muuks taoliseks kasutuseks. Osa 2-13: Erinõuded niiskusanduritega juhtimisseadmetele

This part of IEC 60730 applies to automatic electrical humidity sensing controls for use in, on or in association with equipment for household and similar use, including controls for heating, air-conditioning and similar applications. The equipment may use electricity, gas, oil, solid fuel, solar thermal energy, etc. or a combination thereof.

Keel en

Asendab EVS-EN 60730-2-13:2001; EVS-EN 60730-2-13:2001/A2:2002

STANDARDITE TÖLKED KOMMENTEERIMISEL

Selles jaotises avaldame teavet eesti keelde tõlgitavate Euroopa või rahvusvaheliste standardite kohta. Alates veebruarikuust 2004 ei avaldata teavet arvamusküsitluse jaotises eelpool nimetatud standardite kohta, kuna tegemist on varem jõustumisteate meetodil üle võetud standarditega, mille sisu osas arvamust avaldada ei saa. Standardite tõlgteguga on võimalik tutvuda EVS standardiosakonnas ja klienditeeninduses standard@evs.ee.

Tõlge kommenteerimise ja ettepanekute esitamise perioodi lõpp on 01.08.2007

prEVS-EN 45020

Standardimine ja standardimisega seotud tegevused. Põhisõnavara

Dokument esitab standardimise ning sellega seotud tegevuste üldterminid ja määratlused. Standardi eesmärk on oluliselt parandada vastastikust arusaamist CENi ja CENELECi liikmete ning rahvusvahelises, regionaalses või rahvuslikus standardimises osalevate mitmesuguste valitsusasutuste või valitsusväliste organisatsioonide vahel. Selle eesmärk on ka õppetöös ja teatmematerjalina kasutamiseks sobiva allikmaterjali saamine, milles esitatakse lühidalt standardimise, sertifitseerimise ja laborite akrediteerimise teoreetilised ja praktilised põhimõtted.

Väljaande eesmärk pole korrrata määratlusi, mis on toodud üldotstarbelistes või teistes autoriteetsetes rahvusvahelistes sõnastikes.

Märkus 1. Sellest seisukohast lähtudes on erilist tähelepanu pööratud väljaandele "International vocabulary of basic and general terms in metrology (VIM)", mis on valminud ISO, IEC, BIPM, IFCC, IUPAC, IUPAP ja OIML ühistööna ja avaldatud 1993. aastal (teine väljaanne).

Märkus 2. Lisaks CENi ja CENELECi ametlikeks keeltes (inglise, prantsuse ja saksa) terminitele on esitatud ka vastavate liikmesriikide poolt koostatud ekvivalentsed terminid alljärgnevates keeltes:

- vene (ru);
- hispaania (es);
- itaalia (it);
- hollandi (ne);
- rootsi (sv).

EE märkus. Eestikeelset standardist on hispaania- ja itaaliakeelsed terminid välja jäetud.

Identne: EN 45020:2006

prEVS-EN 50423-1

Elektriõhuliinid vahelduvpingega üle 1 kV kuni 45 kV. Osa 1: Üldnõuded. Ühised eeskirjad

Standard hõlmab paljas- või kaetud juhtmetega elektriõhuliine ning õhukaabelliine vahelduvpingega üle 1 kV kuni 45 kV nimisagedusega alla 100 Hz. Üldiselt rakenduvad standardi EN 50341-1 nõuded. Käesolev standard määratleb täiendavad nõuded või lihtsustused, mis rakenduvad ainult vaadeldavas pingete vahemikus. Kooskõlas standardiga EN 50341-1 määrab standard kindlaks uute õhuliinide projekteerimise ja ehitamise üldnõuded, mida tuleb järgida, et kindlustada liini vastavus tema otstarbele, pidades silmas inimeste ohutuse, hoolde, käidu ja keskkonnaalaseid nõudeid.

Standard ei hõlma:

- õhuliine, mis paiknevad suletud elektrikäidalal vastavalt HD 637 S1 määratlusele,
- elektriraudtee toitesüsteeme, kui seda sõnaselgelt ei nõua mõni muu standard.

Identne: EN 50423-1:2005

prEVS-ISO 4268

Toornafta ja vedelad naftatooted temperatuuri mõõtmine Kätsi mõõtmeetodid

Rahvusvaheline standard määratleb meetodi, menetlused ja seadmed nafta ja naftasaaduste temperatuuri kätsi mõõtmiseks mahutites. Eelistatud meetodiks on kantava elektroonse termomeetri kasutamine peatükis 7 kirjeldatud kohaselt. Teised meetodid hõlmavad näitavaid püsipaigaldatud, kindlas kohas mõõtmise tüüpilisi termomeetrite kasutamist ja temperatuuri määramist proovivõtu meetodite abil,

kasutades anumkestaga ja uhutava kestaga termomeetreid ning termomeetreid standardi ISO 3170 kohaselt võetud tavapärastes mahuproovides.

Standard ei hõlma automaatse mõõtesüsteemi osa moodustavaid keskmistavaid termomeetreid. Neid kirjeldab standard ISO 4266. Teadaolevalt on osad või kõik standardis kirjeldatud seadmed paljudes maades allutatud nende maade seadustega kehtestatud kohustuslikele nõuetele. Neid nõudeid tuleb rangelt jälgida. Juhtudel, kus sellised kohustuslikud nõuded ja käesolev rahvusvaheline standard on omavahel vastuolus, kehtivad esimesed.

Identne: ISO 4268:2000

prEVS-EN 13108-2

Asfaltsegud. Materjalide spetsifikatsioonid.

Osa 2: Väga õhukeste kihtide asfaltbetoon

Euroopa standard kehtestab nõuded väga õhukeste kihtide asfaltbetooni segugruppi segudele kasutamiseks maanteeel, lennuväljadel ja muudel liikluseladel. Dokument hõlmab lähtematerjalide valiku nõudeid. See on mõeldud lugemiseks koos standarditega EN 13108-20 ja EN 13108-21.

Identne: EN 13108-2:2006

prEVS-EN 13108-6

Asfaltsegud. Materjalide spetsifikatsioonid.

Osa 6: Valuasfalt

Euroopa standard kehtestab nõuded valuasfaldi segugruppi segudele kasutamiseks maanteeel, lennuväljadel ja muudel liikluseladel. Käesolev dokument hõlmab lähtematerjalide valiku nõudeid. See on mõeldud lugemiseks koos standarditega EN 13108-20 ja EN 13108-21.

Identne: EN 13108-6:2006

prEVS-EN 13108-8

Asfaltsegud. Materjalide spetsifikatsioonid.

Osa 8: Korduvkasutatav asfalt

Euroopa standard kehtestab nõuded korduvkasutatava asfaldi kui asfaltsegude lähtematerjali kirjeldamiseks ja klassifitseerimiseks. Käesolev dokument määratleb ainult seda korduvkasutatavat asfalti, milles on bituumensideained: teebituumen, modifitseeritud bituumen ja kövabituumen.

Identne: EN 13108-8:2005

prEVS-EN 13108-21

Asfaltsegud. Materjalide spetsifikatsioonid.

Osa 21: Tehase tootmisohje

Euroopa standard määratleb kvaliteedi ja tehase tootmisohje nõuded asfaltsegude tootmisel nende kasutamiseks teedel, lennuväljadel ja muudel liikluseladel. Täiendav katsetamine, mis viiakse läbi lepingute piires, on väljaspool käesoleva Euroopa standardi käsitusala.

Identne: EN 13108-21:2006

prEVS-EN 1423

Teemärgistusmaterjalid.

Pealepuistematerjalid. Klaaskuulid, libisemisvastased materjalid ja nende segud

Euroopa standard määrab nõuded järgmiste teemärgistamisel kasutatavate pealepuistematerjalide laborkatsetele (tootmisohje) ja kvalifikatsiooni protseduuridele. Need materjalid puistatakse värvidele, termoplastikule, külmale plastikule ja muulle vedelas olekus pealekantavale märgistusmaterjalile kohe pärast nende teepinnale kandmist.

Identne: EN 1423:1997 + A1:2003

CEN/TR 15019

Geotekstiilid ja geotekstiiliga samalaadsed tooted. Kvaliteedi kontroll ehitusplatsil

Dokument sisaldab soovitusi geotekstiilide ja samalaadsete toodete kvaliteedi kontrolliks ehitusplatsil osana ehitusplatsi kvaliteedi tagamise süsteemist. See kirjeldab protseduure, mis töestavad, et:

- ehitusplatsile on saadetud õige toode;
- toodet käsitetakse ja paigaldatakse korrektsel viisil;
- toode vastab spetsifikatsioonile.

Identne: CEN/TR 15019:2005

prEVS-EN 14570

Vedelgaasi (LPG) seadmed ja lisavarustus.

Maapealsete ja maa-aluste LPG mahutite varustus

Standard määratleb nõuded LPG maa-aluste ja maapealsete mahutite varustusele, mille maht ei ole suurem kui 13 m³, mis on toodetud vastavuses standardiga EN 12542, EN 14975 või on nendega samaväärne ning mis on hüdrauliliselt katsetatud. Standard ei käsitle reservuaarmahutite ja jahutatud reservuaarmahutite varustust.

Identne: EN 14570:2005

STANDARDITE MÜÜGI TOP JUUNI

| Tähis | Pealkiri | Kogus |
|----------------------------|--|-------|
| 1. EVS 811:2006 | Hoone ehitusprojekt | 18 |
| 2. EVS 865-1:2006 | Hoone ehitusprojekti kirjeldus. Osa 1: Eelprojekti seletuskiri | 17 |
| 3. EVS 865-2:2006 | Hoone ehitusprojekti kirjeldus. Osa 2: Põhiprojekti ehituskirjeldus | 14 |
| 4. EVS-HD 60364-4-443:2007 | Ehitiste elektripaigaldised. Osa 4-44: Kaitseviisid. Kaitse pingehäirete ja elektromagnetiliste häirete eest. Jaotis 443: Kaitse pikse- ja lülitusliigpingete eest | 10 |
| 5. EVS-HD 60364-7-701:2007 | Madalpingelised elektripaigaldised. Osa 7-701: Nõuded eripaigaldistele ja -paikadele. Vanne ja dušše sisaldavad ruumid | 9 |
| 6. EVS-EN ISO 9001:2001 | Kvaliteedijuhtimissüsteemid. Nõuded | 8 |
| 7. EVS 843:2003 | Linnatänavad | 8 |
| 8. EVS 812-4:2005 | Ehitiste tuleohutus. Osa 4: Tööstus- ja laohoonete ning garaazide tuleohutus | 7 |
| 9. EVS 812-6:2005 | Ehitiste tuleohutus. Osa 6: Tuletörje veevarustus | 7 |
| 10. EVS-HD 60364-5-54:2007 | Madalpingelised elektripaigaldised. Osa 5-54: Elektriseadmete valik ja paigaldamine. Maandamine, kaitsejuhid ja kaitsepotentsiaaliühtlustusjuhid | 7 |

JUUNIKUUS JÕUSTUNUD JA MÜÜGILE SAABUNUD ESTIKEELSED STANDARDID

EVS-ISO 12648:2007

Trükitehnoloogia. Ohutusnõuded trükipressi süsteemide jaoks (ISO 12648:2003) 305.

Standard on rahvusvahelise standardi ISO 12648:2003 "Graphic technology – Safety requirements for printing press systems" ingliskeelse teksti identne tõlge eesti keelde. Rahvusvaheline standard kehtib trükipressi süsteemide kohta, kaasa arvatud abiseadmed ja järeltöötusmasinad, milles kõik süsteemis olevate seadmete masinaktivaatoreid (näiteks ajameid) juhitakse sama juhtimissüsteemiga. See on rakendatav vaid sellistele süsteemidele, milles trükipress on süsteemi osa. Juhtudel, kui köite-/järeltöötussüsteem ei ole ühendatud trükipressiga, rakendatakse standardit ISO 12649.

EVS-EN 933-1:2007 (konsolideeritud tekst) Täitematerjalide geomeetriliste omaduste katsetamine. Osa 1: Terastikulise koostide määramine. Sõelanalüüs 113.-

Standard on Euroopa standardi EN 933-1:1997 + A1:2005 "Tests for geometrical properties of aggregates – Part 1: Determination of particle size distribution. Sieving method" ingliskeelse teksti identne tõlge eesti keelde.

Standard sätestab täitematerjalide terastikulise koostise määramise meetodi katsesõeltega.

Standard rakendub kuni 90 mm nimimõõtmega looduslikele, tehis- ja kerätäitematerjalidele, filler välja arvatud.

Märkus. Fillerite terastikulise koostise hindamine on määratletud prEN 933-10-ga.

EVS-EN 933-3:2007 (konsolideeritud tekst) Täitematerjalide geomeetriliste omaduste katsetamine. Osa 3: Tera kuju määramine. Plaatsustegur 104.-

Standard on Euroopa standardi EN 933-3:1997 + A1:2003 "Tests for geometrical properties of aggregates – Part 3: Determination of particle shape - Flakiness index" ingliskeelse teksti identne tõlge eesti keelde.

Standard sätestab looduslike, tehisi- ja kerätäitematerjalide plaatsusteguri määramise meetodi.

Standardi osas kirjeldatud katsemetoodika ei ole rakendatav teradele mõõduga alla 4 mm ja üle 80 mm.

EVS-EN 1097-1:2007 (konsolideeritud tekst) Täitematejalide mehaaniliste ja füüsikaliste omaduste katsetamine. Osa 1:

Kulumiskindluse määramine (mikro-deval) 113.-

Standard on Euroopa standardi EN 1097-1:1996 + A1:2003 "Tests for mechanical and physical properties of aggregates – Part 1: Determination of the resistance to wear (micro-Deval)" ingliskeelse teksti identne tõlge eesti keelde.

Standard määrab kindlaks katsemeetodi täitematerjali proovi kulumiskindluse mõõtmiseks. Tavaliselt katsetatakse proovi märjalt, kuid võib katsetada ka kuivalt. Käesolev standard rakendub hoonete ja rajatiste ehitamisel kasutatavatele looduslikele ja tehistäitematerjalidele.

EVS-EN 1097-2:2007 (konsolideeritud tekst) Täitematejalide mehaaniliste ja füüsikaliste omaduste katsetamine. Osa 2:

Purunemiskindluse määramise meetodid 190.-

Standard on Euroopa standardi EN 1097-2:1998 + A1:2006 "Tests for mechanical and physical properties of aggregates – Part 2: Methods for the determination of resistance to fragmentation" ingliskeelse teksti ekvivalentne tõlge eesti keelde.

Standard eristab jämetäitematerjali purunemiskindluse määramise meetodid. Määratletud on kaks meetodit:

1. Los Angelese meetod (põhimeetod);
2. löögikatse (alternatiivne meetod).

Märkus. Löögikatset võib kasutada kui Los Angelese meetodi alternatiivi, kuid mitmekordse katsetamise välimiseks ja tulemuste vastastikuse tunnustamise tagamiseks tuleks määrata esmalt korrelatsioon Los Angelese meetodiga. Lahkarvamuste korral tuleks kasutada Los Angelese meetodit. Standard rakendub ehituses kasutatavatele looduslikele ja tööstuslikult toodetud täitematerjalidele.

EVS-EN 13108-1:2007

Asfaltsegud. Materjalide spetsifikatsioonid.

Osa 1: Asfaltbetoon 208.-

Standard on Euroopa standardi EN 13108-1:2006 "Bituminous mixtures – Material specifications – Part 1: Asphalt Concrete" ingliskeelse teksti identne tõlge eesti keelde.

Standard määrab nõuded segugrupile nimetusega asfaltbetoon kasutamiseks teedel, lennuväljadel ja muudel liiklusaladel.

Märkus. Standardist tuletatud segu spetsifikatsiooni saab kasutada kas segu teatud nõuetega vastavuse deklareerimiseks või nendest nõuetest teada andmiseks.

Standardis on nõuded lähtematerjalide valikuks. See on mõeldud lugemiseks seoses standarditega EN 13108-20 ja EN 13108-21. Standard ei käsitele asfaltbetoonsegu sid, mis sisaldavad standardiga EN 14023 mittehõlmatud keemiliselt modifitseeritud sideaineid.

EVS-EN 13808:2007

Bituumen ja bituumensideained.

Katioonsete bituumenemulsioonide määratlemise alused 180.-

Standard on Euroopa standardi EN 13808:2005 "Bitumen and bituminous binders – Framework for specifying cationic bituminous emulsions" ingliskeelse teksti identne tõlge eesti keelde.

Standard määrab toimivusomaduste nõuded katioonsete bituumenemulsioonide klassidele, mis sobivad kasutamiseks teede, lennuväljade ja muude kattega alade ehitamiseks ja hooldamiseks.

Standardit kohaldatakse puhta bituumeni või pehmendatud bituumeni või vedeldatud bituumeni emulsioonidele ja polümeer-modifitseeritud bituumeni emulsioonidele või polümeermodifitseeritud pehmendatud bituumenile või polümeermodifitseeritud vedeldatud bituumenile, mis hõlmab ka lateksiga modifitseeritud bituumenemulsioone.

EVS-EN 14388:2007

Liiklusmüra tõkked. Spetsifikatsioonid 132.-

Eesti standard on Euroopa standardi EN 14388:2005 "Road traffic noise reducing devices – Specifications" ingliskeelse teksti identne tõlge eesti keelde.

Dokument määratleb liiklusmüra tõkete toimivusnõuded ja hindamise meetodid. Dokument hõlmab akustilist, mitteakustilist ja

pikaajalist toimimist, kuid mitte vandalismikindlust ja nõudeid välisilmele. Dokument hõlmab ükskõik milliseid materjalist valmistatud liiklusemüra tõkkeid. Dokument ei hõlma teekatteid ega majade õhumüra isolatsiooni. Dokument ei hõlma materjali

spetsiifilisi omadusi, mis on vajalikud standardile vastamiseks toimivusnõuete osas. Olemasolevaid spetsiifilisi materjali standardeid peab rakendama ka vastavalt järgnevalt kirjeldatud nõuetele.

EVS klienditeenindus

(müük ja tutvumine standarditega)

Standardikeskuses Aru tn 10,
10317, Tallinn

Telefon: 605 5060 ja 605 5065

Faks: 605 5063

E-mail: standard@evs.ee

Ostu saab sooritada ka meie koduleheküljel
asuvas ostukorvis www.evs.ee/POOD